

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- A6-A gas field 67, 68, 84  
Aalenian  
  lacustrine source rocks 191  
  regression 191  
Abadia Formation 191  
Aberdeen Ground Formation 488, 489  
Aberlady Formation 573  
Adda Shelf 18, 19, 20  
Afrodite discovery 339, 340, 341  
Agat Member 30, 342  
Aller Halite 110  
Alpha Katrine 508, 510  
Alum Shale 190  
Amaliae Marine Band 595, 597  
Amundsen Formation 446, 450  
anoxia *see* oceanic anoxia  
Antaeus prospects 218, 221, 224  
Anton Dohrn Igneous Centre 213, 219  
Anton Dohrn Lineament 211, 219  
Antrim Shale, TOC/gas content 617  
apatite fission track analysis (AFTA) 2, 48, 50  
  Southern North Sea exhumation 51–60, 61–63  
Aptian  
  Late-Albian, Danish Central Graben 20  
  oceanic anoxia 195  
  transgression, North Sea Basin 11  
Arabian Basin, Zipf analysis 276, 278  
Arbroath Field 400, 408, 410  
Argyll Field 88, 91, 115, 561  
Arne–Elin Ridge 20  
Asgard Formation 30  
Askern Spital Fault 597  
Asterix fan system 249  
  GDE 256  
  reservoir quality 250, 252  
Astero Field 339, 341, **352**, 353, 354  
Atlantic Field 548, 558  
Atlantic margin basins 172, 187, 212  
  petroleum prospectivity 180–183  
  traps 181  
  *see also* North Atlantic margins  
Atlantic Margin Sill Complex 219, 222  
Auk Field 88, 91, 115, **120**  
Aurora Field 341, **352**, 353, 354  
Aviat Field 5, 485–504, 486, **504**  
  acoustic impedance 490  
  Crenulate Marker 485, 486, 487, 489–491  
  gas amplitude anomaly 490, 495  
  geological setting 486–491  
  reservoir **490**, 492–501, **504**  
    deliverability and continuity 499–501  
    depositional model 496–497, 498  
    distribution 495–496  
    hydrocarbon type distribution 499, 503  
    porosity/permeability 499, 502  
    trap 504  
    resource base and development 501–502  
    thickness prediction 497–499, 500, 501, 504  
    trap **504**  
    seismic data 485–486  
Aviat Sand Member 490, 492–501  
AVO responses 267, 268–269  
  Lille John field 295  
Bacchus HPHT Field 5, 319–336, 320  
  Coromandel Coast analogue 332–334  
  depositional model 328  
  development drilling 328–331, 334–335  
    revised analogue 332–334  
  drilling risk mitigation 320–321, 328–329, 336  
  exploration and development 319–321  
  fault blocks 323, 324–325  
    Central Block 321, 325, 332, 333, 334–335  
    East Block 319, 321, 325, 329, 331–332  
    West Block 319, 321, 325, 332, 334–335  
  Field Development Plan 321  
  geological uncertainty 319  
  horizontal wells 320–321  
  properties **336**  
  reservoir 319, 324, 326–328, 334–335  
    cementation 325, 326–328  
    deformation features 327–328  
    porosity/permeability 325, 326–328, 334  
  seismic data 321, 322, 323  
  stratigraphy 320, 323–324  
  structure 324–326  
  Top Fulmar Formation 319, 320, 321, 326, 328, 329, 333  
Bajocian, red-beds 191  
Balder Formation 149, 150, **156–157**, 165  
  Shearwater Field 433, 434  
  top seismic horizon 151, **156–157**, 158, 162  
Ballycotton gas field 171, 172, 173  
Bandon oil show 172, 173, 190  
Banff Field 33  
Barbara 68  
Bärbel Bea 68  
Barents Sea, source rocks 193  
Barremian–Aptian boundary  
  hydrocarbon plays 33  
  OAE 1a 17, 19–20  
Barryroe oil accumulation 172, 173  
  seismic imaging 174, 175  
Basal Silverpit Sandstone 313, 314  
Basal Succession, Welton oil field 595, 597  
Basalanhydrit 89, **91**, 92, 97, 99, 103, 110, 111  
  clinothem 105

- Base Cretaceous Unconformity (BCU) 10, 16, 24, 29, 180  
 Bacchus Field 323, 333  
 deformation 13  
 Knarr Field 447  
 Shearwater Field 431
- Base Naust Formation 487, 489
- Base Permian Unconformity 314, 315, 316
- Base Zechstein Unconformity 91, 92
- Basin Sand, shallow gas 485, 493
- Bathonian, red-beds 191
- bathymetry, controls on sediment, North Viking Graben 166
- Beatrice Field 190
- Beaully Member 551
- Beinisdvørð Formation 215, 216
- Belemnite Marl 191
- Belinda 68
- Bella 68
- Benbecula gas discovery 187, 188, 189–190, 211, 217, 218, 219–220, 221, 222, 223  
 gravity anomaly 225  
 hydrothermal fluids 224, 225, 226  
 porosity 224, 225
- Berit 68
- Berkel Sandstone Member 29, 30
- Berriasian, Central Graben 195
- Berta 68
- Beryl Alpha Beryl (BAB) 508, 510
- Beryl Alpha Secondaries (BAS) 508, 510
- Beryl Alpha Triassic (BAT) 508, 510
- Beryl Embayment 507, 508, 510  
 seismic data 510, 512  
 stratigraphy 511
- Beryl Field 5, 507–522, 508  
 Alpha platform 507, 508, 509, 522  
 Bravo East Flank 508  
 Bravo platform 507, 508, 509, 522  
 Bravo West Fault Block 508  
 history 510, 511  
 oil production 507, 509, 522  
 reserves 507  
 reservoirs 507, 512, 513, 514, 515, 516, 517  
 satellite fields 507, 509  
 stratigraphy 511  
 target portfolio 513, 521–522
- Beryl Formation 507, 510, 511, 512
- Bettina 68
- Bianca 68
- bias  
 behavioural 543  
 cognitive 259, 260, 269
- biodegradation, Lille John oil field 296–298
- Birgit 68
- bisnorhopane 193, 194, 195
- Bittern Sandstone Member 433
- Black Band Bed 11, 12, 31
- Black Sail sand reservoir 460
- Black Ven Marl 191
- Blake Field 548, 558
- Blodøks 31
- Blue Lias 191, 191
- Blythe Field 88, 120
- BMB Field 108, 109, 115, 116, 121
- Bo Member 16, 71, 72, 84
- Bo-Jens Ridge 20
- Boreal Marine Realm 190, 191, 192
- Boreal Ocean 446, 447
- Bowland Basin, Viséan–Namurian 611, 613
- Bowland sequence 613  
 Kirby Misperton field 611
- Bowland Shale Formation 573, 574, 576, 613  
 chemostratigraphy 586–587, 589–592  
 geochemistry 585–593  
 CaO profile 586, 587, 589, 591  
 characterization 589–592  
 ChemGR profile 586, 587  
 element–mineral affinities 587–589, 588  
 K/Al ratio 590  
 molybdenum enrichment factor 590, 591, 592, 593  
 normative mineral modelling 592–593  
 principal component analysis 587, 588  
 Si/Al profile 586, 587  
 Th/Sc ratio 590  
 Th/U ratio 589–590, 591  
 Ti/K ratio 590  
 Ti/Zr ratio 590, 591  
 TOC 588, 589, 593  
 uranium enrichment factor 590, 591, 592, 593  
 whole-rock XRD analysis 587, 591  
 mineralogy 586–593  
 thickness 585  
 unconventional play 585
- Bowland–Hodder Shales 6, 573–577, 573  
 resource assessment 577, 578, 583  
 thermal maturity 577  
 thickness 575
- Bravo East (BEAST) 508, 510
- Bravo East Flank (BEF) 508, 510, 512–516
- Bravo West Fault Block (BWFB) 508, 510  
 redevelopment 516–518
- Breagh gas field 2, 87, 88, 91, 92, 94, 97, 115–116
- Brenha Formation 191
- Brent Group  
 delta 447  
 Knarr seal 453  
 Skarfjell reservoir 340, 341, 353
- Britannia sandstone, hydrocarbons 34
- Britannia upper members 30
- British Geological Survey, shale resources study 6, 571–583
- Britta 68
- Broder Tuck gas field 5, 287–295, 288, 305  
 BT-2 and BT-2A wells 290–291, 292, 293  
 reservoir correlation 291, 292  
 reservoir exploration and development 294–295  
 sequence stratigraphy 293–294  
 U-1X 287, 288, 290, 291
- Brońsko gas field 108, 109, 121
- Bruce Field 33
- Bruni 68
- Bryne Formation 16

- Buckland Field 507, 508, 509, 510, 512  
 Bunnehaven discovery 232, 463  
 Bunter Shale, burial anomaly 50–51, 52, 57, 58  
 Burren oil accumulation 172, 181, 194  
 Burton Formation 446  
 Buzzard Field  
   lack of seal 269  
   stratigraphic trap 276
- Cabaços Formation 191  
 Caister Formation 307  
 calcispheres, Danish Central Graben 13, 17, 27  
 Caledonian Orogeny 211  
 Callater discovery 507, 508, 521  
 Callovian  
   highstand systems tract 295  
   lacustrine source rocks 191  
   lowstand systems tract 294–295  
   rifting 10  
   turbidites 340
- Cambo discovery 232, 243  
 Campanian  
   Early, unconformity *see* Early Campanian Unconformity  
   Springar Formation 4, 247–257
- Campos Basin  
   creaming curve 276, 277  
   field-size distribution 278
- Candeeiros Formation 191  
 Cañon Limon Field, co-produced hot water 561  
 Captain Fairway 547, 551, 556, 558  
 Captain Field 551  
 Captain Sandstone Member 547  
   Goldeneye reservoir 550, 551, 557  
   CCS 558  
   hydrocarbons 34  
   stratigraphy 551–552
- carbon capture and storage (CCS) 5, 553–554, 558, 566, 568–569  
   Goldeneye Field 547, 554–558
- carbon dioxide *see* carbon capture and storage; enhanced gas recovery; enhanced oil recovery
- carbon isotopes  
   Shearwater Field 440  
   Skarfjell discovery 353
- carbonates, cool-water 9, 18
- Carboniferous  
   Greater Kirby Misperton unconventional reservoirs 611–625  
   Irish Atlantic margin **188**, 190  
   Lower, Entenschnabel source rock 68, 70, 72  
   petroleum potential 189, 190  
   Rockall Basin 212  
   source rocks 190  
   Upper  
     Cygnus gas field 307, 310  
     East Midlands 6, 597–608
- Carmen 68  
 Carola 68  
 Carrack Formation 30  
 Celtic Sea Basins 2, 171  
   inversion 180  
   petroleum prospectivity 180  
   traps 180
- Cementstone Formation 91  
 Cenomanian  
   Danish Central Graben 9, 20, 21, 25  
   hydrocarbon plays 33  
   transgression, North Sea Basin 11, 20, 25
- Cenomanian–Turonian Boundary Event 20, 25, 189  
 Cenozoic, uplift 190  
 Central Graben 2, 10  
   *see also* Danish Central Graben; Dutch Central Graben; German Central Graben
- Central North Sea  
   Bacchus HPHT field 5  
   exploration and development 5  
   Paleocene fan deposits 413, 415  
   play assessment 4  
   Pleistocene Basin 487  
   Skaggerak Formation 2, 125–145  
   Triassic  
     fields and wells 126  
     geology 125–126  
     reservoir controls 125–145  
   *see also* Forties Sandstone Formation
- Centurion Mudstone 361  
 Chalk 9  
   3D seismic surveys 9–10
- Chalk Group  
   Danish Central Graben 2, 11, 12, 15, 16, 18, 20, 22, 25  
   base 13, 15  
   faunal assemblages 13  
   lithostratigraphy 35–43  
     nomenclature 12–13  
   palaeoecology 13  
   thickness variation 13, 14  
   top 13  
   definition and lithostratigraphy 36, 38  
   flattening 13, 15  
   North Sea Basin, chronostratigraphy 32  
   Shearwater Field 431, 432–433, 436–437  
   Upper Cretaceous–Danian, exhumation, Southern North Sea 48–63  
     burial anomaly 48, 49, 50–51, 52, 58
- Chalk Sea 11  
 chance splitting 262  
 channel systems, Forties Sandstone Formation 413–426, 473–475
- Charlie Channel complex 474  
 Charlotte 68  
 ChemGR profile, Bowland Shale Formation 586, 587  
 chemostratigraphy 585  
   Bowland Shale Formation 586–587
- chlorite, grain-coating  
   Knarr Field 451, 452  
   Laggan–Tormore Fields 526  
   Rockall Basin 224  
   Skaggerak Formation 135–136, 144
- Clackmannan Syncline, shale 580

- Clair Field 187, 194, 455, 456, 525  
 Clair Formation 455  
 Clara 68  
 Claudia 68  
 Claymore Field 91, 115, **120**  
 Clemens Basin 67, 68  
   sediments 70  
 Cleveland Basin 47, 191, 611, 612  
   Kirby Misperton gas field 611–625  
   Visean–Namurian 611, 613  
 clinofolds, Valhall Formation 11, 14–15, 16  
 coccoliths 9  
   Danish Central Graben 13, 17, 18, 19  
 Coffee Soil Fault 10, 22, 287, 289  
 Coimbra Formation 191  
 Colsay Member 215, 216, 226–227, 233, 235, 236  
   Rosebank reservoir 373, 374, 375, 376  
 Columbia River Flood Basalt Province, Rosebank  
   analogue 381–383  
 Colville Basin, megasequence 279, 280  
 commercial life, extending 561–569  
 Commodore turbidite sandstone 459  
 compression  
   Campanian 31, 33  
   Rhyl Field 355, 359, 369  
 Connemara oil field 172, 181, 187, 194  
 Cook Formation  
   acoustic impedence 448, 450  
   Knarr reservoir 5, 445, 446, 447–451  
     quality 450–451  
     seismic data 448, 450  
   tidal depositional systems 447–448, 449  
 cores **1**, 2  
 Corona discovery 507, 508, 521  
 Corona Ridge 215, 216, 217, 226, 232  
 Corrib gas field 171, 172, 173, 187, 188, 190  
   prospectivity 181  
   seismic imaging 174–175, 176  
 Crawford Field 91, 115  
 creaming curves  
   Campos Basin 276, 277  
   East Irish Sea fields 358  
   traps 276  
 Crenulate Ice Sheet 491, 496, 498  
 Crenulate Marker, gas amplitude anomaly 485, 486, 487,  
   488, 489–491  
 Crenulate Member 489, **490**, 491, 493  
 Crenulate Trough 487, 488, 489, 491, 493, 497  
 Cretaceous  
   black shales 195  
   Danish Central Graben 2, 9–42  
   Lower  
     Danish Central Graben 10–20, 35, 37  
     Late Aptian–Albian 20, 34  
     Late Hauterivian–early Aptian 15, 17–20  
     Valanginian–early Hauterivian 13–15  
   Mid, exhumation 59–60  
   North Sea Basin,  
     correlation 30  
     palaeogeography 11  
     petroleum potential 189, 190  
     siliciclastic lowstands 20, 29, 34  
 Rockall plays, sedimentary thickness 221–222  
 Upper  
   Danish Central Graben 9, 11, 14, 20–28, 35, 38–39,  
     70–71  
   chronostratigraphy 21  
   isochore thickness 23  
   petroleum potential 189, 190  
   Springar Formation 247–257  
 Upper–Danian Chalk, exhumation, Southern North Sea  
   48–63  
 critical chance factor 261  
 Cromarty Field 548, 558  
 Cromarty Sandstone Member 433  
 Cromer Knoll Group 10, 12, 13  
   definition and lithostratigraphy 35, 37  
   Knarr seal 453  
   Shearwater Field 431, 434  
   thickness variation 13, 14  
 Crosgan gas field 2, 87, 88, 91, 92, 94, 97, 99, 101,  
   105, 115–116  
 Cullaidh Shale Member 191  
 Cumbrian Coast Group 363  
 Cygnus gas field 5, 307–318, 308  
   Alpha platform 308, 309  
   appraisal 308–309  
   Bravo platform 308, 309  
   cuesta model 316  
   development 309  
   exploitation strategy 317–318  
   exploration 307–308  
   fault blocks 307, 308–309, 310  
   reservoir  
     quality 317  
     rocks 307–309, 311–315, 317–318  
     sedimentology 311–315  
   seismic mapping 315–317  
   source rocks 307  
   stratigraphy 310–311  
   structural evolution 309–310  
 Dan Field 33, 296, 297, 298  
   reservoir 70  
 Danian  
   Chalk Group exhumation 48–63  
   Danish Central Graben 12, 13, 28, 33  
     hydrocarbon plays 33–34  
 Danian–early Selandian North Viking Graben 165  
 Danish Central Graben 2, 5, 287–305, 289  
   biostratigraphy 11, 12, 17, 18, 19, 21, 22, 24  
   Campanian–Maastrichtian 25–28, 29  
   Cenomanian–Santonian 20, 25  
   Chalk 9, 289  
   chronostratigraphy 16, 21, 22  
   Cretaceous hydrocarbon play types 33  
   Danian 28  
   depocentre thickness 13, 20, 23  
   depositional environment 12, 13, 15, 18  
   faunal assemblages 12, 13, 15, 17, 18, 20, 25, 28, 29, 33

- formation 10
- geochemistry 12
- geological context 10–12
- glaciation/deglaciation 299–304
- hydrocarbon-bearing strata 11–12
- inversion 10, 11, 13, 20, 22, 25, 29, 31, 32
- inverted basin
  - Danian 33
  - Santonian–Maastrichtian 31–33
- Late Aptian–Albian 20
- Late Hauterivian–early Aptian 15, 17–20, 29–30
- Late Jurassic rifting 11, 13
- lithostratigraphy 12
  - nomenclature 12–13, 35–43
- mass transport 25, 26, 27, 31
- palaeoecology 12
- palaeogeography 11, 18, 19
- palynology 12
- seismic stratigraphy 11, 12, 15, 19, 22, 24
- source rocks 11–12, 287
- stratigraphy 289
- tectonostratigraphy and deposition 13–28, 31, 32, 33
- thermal subsidence basin
  - Cenomanian–Santonian 31
  - Hauterivian–Barremian–early Aptian 29–30
  - late Aptian–Albian 30–31
  - Ryazanian–Valanginian–early Hauterivian 29
- uplift 13, 20, 25
- Valanginian–early Hauterivian 13–15
  - see also* Broder Tuck gas field; Lille John oil field
- Danish offshore sector 287, 288
- Darwin Igneous Centre 213, 225, 226
- De Lier Sandstone 29, 30
- Deep Hard Rock reservoir 595, 596, 597, **600**, 604, 605, 608
- Deep Soft Coal 595, 596
- Deep Soft Rock reservoir 595, 596, 597, **600**, 603, 604, 605, 608
- Default Thermal History 51, 53, 56, 57, 59
- deltas, Jurassic, Northern North Sea 446, 447
- Devonian
  - petroleum potential 189
  - source rocks 190
- Dinantian, sandstone 2
- Dinantian–Namurian shales 70, 190
- dinoflagellates
  - Aviat wells 488
  - Danish Central Graben 19
- direct hydrocarbon indicator (DHI) 267, 268
- ‘Dome’ prospect 219, 220
- Donegal Basin 172
- Dooish gas-condensate discovery 172, 173, 187, 188
- Dornoch Formation, Goldeneye seal 551, 555, 556
- Dorset Basin 191, 192
- Douglas terminal splay 129
- Drake Formation, Knarr source rock 446, 448, 451, 453
- Draupne Formation 193, 340, 341, 342, 343
  - Knarr source rock 447, 451–452
  - oil properties **350**, 351, 353
- dry hole tolerance 262, 263, 264
- Duck’s Beak *see* Entenschnabel
- Dun Caan Shale Member 191
- Dunlin Field, co-produced hot water 561
- Dunlin Group 446
  - Knarr seal 453
- Dunquin North prospect 173, 181
- Dunquin oil well 188, 190
- Dutch Central Graben, Toarcian hydrocarbon plays 70
- dykes, Tertiary, Rhyll Field 355, 357, 358–360, 366, 367
- Early Campanian Unconformity (ECU) 2, 16, 20, 22, 24, 32
- East Greenland, FSB intra-volcanic reservoirs analogue 234–240
- East Irish Sea Basin 357, 359
  - comparison with Southern North Sea basins 363, 364
  - pull-apart graben 362, 364
  - sedimentology and structural evolution 357–358
- East Irish Sea fields 356
  - creaming curve 358
- East Midlands Oil Province 595
- East Midlands Shelf 47, 48, 597
  - exhumation 48, 60, 62
  - AFTA data 51
- East Orphan Basin 179, 193
- Edradour well 456, 457, 459–460, 461, 463
- Edradour–Glenlivet joint development 462, 464
- Edward Grieg discovery 273
- Egga Sandstone Member 149, 150, **156–157**, 165
- Egret Member 191
- Eigg Lava Formation 214, 215
- Ekofisk Formation 11, 12, 13, 16, 23, 25, 28, 33
  - definition and lithostratigraphy 35, 38, 42–43
  - Shearwater Field 432, 433, 434, 436
- Eldfisk Field 31, 33
- Elgin Field 430, 432, 434
- endangered elements, in pore fluids 564–566
- English Channel Basin 192
- enhanced gas recovery 567–568
- enhanced oil recovery 566–567, **568**
- Entenschnabel 2, 67–85, 68
  - 3D petroleum system model 71–74
    - basal heat flow 73–74, 75
    - burial history 74, 77, 82
    - erosion 71, 72
    - geological model 71–72
    - hydrocarbon generation history 72, 82–83
    - hydrocarbon migration 83–84
    - maturity history 75, 78–81, 82, 83
    - palaeowater depth 72–73, 75
    - sediment/water interface temperature 73, 75
    - source rocks 70, 72, 74, 77–81, 82–83
    - stratigraphy 69, 71–72, **73**
    - thermal history 74–75, 82
  - geological setting 67–68
  - hydrocarbon plays 68, 70–71
- Eocene *see* Paleocene–Eocene
- Erris Basin 172, 173
  - petroleum systems 188, 190, 191, 192
- Erskine Field 430, 432, 434
- Eskdale gas field 88, 91, **120**
- estimated ultimate recovery (EUR) 260, 264

- Ettrick Field 91, 115, **120**  
 lack of seal 269  
 eustasy, control on Paleocene–Eocene succession 167  
 evaporites, Triassic 67  
 Everest Field 400, 402  
 impact on Huntington flow rate 410  
 ‘Ewaldi’ Mergel 30  
 exhumation  
 determination techniques 48–50  
 AFTA and VR 48, 50  
 sonic velocity data 48, 49  
 and mantle plume activity 61, 62  
 Southern North Sea 48–63  
 AFTA 51–60, 61–63  
 hydrocarbon prospectivity 63  
 magnitude 53–56  
 mid-Cretaceous 48, 52–53, 56, 57, 58, 59–60  
 Neogene 48, 52–53, 57, 58, 62–63  
 palaeotemperature and timing 48, 50, 51–58  
 Palaeogene 48, 52–53, 57, 60–62  
 sonic velocity data 50–51, 52, 53, 56–58  
 VR 53–54, 56, 57, 59, 62  
 exploration  
 geoscience models 265  
 multiple working hypotheses 265  
 risk, lack of reservoir 285  
 risk analysis  
 case studies 264–265  
 unbiased 259–266  
 UK North Sea, failures 267–272  
 fairways 2, 4  
 Fanø Member shales 12, 13, 16, 20, 29, 30, 30, 35  
 definition 36, 37  
 Faroe Islands, exploration wells **188**  
 Faroe Islands Basalt Group 214, 215, 216, 217  
 Faroe–Shetland Basin 211, 373, 376, 526  
 intra-volcanic plays 232–233, 375  
 analogue 234–242  
 conceptual model 242–243  
 petroleum systems 187, 188, 189, 192  
 source rocks 193  
 stratigraphy 375  
 volcanism 217  
 Farsund Formation 12, 12, 16, 71, 72, 287  
 Fastnet Basin 172, 180  
 fault blocks *see* entries for individual fields  
 faults  
 and fluid distribution 409  
 Lancaster reservoir 388, 389  
 sealing capacity 465  
 feldspar, dissolution 132–133, 134  
 Fensfjord Formation 341, 344, 354  
 field size  
 distribution, subtle traps 276, 277  
 minimum economic 262, 263  
 Fischeschiefer Member 10, 11, 12, 16, 17, 19–20,  
 29, 30, 36, 37  
 Flamborough Outlier 55–56, 57, 59  
 Fleetwood Dyke Complex 355, 357, 358, 359, 362, 366, 367  
 Flemish Cap 179  
 Flemish Pass Basin 187, 192  
 lacustrine source rocks 191  
 petroleum prospectivity 183, 193  
 Flett Formation 215, 216, 226, 235, 236, 375–376  
 intra-volcanic reservoirs 232–233  
 charge 243  
 connectivity 243  
 reservoir properties 243  
 seal 243  
 traps 243  
 Flett sub-basin 5, 525, 526  
 Floating Production Storage and Offloading (FPSO) 455  
 flood basalt  
 Rosebank Field 232, 375–376  
 analogues 381–383  
 Flora’s Rule 540, 541  
 fluid contact  
 depth 399  
 tilted 399, 402, 406–409, 410  
 Foinaven Field 193, 194, 455, 456  
 foraminifera  
 Aviat wells 488–489  
 Danish Central Graben 13, 15, 17, 18, 19, 20, 25, 27, 28  
 Formation Interval Tester (FIT) 289  
 Forties Field 5, 320, 400, 410  
 4D seismic softening responses 473–482  
 Alpha Platform 320, 321  
 Aviat gas supply 5, 485–504  
 AVO response 475–476  
 production 475  
 re-saturation 476, 477–481  
 repeatability 476–477  
 seismic data 475–476  
 stratigraphy 320  
 target portfolio 475  
 Forties Montrose High 319, 321, 323, 324, 473  
 Forties Sandstone Formation  
 fluid flow 405–409  
 free-water levels 399, 401–402, 405–409  
 Huntington reservoir 400  
 architecture 414  
 compartmentalization 409, 410, 414  
 overpressure 399, 402  
 seal 400, 473  
 shale-out 409  
 Shearwater Field 433, 434  
 turbidite channel complex 413–426, 473–475  
 Alpha Channel 474, 475  
 Bravo Channel 474, 475  
 Charlie Channel 474, 475, 476, 477–481  
 Charlie Channel West 473, 474  
 Coriolis effect 423, 425–426  
 Delta Channel 474, 475  
 Echo Channel 474, 475  
 fan 400, 409, 473  
 hierarchy 413–426  
 core scale 418–419  
 high-concentration 417, 418, 419, 420, 424, 425  
 low-concentration/mudstones 418, 419

- muddy debrites 417, 418, 419, 420, 425
- sandy debrites 416–418, 419, 420, 424, 425
- seismic data 420–421
- well logs 419–420
- variable fluid contacts 399
- Forties–Sele units 413, 415
- fractures, Lancaster Field
  - aperture and porosity 389–391
  - reservoir 387–389
- Fram Field 339, **352**, 353
- Franklin Field 430, 432
- free-water levels, Forties Formation 399, 401–402
- FUKA pipeline 455, 456
- Fulmar Sandstone Formation 400
  - Bacchus reservoir 319, 322, 323–326, 332–333
  - reasons for failure 269, 271, 435–436
  - Shearwater reservoir 429, 430, 431, 433
- Gainsborough Trough, Bowland Shale Formation 585, 586
- gammacerane 193, 194
- Gannet Sandstone Member 433
- gas *see* Laggan–Tormore gas-condensate development;
  - Rotliegend gas fields; West of Shetland gas infrastructure
- gas depletion, 4D seismic monitoring 465–467
- Gault Clay 578
- geochemistry
  - Danish Central Graben 12
  - fingerprinting 6
  - Skarfjell discovery 351–353
  - UK onshore unconventional plays 585–593
- George Bligh Igneous Centre 213, 216, 217
- geothermal power 561–564
- Gerda 68
- German Central Graben 67, 68
  - geological setting 67–68, 69
  - petroleum system modelling 71, 73, 74–75, 76
  - hydrocarbon generation 82–83
- German North Sea, NW 67–85
  - geology and stratigraphy 67–68, 69
  - hydrocarbon exploration and plays 68, 70–71
- Gjallar Ridge 247
- Gjøa Field 339, 340–341, 340, **352**, 353, 354
- glaciation
  - Crenulate Member 491, 496, 498, 502
  - Danish Central Graben 299–304
- Glenlivet discovery 456, 457, 461–462, 463
- Goban Spur Basin 172, 173
- Golden Eagle Field 34
- Goldeneye gas-condensate field 547–558, 548
  - Carbon Capture and Storage project 5, 547, 553–558
  - faults 556
  - flow paths 556
  - overburden and seal assessment 555–558
  - secondary storage 555, 556
  - geology and structure 549–550
  - overburden 550, 554
  - performance 552–553
  - production 547, 550, 552–553
  - reservoir 550
  - seals 550–551, 555, 556
  - stratigraphy 550
- Gorm Field, reservoir 70
- Gorm Formation 12, 13, 16, 23, 25, 33
  - definition and lithostratigraphy 35, 36, 38, 42
- Grand Banks, NE Canada 187, 195
- Grauer Salztun Formation **91**, 97, 99, 114
- Great Estuarine Group 212, 214
- grids, reservoir modelling 538–540
- Gro fan system **249**
  - GDE 255, 256
  - reservoir quality 252
- Grosbeak Field 339, **352**, 353, 354
- Gross Depositional Environment maps 278, 280, 282, 283
- Gullane unit 573, 579, 580
- Gullris fan system **249**
  - reservoir quality 250, 252
- Gullris prospect 247
- Hængefjeldet Formation 235
- half-graben, Danish Central Graben 10
- Halfdan Field 33, 297
- Halibut Formation 89, 91, 115
- Halibut Horst 547, 548, 549, 551
- halite, East Irish Sea Basin 362, 363, 366, 369
- halokinesis 114, 431, 433
- haloturbation, Lower Leman Formation 312, 313, 315, 317
- Halten Terrace 192
- Haltenbanken Basin 193
- Hannay Field 548, 558
- Hanze Field 33
- hardgrounds 31
- Hareelv Formation 193
- Harlingen Field 33
- Hatton Continental Margin 172, 179
- Hauptanhydrit **91**, 97, 99, 110, 114
  - clinothem 107
- Hauptdolomit 97, 98, 99, 101, 103, 104, 110, 111, 115
  - clinothem 105, 113
- Hauterivian, late–early Barremian, oceanic anoxia
  - 18–20, 195
- heat and power, from pore fluids 561–564
- Heather Formation 191, 193, 320, 322, 324, 431
  - Goldeneye source rock 550
  - Knarr Field 447, 451–452
  - Shearwater reservoir 429, 433
  - Skarfjell discovery 339, 340, 341, 342, 343
  - oil properties **350**, 351, 353
- heavy oil
  - Cenozoic 187
  - Clair Field 187
- Hebrides Basin, petroleum systems 191, 192
- helium 564–565
- Helvick oil accumulation 172
- Heno Plateau 13, 16, 25
- Heron Group 125
- Herring Formation 11, 432, 433, 434
- Hettangian–Sinemurian, source rocks 191, 192
- Hewett Fault, Neogene inversion 62–63
- Hewett gas field 88, 91, 108, **120**

- Hidra Formation 11, 12, 13, 16, 20, 23, 25  
 definition and lithostratigraphy 35, 36, 37, 39  
 Goldeneye seal 550, 555, 556  
 hydrocarbons 33  
 Shearwater Field 432, 433
- highstand system tract, Werraanhydrit 111
- Hod Field 33
- Hod Formation 11, 432–433, 434, 435, 439  
 pore pressure 433, 438, 441
- Hod Mass Flows 432, 433, 435, 436, 438, 441, 442
- Hodder Basin, shale units *see* Bowland–Hodder shales
- Hodder Formation 611
- Holland Marl Formation 30
- Hook Head oil field 172, 173
- Horda Formation, Shearwater Field 433, 434
- Horda Platform 147, 148, 158, 161, 164–165, 339, 340
- Hot Shale Formation 71, 72, 73, 75, 77, 78, 81  
 hydrocarbon generation 82, 83, 84
- Hoylake gas cap 548, 558
- Huntington Field 5, 399–411, 400  
 AVO anomaly 401, 403, 409  
 exploration and development 399–401  
 fluid distributions 401–402, 403, 409  
 fluid flow 405–406  
 free-water level 401, 402, 403–404, 407, 408, 409  
 hydrodynamic model 401–402, 405–406, 410–411  
 spill-point mapping 407–409  
 tilt 406–407, 408, 409  
 impact of nearby fields 410  
 oil–water contact 404–405  
 tilt 402, 406–409, 410  
 reservoirs 400–401  
 channel system hierarchy 413–426  
 compartmentalization 409, 410, 414  
 overpressure 399, 402, 403–404, 405, 406  
 perched water 409–410  
 porosity/permeability 401, 402  
 pressure data 403–404  
 shale seal 400, 401  
 shale-out 409  
 top mapping 402  
*see also* Forties Sandstone Formation  
 spill-point 402, 404, 407–409, 411  
 well data 403
- hyaloclastites 232, 233, 235
- hydraulic fracturing  
 Infrastructure Act 2015 582  
 Kirby Misperton gas field 624
- hydrocarbon saturation, re-saturated targets 481–482
- hydrodynamic aquifers 399  
*see also* Huntington Field
- hydrothermal fluids, Rockall Basin 224, 225
- hyperextension  
 northern Atlantic marginal basins 2, 179–180,  
 181, 193, 195  
 Porcupine Basin 199, 206–207
- illitization, Springar Formation 251, 253
- Infrastructure Act 2015, hydraulic fracturing 582
- Inner Moray Firth Basin 548, 550
- inoceramids, Danish Central Graben 13, 18, 25
- intra-Sele T80 Sands 433
- intrusions  
 and hydrocarbon migration 231  
 Kangerlussuaq Basin 240  
 new play opportunities 234  
 and trap creation 223–224
- inversion  
 basin, Southern North Sea 47–63  
 Celtic Sea Basins 180  
 Cenozoic 171  
 and chalk deposition, Danish Central Graben 10, 11, 13,  
 20, 22, 31, 32, 33  
 Danish Central Graben 10, 11, 13, 20, 22, 25, 29, 31, 32  
 Entenschnabel 67, 71  
 Mid-Cretaceous 60  
 Oligo-Miocene 171  
 Sub-Hercynian 69, 71, 75
- Ireland  
 offshore basins  
 basin analysis techniques 175, 177  
 basin models 178–180  
 exploration 171, 172–173, **188**  
 fault blocks 172, 174, 175, 178, 180  
 geology 171–172  
 licensing 172, 173–174  
 prospectivity 180–183  
 seismic imaging 174–175, 176, 177
- Rockall Basin 171–172, 173, 192  
 basin analysis techniques 177  
 basin modelling 178, 179  
 oil and gas 187, 189  
 petroleum prospectivity 183  
 petroleum systems 188  
 seismic imaging 175, 177
- Iroquois Formation 191
- Jeanne d’Arc Basin 179, 192, 193
- Jet Rock 191
- Joanne Field 33
- Joanne Sandstone Member 125, 127  
 fluvial channel samples 138
- Johan Sverdrup Field 91, 115, **121**, 273
- Johansen Formation 446
- John diapir 295, 296  
 hydrocarbons 303–305  
 structural history 299, 300
- John Graben 67, 68  
 hydrocarbon generation 82, 83  
 sediments 70  
 source rocks 75
- Joint Chalk Research Consortium 11
- Jonathan Mudstone Member 126, 127
- Jordbær discovery *see* Knarr Field
- Josephine Sandstone Member 125, 127
- Joshua Mudstone Member 126, 127
- Jubilee discovery 273, 283
- Judd Basin 187
- Judy Sandstone Member 125, 127
- Julius Mudstone Member 126, 127



- Jurassic
- Lower 188, 189, 190–191, 192
    - Danish Central Graben 12
  - Middle
    - Broder Tuck gas field 287–295, 305
    - petroleum potential 189, 191
    - Rockall Basin 214
    - Skarfjell discovery 340, 341
    - Viking Graben 447
  - petroleum systems 190–195
  - Rockall Basin 212, 214
  - Upper 188, 189, 192
    - Danish Central Graben 11, 16
    - NE North Sea 340
    - petroleum potential 189, 190
    - West of Shetland 187
  - Upper–Lower Cretaceous, Entenschnabel hydrocarbon play 70–71
- K–T boundary event 33
  - Danish Central Graben 28
- Kalubik Formation 280
- Kangerlussuaq Basin
  - analogue for FSB intra-volcanic play 4, 234–240
    - petrographic analysis 240–242
  - Rosebank analogue 381
- kerogens
  - Carboniferous 70
    - Kirby Misperton 614, 617–618
  - Jurassic 193, 194, **195**
    - Danish Central Graben 287, 295–296
  - Northern North Sea 452
- Ketch Sandstone Formation 307, 308, 310–312, 316
  - reservoir quality 317
    - see also* Lower Ketch Member
- Keys Basin 355, 359, 360, 363, 365
- Kilmaluag Formation 191
- Kimmeridge Clay Formation 6, 72, 191, 193, 319–320, 322, 323–324
  - Goldeneye Field 550, 555, 558
  - Shearwater Field 431
- Kimmeridgian, source rocks 193
- Kinsale Head gas field 171, 172, 173
- Kirby Misperton gas field 6, **120**, 611–625
  - history 611–612
  - KM-1 well
    - kerogen type 614
    - maturity 614, 615
    - mineralogy 614, 615
    - petrophysics 614–616
    - TOC 612, 613–614
  - KM-8 well 616–625
    - brittleness 619
    - fractures 619, 621
    - gas content 616–617, **618**
    - hydraulic fracture 624
    - inversion data 624
    - kerogen type 617–618
    - lithology 618
    - mineralogy 618, 619
    - petrophysics 619–623
    - porosity/permeability 619, 623
    - production 625
    - seismic analysis 622, 623–624
    - TOC 616, 617, 619
    - water saturation 621, 623
  - resource estimation 625
- Kish Bank Basin 172
- Klitterhorn Member 235–236
- Knapton Generating Station 611, 612, 625
- Knarr Field 5, 445–453, 446
  - Cretaceous and Cenozoic 447
  - fault blocks 447
  - grain-coating chlorite 451, 452
  - production 453
  - properties **446**
  - regional geology and structure 445–447
  - reservoir 445, 447–451
    - permeability/porosity 450–451, 452
    - seismic data 448, 450
    - well log data 450
  - seal 453
  - source rocks 447, 451–453
  - traps 447, 453
- Knarr Sentral fault block 445, 446, 447, 448
- Knarr Vest fault block 445, 446, 447
- Kopervik Fairway 547, 551
- Kopervik sandstone, hydrocarbons 30, 34
- Kościan gas field 108, 109, 115, **121**
- Kraka Formation 12, 13, 16, 20, 23, 25
  - definition and lithostratigraphy 35, 36, 38, 41
  - hydrocarbons 33
- Krossfjord Formation 340, 341
- Kulhøje Member 235, 236
- Kuparuk Field 279, 280, 281, 283
- Kupferschiefer Formation 91–92, 97
- Kyle Limestone Formation 89, 90, **91**, 92–93
- Labadie Bank 171
- Laggan–Tormore gas-condensate development 5, 455–457, 456, 463, 525–534
  - reservoirs 526
  - seismic data 526–528
  - spectral decomposition 526–534
    - depositional pattern analysis 528–530
    - fault identification 530–534
    - gas–oil contact 534
  - traps 526
  - undeveloped discoveries 461–464
- Lake Eyre, Triassic facies 129
- Lancaster Field 5, 385–398
  - de-risking process
    - demonstrating flow 395–396
    - drilling 394–395
    - permeable fractures 395
    - simulation 396–397
  - drilling history 385–386
  - dynamic modelling 292–297
  - fractured reservoir 386–389
    - aperture/porosity determination 389–391

- Lancaster Field (*Continued*)  
 facies distribution 391–392  
 fault zones 388, 389, 391–392  
 fractured basement 391, 392  
 joints 387–389  
 microfractures 387, 388  
 horizontal wells 386, 387  
 resource estimates 386
- Lark Formation 433
- Late Campanian Event 25
- Late Pleistocene Unconformity 299, 300
- Lealt Shale Formation 191
- Leek Member 10, 13, 16, 35
- Leine Halite **91**, 97, 98, 99, 107, 110, 114
- Leman Sandstone Formation 5, 307–310  
*see also* Lower Leman Sandstone
- Lewis Formation 511, 518–521
- licensing  
 14th Landward Licencing Round 582–583  
 Ireland offshore basins 172, 173–174  
 Petroleum Exploration and Development Licences (PEDLs) 582, 583
- Lille John oil field 5, 287, 288, 289, 295–305  
 biodegradation 296–298  
 exploration and development 305  
 LJ-1 295, 297, 298  
 oil characteristics 295–298  
 Pleistocene glaciation/deglaciation 299–301, 303–304  
 source rock maturity 295  
 trap and charge model 304–305
- Limestone Coal Formation 573, 579, 580
- Linnhe Formation 510, 511, 512, 513, 514, 515, 516, 517
- Lista Formation 149, 150, **156–157**, 159, 163, 164, 165–166  
 Goldeneye seal 555, 556  
 Shearwater Field 433  
 top seismic horizon 151, **156–157**, 160, 161, 162
- lithium 565–566
- Liverpool Bay fields 356
- Lochnagar reservoir 373, 375
- Loirston Field 510
- Lola Formation 16, 287
- Lomre Terrace 147, 148, 149, 158, 164, 165, 339
- Lourinha Formation 191
- Lower Cretaceous Unconformity 280
- Lower Greensand 578
- Lower Heather Shale 431
- Lower Ketch Member 5, 311–312, 315, 317–318
- Lower Leman Sandstone 312–315, 314, 317–318  
 net to gross 316–317  
 reservoir quality 317
- Lower Limestone Formation 573, 579, 580
- Lower Sand Body *see* Skarfjell oil and gas discovery
- lowstand systems tract  
 Barremian 29  
 Fanø Member 20, 34  
 Jurassic, Broder Tuck gas field 293, 294  
 Paleocene–Eocene 167  
 Springar Formation 247
- Lubiatów (LMG) oil and gas field 108, 109, 115, 116, **121**
- Lulu Formation 16
- Lusitania Basin 192, 193
- Maastrichtian, Springar Formation 4, 247–257
- Machar Field 33, 430
- Maclure Field 512
- Mads Graben 67, 68, 70, 75
- Mads High 68, 75  
 sediments 70
- Magne Formation 33, 35
- Magne sub-basin 339, 340
- Måløy Slope 148, 149, 158, 160, 164
- Malton gas field 88, 91, **120**, 611
- Mamba discovery 273
- mantle hotspots  
 proto-Icelandic plume 375  
 Viking Graben 447
- Marflo Spur 339, 340
- Marishes gas field 88, 91, **120**, 611
- Marlim discovery 276, 277
- Marlim Sul discovery 276, 277
- Martha structure 433
- Marulk Basin 447, 452
- mature fields, redevelopment 5–6
- Maureen Formation 413, 433
- Mercia Mudstone Group 355, 357, 358, 360, 361, 362
- mercury **565**, 566
- Mey Sandstone Member 551, 555, 556
- microfractures, Lancaster reservoir 387, 388
- Mid North Sea High (MNSH) 2, 10, 87–121, 88  
 erosion 87  
 source rocks 91  
 stratigraphy 89  
 uplift 87  
 Zechstein Group 93, 94–95
- Mid-Cimmerian Unconformity 69  
 erosion 71
- Mid-Miocene Unconformity 68, 299, 300  
 erosion 71
- Middle Graben Formation 287
- Midland Valley, Scotland  
 shale units 573, **574**, 579–582  
 resource assessment **575**, 581–582  
 thermal maturity 581–582
- Middleton gas prospect 173
- Midlothian–Leven Syncline, shale 580
- Miki Fjord Formation 235
- mineralogy  
 Bowland Shale Formation 586–593  
 normative modelling 592–593
- Miocene, Lille John oil field 295–305
- Mittelplate oil field 67
- moat and drift systems 11, 25, 31, 33
- Moho discontinuity 206
- Montejunto Formation 191
- Montrose Group, Goldeneye Field 551
- Moray Firth  
 Goldeneye Carbon Capture and Storage project 5, 547, 553–558

- play assessment 4, 267–272
- rifting 549–550
- Moray Firth/Central North Sea Post Well Analysis 270–272
- Moray Group, Goldeneye Field 551
- Møre Basin
  - megasequences 280, 281
  - petroleum systems 188
- Møre–Trøndelag Fault Complex 447
- Morecombe Field 5
  - see also* North Morecambe Field
- Morrige Formation 576
- Munk Marl Bed 10, 12, 16, 17, 18–19, 29, 35, 37
- Muschelkalk Halite Member 287, 288, 290
- Namurian
  - Welton oil field 595, 597, 598
  - see also* Bowland Shale Formation
- Namurian source rocks, Rhyl Field 357, 360
- Namurian–Visean source rocks 70, 72, 74, 77, 78, 79, 91
  - hydrocarbon generation 72, 75, 82
- nannoconids 9
  - Central Danish Graben 17, 18, 19
- nannofossils
  - Chalk 9, 13
  - Danish Central Graben 13, 17, 18, 19
- Nansen Formation 511, 516, 517
- NE North Sea
  - Callovian–Oxfordian stratigraphy 340
  - Skarfjell discovery 339–354
- Neales terminal splay 129
- Nelson Field 320
- Nelson North Survey 321
- Neogene
  - exhumation, Southern North Sea 2, 62–63
  - Lille John oil field 5, 288, 289, 295–305
- Ness Field 507, 508, 509, 510, 512
- Nevis Central Field 508, 510, 518–521
  - stratigraphy 511
- Nevis Field 507, 509, 512
- Newfoundland–Labrador margin 179
- nickel **565**, 566
- Nordland Group
  - Goldeneye Field 551
  - Shearwater Field 433
- normative mineralogy modelling, Bowland Shale Formation 592–593
- North Atlantic Igneous Province (NAIP) 214, 217, 232
  - exploration 232–233
  - volcanic plays 233–234
- North Atlantic margins 2
  - hyperextension 2, 179–180, 181, 193, 195
  - intra-volcanic sandstone 231–244, 233
    - East Greenland analogue 234–240
    - volcanic plays 233–234
  - petroleum systems 2, 187–190, 188
    - exploration wells 187, **188**
    - Jurassic 190–195
    - source rocks 190–191
  - stratigraphy 190
  - prospectivity 4
- North Celtic Sea Basin 171
  - seismic imaging 174
  - source rocks 192, 193
- North Morecambe Field 356
  - compression 363
- North Rockall Basin, petroleum systems 188, 189
- North Sea
  - exploration well failures 267–272
    - cognitive bias 269
    - data interpretation 269, 270, 271
    - Jurassic play turbidites 269
    - lack of charge 268, 269
    - lack target reservoir 268, 269
    - lack of a trap/seal 268, 269, 271
    - migration effectiveness 269, 271
    - Tertiary plays 268–269
  - magmatism 191
  - Pleistocene glaciation 299–304
  - timescale and stratigraphy 3
- North Sea Basin
  - Cenozoic 67–68
  - early thermal subsidence basin 29–31
  - inverted basin 31, 33
  - Lower Cretaceous
    - correlation 30
    - palaeogeography 11
  - tectonic deformation, Santonian 31, 32
- North Sea Dome 67
- North Sea fields
  - extending commercial life 561–569
    - basinal pore fluids 561–566
      - heat and power 561–564
      - helium 564–565
      - lithium 565–566
      - mercury 566
      - nickel 566
      - vanadium 566
      - zinc 566
    - CCS 568–569
    - CO<sub>2</sub> 5, 553–554, 566–569
- North Viking Graben 2, 192, 193, 447, 450
  - basin morphology 151, 158
  - bathymetric controls on sediment 166
  - geological setting 147–148
  - Paleocene–Eocene 147–168
    - fault blocks 2, 147, 148, 158, 160, 165
    - turbidites 148, 160, 161–168
  - source rocks 192, 193
  - stratigraphy 148–149, 150, 151, 160, 161
  - synthetic seismograms 151, 158
- Northern North Sea 445–453
  - evolution 445–447
- Obelix fan system **249**
  - GDE 254, 256
  - reservoir quality 252
- ocean bottom nodes (OBNs), Rosebank Field 5, 233, 373, 377–380

- oceanic anoxia  
 Barremian–Aptian 30  
 late Hauterivian–early Barremian 18–20, 195  
 OAE 1a event 12, 16, 30  
 OAE 2 event 12, 16, 25, 31
- oils, waxy 193, 194, **195**
- Old Head gas accumulation 172, 173
- olistostromes, Skarfjell discovery 346
- onshore exploration and development 6, 571–583, 585–593, 595–608, 611–625
- Orcadian Basin, Devonian shales 190
- Ormen Lange turbidite system 166
- Ormskirk Sandstone Formation 355, 362, 363  
 analogue 360  
 facies 360–361  
 Rhyl Field reservoir 358, 360–361
- Oseberg Formation 446
- ostracods, Danish Central Graben 18
- Outer Hebrides Shelf 223
- Outer Moray Firth Basin 547, 548, 549  
 Buzzard Field 269, 276  
 Captain Sandstone Member 550  
 stratigraphy 551  
 uplift/tilting 550
- Outer Rough Basin 67, 68, 75
- Outer Rough High 67, 68, 75  
 sediments 70, 82
- overpressure  
 Huntington Field 399, 402, 403–404, 405, 406  
 and porosity 136–138, 144  
 Shearwater Field 433
- Oxfordian  
 lacustrine source rocks 193  
 mid  
 depositional environments 341  
 Skarfjell discovery 342–343
- Oxfordian Unconformity 340
- Øygarden Fault Complex 339, 340, 342, 343
- Pabba Shale 191
- Palaeogene  
 North Atlantic volcanic margins 231–244  
 uplift 2  
 West of Shetland 187
- palaeoredox conditions, Bowland Shale Formation 593
- palaeothermal techniques 48, 50
- Paleocene  
 exhumation, Southern North Sea 60–62  
 Huntington Field 399, 400, 413, 414  
*see also* Forties Sandstone Member
- Paleocene–Eocene 147–168  
 North Viking Graben 2, 148–167  
 eustasy 167  
 fault blocks 2, 142, 148, 158, 160, 165  
 palaeogeography 165–166  
 stratigraphy 148–149, 150, 151  
 synthetic seismograms 151, 158  
 turbidites 160, 161–168
- Pangaea, fragmentation, rift systems 190
- Paris Basin 11, 31, 191, 192
- Pegmatitanhydrit 110
- Pembrokeshire Ridge 171
- Pennine High 47  
 Carboniferous burial and exhumation 59, 62
- Pentland Formation 324, 550  
 Shearwater reservoir 429, 431
- perched water 399  
 Huntington Field 409–410
- performance tracking 259–261
- Permian  
 black shale 190  
 Cygnus gas field 307, 310  
 Mid North Sea High 87  
 petroleum potential 189, 190  
 Rockall Basin 212  
 Rotliegend gas fields 465–471  
 source rocks 190  
 Zechstein Group 92
- Petroleum Infrastructure Programme 173
- Pickering gas field **120**, 611
- pinch-outs  
 depositional 274, 275  
 erosional 275
- Plattendolomit **91**, 97, 98, 99, 101, 103, 105, 110  
 clinothem 107, 111, 114
- Play Chance 261, 262, 263
- play perspective 261–262
- play and prospect assessment 4–5, 259–266  
 backward-looking 4, 259–261, 267–272  
 forward-looking 261–264
- playa deposits, Rhyl Field 361
- playa lake, Leman Sandstone Formation 307, 309, 312, 313, 315
- plays  
 Danish Central Graben 33–34  
 Entenschnabel 70–71  
 intra-basaltic 233–234  
 Ireland offshore 180–183  
 Leman Sandstone 307–318  
 Rockall Basin 223, 226–227  
 Rotliegend 307–318  
 shale 572–583, **574**  
 unconventional  
 Kirby Misperton gas field 611–625  
 use of geochemistry 585–593
- Pleistocene, glaciation/deglaciation 299–303  
 Lille John Oil Field pore-pressure 303–304
- Plenus Marl Formation 11, 12, 31, 432  
 Goldeneye seal 550–551, 555, 556
- Pliocene, Lille John oil field 5, 288, 289, 295–305
- Porcupine Arch 199–200, 201
- Porcupine Basin 171–172, 173  
 basin modelling 178, 179  
 crustal thickness 199, 206  
 deep structure 199–208  
 geological setting 199–201  
 gravity anomaly 201  
 hyperextension 199, 206–207  
 mantle serpentinization 201, 206–208  
 Moho discontinuity 206

- petroleum prospectivity 181–182
- petroleum systems 2, 188, 190, 192, 193
  - discoveries 187
- seismic imaging 175
- traps 181
- wide-angle seismic data 199, 201–203
  - velocity models 203–204
    - comparison with reflection data 205, 206
    - comparison with well-log data 204–205
- Porcupine Median Ridge 2, 200–201, 203, 205, 207–208
- pore fluids
  - endangered element source 564–566
  - heat and power source 561–564
- porosity
  - Rockall Basin 224, 225, 226, 227
  - Skaggerak Formation
    - evolution 2, 130–138
    - prediction 138–144
  - Springar Formation 252–253
- Portree Shale Formation 191
- Posidonia Shale 70, 72, 73, 75, 77, 78, 80, 191
  - hydrocarbon generation 82, 83, 84
- Posidonienschiefer *see* Posidonia Shale
- principal component analysis, Bowland Shale Formation 587
- prospect success ratio 262, 263
- Prosperidade discovery 273
- proto-Icelandic plume 375
- Punt Sandstone 34
  
- radiolaria, Danish Central Graben 13, 17, 25, 28
- Ran sandstone 31
  - hydrocarbons 34
- Rankin Formation 191
- Rankine engines 563, 564
- Rannoch Formation, Knarr seal 453
- Rapid Reservoir Modelling 538
- Ratray Volcanics 319, 322, 324, 325
- re-saturation
  - water-swept reservoirs 473
    - Forties Field 476, 477–481
- redox conditions *see* palaeoredox conditions
- regression
  - Aalenian 191, 191
  - Barremian–Aptian 29
  - see also* lowstand systems tract; sea-level fall
- Renee sub-basin 551
- representative elementary volume (REV) 539–540, 541, 545
- reservoir modelling
  - new tools and workflow 6, 537–545
    - 3D grid v. surface-based 538
  - adaptive mesh 539
  - determinism and probability 541
  - disposable grid 538–539
  - new paradigm 543–545
  - non-linear workflows/multi-models 541–542, 543, 544
  - overburden 542–543
  - Rapid Reservoir Modelling 538
  - resource and decision models 540–541, 542, 545
  - REV intelligent averaging 539–540, 541, 545
  - uncertainty and bias 543
- Rhyl gas field 5, 355–370
  - compression 359, 362–363, 369
  - depth structure 366–370
  - development history 355–357
  - facies associations 360–361
  - hydrocarbons 360
  - reservoir 355, 357, 360–361
  - resource estimation 356
  - seals 355, 357, 360
  - seismic data 363–364
    - imaging and interpretation 364–366
  - source rocks 357, 360
  - stratigraphy 360
  - structure 361–363
  - Tertiary dykes 355, 357, 358–360
- rift systems, Pangaeen fragmentation 171, 190
- rifting
  - Jurassic
    - North Viking Graben 147–148
    - Rockall Basin 171, 212, 214
  - Late Jurassic 10, 11, 13, 180
  - Northern North Sea 445–446, 447
  - Permo-Triassic
    - North Viking Graben 147–148
    - Rockall Basin 212
- Ringkøbing–Fyn High 13, 16, 25, 29
- Rivers Graben 359, 362, 363, 369
- Roar Formation 13
  - definition and lithostratigraphy 39
- Roar Member 16, 20, 25, 31
  - definition and lithostratigraphy 41–42
- Rochelle West Field 548, 558
- Rockall Basin (UK) 211–227
  - geological history 211–212, 214
    - Jurassic rifting 212, 214
  - gravity anomaly 213, 225
  - hydrocarbon exploration 217–221
  - petroleum system 221–227
    - Cretaceous pile thickness 221–222
    - intra-basaltic play 226–227
    - stratigraphic inconsistency 227
    - trap creation 223–224
      - Vaila Formation carbonate sedimentation 224–226
      - Vaila Formation stratigraphic trap 222–223
  - volcanism 214–217
    - see also* Ireland, Rockall Basin; North Rockall Basin
- Rockall Trough 4, 214
- Rockall–Møre–Vøring basin chain 193
  - Cretaceous rift basin 195
- Rødby Formation 10, 12, 16, 20, 30, 31, 35
  - Goldeneye seals 550, 555, 556
  - lithostratigraphy 35, 37
- Rogaland Group 28, 148–149, 150
  - distribution 151, 156–157, 158, 160–161
  - seismic stratigraphy and facies 163
  - turbidite distribution 160, 161, 162, 163–164
  - well-log data 152–155, 156–157

- Rona Sandstone 385  
 Roncador discovery 276, 277  
 Rosebank intra-basaltic field 4, 5, 216, 217, 226–227, 231, 232–233, 373–383  
   acoustic impedance 377, 380  
   analogues 381–383  
     Columbia River Flood Basalt Province 381–383  
     Kangerlussuaq Basin 381, 382  
   geology 373, 374  
   horizontal drilling 373  
   ocean bottom nodes seismic data (OBNs) 5, 233, 373, 377–380  
   reservoir 373, 374, 376  
   streamer data 376–377  
 Rosemary Bank Igneous Centre 213, 225, 226  
 Rotliegend  
   Bacchus Field 324  
   Entenschnabel 5, 67, 70, 71, 84  
   Leman Sandstone play fairway 307–318  
 Rotliegend gas fields  
   4D seismic technology 5, 465–471  
     maturation 467–471  
       early field trials 467  
       field trial 468–471  
       ranking opportunities 468  
       re-processing 467–468  
 Ryberg Fjord 234, 235, 237  
 Rygsteinen Ridge 339, 340, 342, 346  
  
 Saalian unconformity 67, 69, 310, 315  
   erosion 71  
 St Bees Halite 362, 363  
 salt diapirism  
   Danish offshore 287, 295, 296, 299  
   Entenschnabel 71, 83  
 sandstone  
   intra-volcanic 231–244, 233  
 Scapa Sandstone Member 550  
 Schiehallion Field 455, 456  
 Schillgrund Fault 68  
 Schillgrund High 67, 68, 75, 82  
 Schistes Carton 191  
 Schjelderup Member 235, 236–237, 241  
   volcanic uplift play 234  
 Schoonebeek gas field 108, 109, 115, 116, **121**  
 Schull gas accumulation 172, 173  
 Schwarzschiefer 30  
 Scremerston Formation 89, 91  
 sea-level fall, Aptian 20, 31  
   *see also* lowstand system tract; regression  
 sea-level rise 25, 29  
   *see also* highstand systems tract; transgression  
 seals, quality risk 243, 285  
 seaway  
   Jurassic  
     Atlantic margin 193, 214  
     Viking Graben 447  
   Lower Cretaceous, North Sea Basin 11  
 sediment wave complexes 31  
 Selandian–Thanetian, North Viking Graben 165–166  
 Sele Formation 149, 150, **156–157**, 160, 161, 162, 165, 400, 413–426  
   Forties seal 473  
 serpentinization 179  
 Seven Heads gas field 171, 172, 173  
   seismic imaging 174  
 shale  
   Namurian, source rock 70, 91  
   Triassic, Southern North Sea 48  
 shale gas, UK onshore 571  
 shale gouge ratio 271  
 shale prospectivity  
   UK onshore 571–583, 572  
     Bowland Shale 573–577  
     licensing 582–583  
     Midland Valley **574**, 579–582  
     regulatory changes 582  
     resource assessment 573–583, **574**, **575**  
     shale characteristics 572–573, **574**  
     stratigraphy 573  
     Weald Basin **574**, 577–579  
 shale reservoirs 6, 190  
 Shales with Beef 191  
 Shearwater Fault 429, 431  
 Shearwater HPHT Field 5, 429–443, 430  
   development 429, 435  
   geochemistry 438, 440, 441  
   geomechanical modelling 435–436, 437  
   leakage 433, 435  
   overburden 429, 431–433, 434  
     pore pressure 433, 435, 436, 437–438, 440–443  
   reservoirs 429, 430, 431, 432, 433, 435  
   seals 431, 433  
   seismic data 432, 436–437, 439  
   stratigraphic development 431  
   stress arching 435, 436, 437, 441, 442  
   structural evolution 429, 431  
   tilted fault block 429, 431, 433  
   well failures 429, 435  
 Sherwood Sandstone Group 357, 361  
 Shetland Gas Plant 456, 525  
 Shetland Group 148, 150, 158  
   top seismic horizon 151, 158, 159, 160, 161  
 sills *see* Atlantic Margin Sill Complex; intrusions  
 Silverpit Basin 307  
 Silverpit Formation 307, 313, 314  
 Sinemurian–Pliensbachian, source rocks 191, 192  
 SIRGE pipeline 455, 456  
 Skaggerak Formation 2, 125–145, 400  
   detrital mineralogy 128–130  
   dolocrete 129, 130, 132, 136, 144  
   facies 127–128, 130, 131, 132, 134, 144  
     ephemeral lacustrine 128, 132  
     flood basin 127–128  
     fluvial channel 127, 129, 130, 133, 134, 144  
     terminal splay 128, 129–130, 131, 133, 134, 144  
   geological setting 125–126  
   porosity 2, 130–138, 139–144  
     chlorite grain coats 135–136, 144  
     gain by feldspar dissolution 132–133, 134, 137

- loss by cementation 132, 135, 136, 144
- loss by IGV compaction 131–132, 134, 137, 144
- and overpressure 136–138, 144
- preservation 133, 135–138
- reservoir quality 127–128
  - porosity/permeability prediction 139–144
  - UK30/8-3 138–142
- Skarfjell oil and gas discovery 5, 339–354, 339
  - exploration history 340–341
  - fault blocks 340–341
  - faults 343
  - fields and discoveries **352**
  - gas migration 342
  - geological setting 339–340
  - hydrocarbons 341, 349, 350–351
  - oil to source rock correlation 351, 353–354
  - properties 349, **350**
  - reservoirs 341–342, 344–349
    - Intra-Heather-1 344, 345, 349
    - Lower Intra-Heather-2 (Lower Sand Body) 344–346, 348
    - Upper Intra-Heather-2 (Upper Channel-Fill) 346–349
  - resource estimate 354
  - seals 343
  - source rocks 341, **350**, 351
  - stratigraphic trap 342–344
  - stratigraphy 340
- Skene Field 507, 508, 509, 510, 512
- Skjold Field 288, 290, 296, 297, 298
  - reservoir 70
- slope failure, Danish Central Graben 27
- Slyne Basin 171, 172
  - petroleum systems 187, 188, 190, 191, 192
  - prospectivity 180–181
  - red-beds 193
- Smith Bank Formation 125, 127, 321, 325
- Snadd Field 280, 281
- Sødalen 234, 235
  - intra-volcanic sandstone 237–238, 239–240, 241–242
  - reservoir properties 242
  - lava 237, 238, 239, 240
- softening responses, Forties Field re-saturation 473–482
- Sogn Graben 339, 340, 447, 452
- Sognefjord Formation 158, 160, 162, 165, 340, 341
- Sola Formation 10, 11, 12, 15, 16, 17, 18, 19, 30
  - definition and lithostratigraphy 35–36, 37
  - hydrocarbons 33
- Sole Pit Axis 47
  - erosion 48
  - exhumation 48, 57, 58, 61, 62
    - AFTA data 51, 52, 58
    - burial anomaly 50–51, 52
- sonic velocity data 2
  - exhumation 48, 49
  - Southern North Sea 50–51, 52, 53, 56–58
- Sorgenfrei–Tornquist Zone, inversion 60, 62
- Sotra Sandstone Member 149, 150, **156–157**, 165–166
- source rocks
  - Cretaceous 195
  - Jurassic 190–191, 192, 193–195
  - Namurian–Visean 74, 75, 77, 78, 79, 114
  - Palaeozoic–Triassic 190
    - see also* under individual fields
- South Halibut Basin 548, 549
- South Morecambe Field 363
- Southampton District Energy Scheme 561–563
- Southern Gas Basin, Cygnus gas field 307–318
- Southern North Sea
  - exhumation 47–63
    - AFTA 51–60, 61–63
    - hydrocarbon prospectivity 63
    - magnitude 53–56
    - mid-Cretaceous 48, 52–53, 56, 57, 58, 59–60
    - Neogene 48, 52–53, 57, 58, 62–63
    - palaeotemperature and timing 48, 50, 51–56
    - Palaeogene 48, 52–53, 57, 60–62
    - sonic velocity data 50–51, 52, 53, 56–58
    - vitritine reflectance (VR) 53–54, 56, 57, 59, 62
  - pull-apart graben 362, 364
  - Rotliegend gas fields, seismic technology 5, 465–471
  - Visean–Namurian 611, 613
  - Zechstein Group 67, 70, 71, 91
- Southern Permian Basin 47, 307
  - Zechstein Group 107, 111, 114–115
- Spanish Point gas-condensate field 172–173, 187
- spectral decomposition, Laggan–Tormore development 526–534
- Spekk Formation 193
- Spinnaker sand reservoir 460
- Spinnaker well 456, 457, 461
- Springar Formation
  - deep-water fan systems 4, 247, 248, 249–250
    - GDE mapping 253, 254–256, 256–257
  - reservoir quality 247, 252–257
    - clean sandstone facies 249–250, 251
    - muddy sandstone facies 250, 251
    - porosity/permeability 252–253
- Staffin Bay Formation 191
- Staffin Shale Formation 191
- Stassfurt Halite **91**, 97, 98, 99, 103, 104, 105, 107, 110, 111, 113–114
- Statfjord Formation 445, 446
- Step Graben 2, 67
  - erosion 71
  - petroleum system modelling 71, 73, 74–75, 76, 82
    - hydrocarbon generation 83
  - sediments 70
- steranes 193, 194, **195**, 351, 352, 353
- Sticky Shales, Shearwater Field 433
- Stinkkalk carbonaceous shale 116
- Strathmore Field 193, 194
- stress arching, Shearwater Field 435, 436, 437, 441, 442
- Sub-Hercynian inversion 69, 71, 75
- subsea production system 455, 456
- Sullom Voe Terminal 455, 456, 525
- Tail End Graben 13, 20, 68
  - Toarcian hydrocarbon plays 70
- Tampen Spur 447, 452–453
- Tano Basin 273

- Tarbert Formation 447  
 Tay accumulation 508, 510  
 Tay Sandstone Member, Shearwater Field 433, 434  
 Tay–Chestnut units 413, 415, 421  
 terpanes 194, **195**  
 Tethyan Marine Realm 190, 191, 192  
 Tethys Ocean 33, 446, 447  
 Titan Field 339, 341, **352**, 354  
 Tithonian, source rocks 193, 195  
 Toarcian, source rocks 191, 192  
 Tobermory discovery 456, 462, 463, 464  
 Tomintoul well 456, 457, 458, 459  
 Tor Formation 11, 12, 13, 16, 23, 25, 33  
   definition and lithostratigraphy 35, 38, 42  
   hydrocarbons 33  
   Shearwater Field 432, 433, 434, 436  
 Tormore gas condensate field 455, 456, 457, 525  
   spectral decomposition 525–534  
   *see also* Laggan–Tormore gas condensate field  
 Touchstone<sup>TM</sup> reservoir quality prediction model  
   138–142, 451  
 transgression  
   Albian 31  
   Aptian 11, 17, 19–20  
   Cenomanian 11, 20, 25, 31  
   Jurassic 190, 191  
     Broder Tuck gas field 293, 295  
   Permian 87  
   Santonian 25  
   *see also* highstand systems tract; sea-level rise  
 traps  
   Celtic Sea Basins 180  
   combination 273, 274  
   creaming curves 276  
   edges  
     depositional pinch-out 274, 275, 283  
       confined 283, 284, 285  
       unconfined 284, 285  
     erosional pinch-out 275, 283, 284  
     risk guidance 283, 284, 285  
   stratigraphic 4–5, 273–286, 274  
     Buzzard Field 276, 281  
     Campos Basin 276, 277, 278  
     Faroe–Shetland Basin 243  
     GDE maps 278, 280, 282, 283  
     Jubilee Field 283  
     lack of reservoir 285  
     megasequence boundaries 278, 280–281, 283  
       Colville Basin 279, 280  
     prediction 276  
     risking 281–285  
     Rockall Basin (UK) 222–224  
     seal risk 285  
     Skarfjell discovery 5, 339, 342–344  
     structural controls 277–278, 279  
   structural  
     Lille John Field 304  
     Skarfjell discovery 339, 342–344  
   sub-unconformity 273, 274, 281, 282  
   subtle 273  
     field-size distribution 276, 277  
     GDE maps 282  
     prediction 276  
     types 273, 274  
 Triassic  
   black shale 190  
   Central North Sea  
     facies and depositional model 129  
     petroleum potential 126  
     Skaggerak Formation 2, 125–145, 126  
       geology 125–126  
       stratigraphy 127  
   East Irish Sea, Rhyl Field 355, 358, 359, 362–363, 364,  
     365–366, 369–370  
   petroleum potential 189, 190, 190  
   shale, Southern North Sea 48, 50, 52  
   Slyne Basin 190  
   source rocks 190  
 Troll fault block 158, 165  
 Troll Field 339, 340  
 Tupton reservoir 595, 596, 597, **600**, 603, 604, 608  
   oil–water contact 605  
 turbidites  
   controls on deposition 166–167  
   Forties Formation 400, 409, 413–426, 473–475  
   Laggan–Tormore Field 526, 527  
   Paleocene–Eocene, North Viking Graben 147, 160,  
     161–168  
   Skarfjell discovery 341, 342, 343, 344, 346, 349  
 Turonian–Cenomanian, oceanic anoxia 195  
 Tuxen Formation 10, 11, 12, 15, 16, 17–19, 29, 30  
   hydrocarbons 33  
   lithostratigraphy 35, 37  
   ‘thin-ness’ 18, 19  
 Tuxen Shelf 19  
 Tynwald Fault Zone 355, 362, 363, 366  
 Tyra Field 33  
 Udairn Shale Member 191  
 Uer Terrace 147, 148, 149, 158, 164, 165, 339  
 UK onshore  
   shale prospectivity 571–583, *see also* shale prospectivity,  
     UK onshore  
   unconventional plays, geochemistry 585–593  
   Welton oil field 595–608  
 UKCS 212, 213  
   Mid North Sea High 87, 88, **92**  
   Zechstein Group 93–99  
 unconformities  
   Base Cretaceous 10, 16, 24, 29, 180, 323, 333, 431  
   Base Permian 314, 315, 316  
   Base Zechstein 92  
   Danish Central Graben 10  
     John Diapir 299  
   Early Campanian 2, 16, 20, 22, 24, 32  
   Lower Cretaceous 280  
   Mid-Cimmerian 69, 71  
   Mid-Miocene 68, 71, 299, 300  
   Oxfordian 340  
   Saalian 67, 69, 310, 315



- Volgian 340, 343–344, 349
- underplating, Early Cenozoic 61, 62
- United Kingdom, NE Atlantic margin, exploration wells 187, **188**
- United Kingdom Continental Shelf *see* UKCS
- uplift
  - Carboniferous–Permian 67
  - Cenozoic 190
  - Cretaceous 13
  - Jurassic 446, 447
  - Mid–Late Cimmerian 71
  - Neogene 2, 48, 52–53, 54, 55, 57, 58, 62–63
  - Palaeogene 2, 48, 52–53, 55, 57, 60–62
  - pre-Chalk 2, 48, 52–53, 56, 57, 58, 59–60, 193
  - Variscan, MNSH 87
- upper Channel-Fill *see* Skarvfjell oil and gas discovery
- Upper Greensand 578
- Upper Succession
  - Welton oil field secondary reservoirs 595, 596–608
    - architecture 603
    - characterization 596
    - Deep Hard Rock 595, 596, 597, **600**, 604, 605, 608
    - Deep Soft Coal 595, 596
    - Deep Soft Rock 595, 596, 597, **600**, 603, 604, 605, 608
    - evolution 603
    - flow units 603, 605, 606
    - lithofacies 599–600, 601, **602**
    - log correlation 603, 604, 606
    - porosity/permeability 600, 603
    - production 605, 607–608
    - quality 600, **602**, 603
    - Tuption 595, 596, 597, **600**, 603, 604, 605, 608
- Upstream Exploration and Production Value Chain 1, 2, 4
- Vaila Formation 218, 219, 220, 221
  - Laggan–Tormore reservoir 455, 526
  - new stratigraphic trap play 222–223
  - reservoir quality and hydrothermal fluids 224, 225, 226
- Valdemar Field 33
- Våle Formation 149, 150, **156–157**, 159, 163, 164, 165
  - top seismic horizon 151, **156–157**, 160, 161, 162
- Valhall Field 33
- Valhall Formation 10, 11, 12, 13–15, 16, 18, 19, 29, 30, 35
  - clinoforms 14–15, 16, 29
  - definition and lithostratigraphy 35, 37
  - Goldeneye seal 550, 556
- Valhall Limestone Formation 385
- vanadium **565**, 566
- Vandfaldsdalen 234, 235, 236
- Vandfaldsdalen Formation 234–235, 236
- Variscan Orogen 67, 74
- Variscan uplift
  - Celtic Sea 171
  - Cygnus field 310, 315
  - East Irish Sea Basin 357
  - MNSH 87
- Vega Field 339, 340–341, **352**, 353, 354
- Victory Sandstone Formation 385, 386
- Vigrid Syncline 247, 248
  - geological setting 247
- Viking Graben
  - Knarr Field 447–453
  - mantle hotspot 447
- Viking Group 158
- Visean–Namurian
  - Bowland Shales 574–575
  - Cleveland Basin 611, 613
- vitritinite reflectance (VR) 2, 48, 50
  - Southern North Sea exhumation 53–54, 56, 57, 59, 62
- Vlieland Claystone Member 30
- volcanic plays
  - basalt-covered 233
  - intra-basaltic/volcanic 4, 233, 234
  - intrusions 233, 234
  - uplift 233–234
- volcanism
  - Danian, North Sea Basin 28, 33
  - Jurassic, Viking Graben 447
- Volgian Unconformity 340, 343–344, 349
- Vøring Basin 4, 187, 192, 247–257
  - Springar Formation fan system 247–257, 248
- Vyl Formation 10, 13, 16, 35
- water, hot, co-produced 561–566
- Weald Basin
  - shale units 572, 573, **574**, 577–579, 583
  - resource assessment **575**, 578–579, 580
  - thermal maturity 578–579
- Wealden Beds 578
- wells
  - 31/2-6 162
  - 31/2-15 151, 154, 164
  - 31/2-18 151, 153, 162, 164
  - 31/2-19S 151, 155, 161, 162, 164
  - 34/3-1A 445, 446
  - 34/3-1S Jordbær 445, 446
  - 34/3-3A 445, 446, 449
  - 34/3-3S 445, 446, 449, 450, 451
  - 34/3-A-1H 445, 449
  - 34/3-A-2H 446
  - 34/3-A-4H 449
  - 34/3-B-1H 445, 446, 449
  - 34/3-B-2H 449
  - 34/3-B-4H 446, 449
  - 35/9-7 339, 341, 344, 345, 346, 347, 348, 350
  - 35/9-8 339, 341, 344, 345, 346, 347, 348, 350
  - 35/9-10A 339, 341, 344, 345, 346, 350
  - 35/9-10S 339, 341, 344, 345, 349, 350
  - 35/11-3S 151, 152
  - 35/21-1 204
  - 43/13-1 205
  - 204/20-1 **1**
  - 205/1-1 373
  - 205/5a-1 455
  - 205/9-1 458
  - 205/9-2 457, 459
  - 205/14-3 458

wells (*Continued*)

- 206/1-3 455  
 206/1a-4A 455  
 206/1a-4AZ 455  
 206/4-2 457, 459, 460  
 206/4a-3 461  
 206/4a-3Z 457, 461  
 206/8-11A **1**  
 206/8-A02 **1**  
 213/26-1 373  
 213/27-1Z 373  
 213/27-2 373  
 213/27-3Z 373  
 213/27-4 373  
 214/30a-2 462  
 6603/12-1 247, 248, 255  
 6604/2-1 247, 248, 255  
 6604/10-1 247, 248  
 6605/1-1 248, 254  
 6704/12-1 247, 248  
 6705/10-1 247, 248, 256  
 A-9-1 75, 77, 78  
 Adda-1 16  
 Adda-2 16  
 Adda-3 10, 12, 14, 16, 20, 21, 22, 23, 24, 25, 39  
 Amalie-1 15  
 B-11-2 75, 77, 78  
 Baron-2A 36, 37  
 Biscathorpe-1 61  
 Blokelv-1 **1**  
 Bo-1 10, 16, 23, 24, 38  
 Bo-3X 14, 16, 20, 21, 22, 23, 24, 37, 38  
 Boje-1 36, 37  
 Boje-2 37  
 BT-2 290–291, 293  
 BT-2A 290–291, 293  
 C-16-1 77, 78  
 Cleethorpes-1 50, 57, 58, 61  
 Deep Adda-1 10, 16  
 DUC-B-1 68, 71, 72, 84  
 E-1 39, 40  
 Edna-1 10, 11  
 Elin-1 14, 36, 37  
 Elly-1 10, 14, 16, 22, 24, 38  
 Elly-2 10, 14, 16, 22  
 Elly-3 14, 16, 21, 22, 23, 24, 38, 40, 42  
 Fasan-1 23, 28  
 Gulnare-1 10, 15  
 Hans-1 60  
 Iris-1 10, 15  
 Irish 12/2-1 190  
 Irish 44/23-1 190  
 Jens-1 10, 11  
 Jeppe-1 10, 13  
 John Flank-1 287, 293, 294, 295  
 John-1 287, 295, 296  
 Kinoulton 1 576  
 Kirby Misperton-1 611, 612–616  
 Kirby Misperton-8 612, 616–625  
 Lille John-1 295, 296, 297, 298  
 Lille John-2 295, 296, 297  
 Luke-1 14, 16, 21, 22, 39, 42  
 Luke-1X 23, 24, 38  
 Lulu-1 15  
 Lulu-2 15, 21  
 Nana-1XP 13, 21, 23, 27  
 N.Jens-1 37  
 Nora-1 36, 37  
 Old Dalby 1 576  
 Per-1X 14, 16, 21, 22, 23, 24, 39, 42  
 Rempstone 1 576  
 Roar-2 11, 12, 14, 16, 17, 20, 21, 22, 23, 24, 25, 36,  
     37, 39, 41  
 Rufford-1 62  
 Scaftworth-B2 585–593, 587  
 SE Adda-1 14, 16, 21, 22, 23, 24, 39  
 Svane-1 15  
 U-1X 21, 287, 288, 290, 291, 293  
 UK9/13-15 516  
 UK9/13a-47 510  
 UK9/13a-47Z 510  
 UK9/13a-64Z 518, 519, 521  
 UK9/13a-67X 519, 520, 521  
 UK9/13a-B34 512, 513  
 UK9/13a-B61 517, 518  
 UK9/13a-B62 517  
 UK9/13a-B71Z 515  
 UK9/13a-B72 513, 515  
 UK9/13a-B73Y 516–517  
 UK9/13a-B75 513, 515  
 UK9/13a-B76 515  
 UK9/13a-B77 516, 517, 518  
 UK14/29a-2 547, 548, 549, 555  
 UK14/29a-3 **1**, 547, 548, 549, 555  
 UK14/29a-5 547, 548, 549  
 UK20/02a-E5 **1**  
 UK20/4b-6 547, 548, 549, 555  
 UK20/4b-7 547, 548, 549  
 UK21/30-8 130, 133, 136  
 UK22/6a-6Z 496  
 UK22/6a-14 319, 322, 323–324, 326–327, 334  
 UK22/6a-14Z 319, 322, 324, 326–327, 328, 332  
 UK22/6a-15 319, 323–324, 325, 326–327  
 UK22/6c-B1 334, 335  
 UK22/6c-B2 334–335  
 UK22/6c-B3Y 329–331, 334, 335  
 UK22/6c-B3Z 328, 329–331, 332, 335–336  
 UK22/7a-5 485, 486, 490, 499, 503  
 UK22/7a-5Z 485, 486, 490, 491, 492, 494, 500  
 UK22/7a-6 485, 486, 490, 491, 499, 503  
 UK22/7a-6Y 485, 490, 500  
 UK22/7a-6Z 485, 486, 490, 491, 492, 494, 496,  
     499, 500, 503  
 UK22/9b-2 136  
 UK22/11-N1 **1**  
 UK22/11-N9 **1**  
 UK22/11-N16Y **1**  
 UK22/14-8 416  
 UK22/14a-7 136, 138  
 UK22/14b-5 400, 402, 403, 404, 406, 407, 408, 410, 419

- UK22/14b-6q 416–419, 420  
 UK22/14b-6q-y 400, 402, 403, 404, 406, 407, 408, 409, 410, 411  
 UK22/14b-9z 400  
 UK22/24D-10 138  
 UK22/29-1 136  
 UK22/30a-1 433  
 UK22/30a-6 130  
 UK22/30b-11 **1**, 431, 436  
 UK22/30b-15s1 431  
 UK22/30b-A6 **1**  
 UK28/9a-2 **1**  
 UK28/9a-6 **1**  
 UK29/3b-4 131  
 UK30/8-3 138–142  
 UK41/24a-1 88, 91, **120**  
 UK41/25a-1 88, 91, **120**  
 UK42/9-1 95  
 UK42/10a-1 89, 95, 98, 99, 115  
 UK42/10b-2 95, 115  
 UK42/13-2 95  
 UK42/15a-2 89, 98, 99, 115, **120**  
 UK44/11-1 313  
 UK44/11-2 307, 308, 309, 317  
 UK44/11-3 313  
 UK44/11a-4 308, 316  
 UK44/12-1 307, 308, 310  
 UK44/12-2 308, 311, 313, 317  
 UK44/12a-3 **1**, 308, 310, 311, 312, 313, 316  
 UK44/12a-4 **1**, 308, 310, 313, 316, 317  
 UK44/12a-5 308, 309, 310, 313  
 UK44/12a-6 308–309  
 UK44/24b-7 **1**  
 UK44/24b-A4 **1**  
 UK47/25-1  
   AFTA data 51, 52, 53, **54**, **55**, 57, 58, 60  
   burial/exhumation 62  
   palaeotemperature 60, 61  
   VR data 53–54  
 UK47/29a-1  
   palaeogeothermal gradient 61  
 UK48/6-5  
   AFTA data 51, 52, **54**, **55**, 56, 58, 60  
   burial/exhumation 62  
   palaeogeothermal gradient 61  
   palaeotemperature 60  
   VR data 53–54  
 UK48/20-1  
   AFTA data 51, 52, **54**, **55**, 56, 57, 58, 60  
   burial/exhumation 62  
   palaeotemperature 60  
 UK48/22-2 61  
 UK49/24-2 52, **54**, **55**, 58, 59, 62  
 UK113/27-1 358  
 UK113/27b-6 355, 356  
 UK113/27b-7 356  
 UK113/27b-8 356  
 UK113/27b-9 356  
 UK132/6-1 217, 219  
 UK132/15-1 217–218, 219  
 UK154/1-1 190, 217, 218, 219–220, 221, 222, 224  
 UK154/1-2 217, 218, 221, 224  
 UK154/3-1 216, 226, 227  
 UK163/06-1A 217  
 UK164/7-1 219, 220  
 UK164/25-1 216  
 UK164/25-1z 217, 218, 223–224  
 UK164/25-2 220, 226  
 UK164/27-1 217, 218, 221, 224  
 UK164/28-1A 217, 220, 221, 222–223  
 UK205/21-1A 385  
 UK205/21a-4 385  
 UK205/21a-4Z 385, 387  
 UK205/21a-6 386  
 UK211/29-C4 **1**  
 UK211/12a-M16 **1**  
 UK213/27-2 216, 226  
 Welton-1 595  
 Welton A14 **1**  
 Welton B09 **1**  
 Welton oil field 6, 595–608  
   co-produced hot water 563  
   history 597  
   regional geology 597–598, 599  
   stratigraphy 595  
 Upper Succession secondary reservoirs 595, 596  
   architecture 603  
   evolution 603  
   flow units 603, 605, 606  
   lithofacies 599–600, 601, **602**  
   log correlation 603, 604, 606  
   porosity/permeability 600, 603, 607  
   production 605, 607–608  
   quality 600, **602**, 603  
   water injection 596, 597, 607, 608  
 Werraanhydrit **91**, **93**, 94–95, 97, 98, 99, 101, 104, 110  
   clinothem 105, 107, 111  
   sulphate platforms 111, 113  
   formation 107  
   highstand system tract 111  
 Wessex Basin 11  
 West Lewis Ridge 213, 217, 218, 220, 223, 227  
 West Lothian Oil-Shale unit 573, 579, 580, 581  
 West Orphan Basin 179, 193  
   rift basin 195  
 West of Shetland  
   gas infrastructure 455, 456  
   Laggan–Tormore 5, 455–457, 463  
   Lancaster discovery 5, 385–398  
   *see also* Rosebank intra-basaltic field  
 West Sole gas field 1, 561  
 Westbury Formation 191  
 Westerdale gas field 88, 91, **120**  
 Westoe Formation 308, 311, 316  
 Westphalian  
   gas, Southern North Sea 190, 307  
   stratigraphy 311  
 Westphalian source rocks 307, 308  
 Westray Group, Goldeneye Field 551  
 Widmerpool Formation 576

- Widmerpool Gulf 575, 576, 585  
 Willow Pass Member 235, 236  
 Wytch Farm oil field, co-produced hot water 563  
 Wyville–Thomson ridge 211, 214
- Yawl Member 550
- yet-to-find  
   creaming curves 276  
   global 273, 285
- Zechstein Group  
   carbonate platforms 2, 112, 113–114  
   carbonate plays 91–92, 97, 99, 106, 107, 114–115  
   clinothems 99, 105, 107, 111, 115  
   cyclothems 97–99, 107, 113–114  
   diagenesis 115  
   evaporite seal 82, 84, 114  
   formation 107  
   hydrocarbon potential 114–116, **120–121**
- MNSH 87, 90, 91, **92**, 97  
   seismic surveys **91**, 92, 94–95, 99–107, **116**  
 reservoirs 114–115  
 sequence stratigraphy 98  
 Southern North Sea 67, 70, 71, 91, 363  
 Southern Permian Basin 107, 111  
   seismic stratigraphy 88  
 stratigraphic correlation **93**, 107, 108–110  
 sulphate platforms 111, 113  
 UKCS wells 93–99, **117–119**, **120**  
   *see also* Cumbrian Coast Group; St Bees halite
- Zechstein salt  
   Bacchus Field 325  
   Danish offshore 287, 295, 299  
   Shearwater Field 431  
   *see also* John diapir
- Zechsteinkalk 97, 110, 111, 115  
 zinc **565**, 566  
 Zipf analysis 276, 278