

Index

Page numbers in **bold** refer to tables and page numbers in *italics* refer to figures

- ⁴⁰Ar/³⁹Ar dating 915, 923
access technologies *see* drilling
accommodation space development 215,
275, 454, 518, 791, 848, 964, 1126,
1147–1164, 1259, 1543–1554
intra-slope 1112
Acorn discovery, UK 261
Aegir Ridge 747–748, 935–936, 942–943,
998, 1070, 1104
aeolian facies 959–961, 1614
Agat Field, Norway 188, 192–193, 195,
1112, 1112, **1149**, 1150, 1161, 1162
Akhen Field, Egypt 610, 611, 618, 622
Al Safir Diapir, Yemen 1646–1647
Alba Field, UK 92, 135, 137, **138**, 138,
142–143, 341, 346, 363–364, 519,
1112, 1381, 1577–1594
Alun shale source rock 96
Alveim discovery, Norway 123–131
Alwyn North Field, UK 172, **362**, 362
analogues 597, 1116, 1543–1555
Abu Dhabi carbonate coast 299
Annot Sandstone, SE France 109, 469
Black Hawk Formation, USA 498
Cape Lopez, Gabon 437, 438
Central Tertiary Basin, Spitsbergen
1121, **1126**, 1131–1132, 1135, 1139,
1140
Columbia River, USA 1629
Delaware Basin, USA 1121, **1126**,
1135–1139, **1140**
Ebro Basin, Spain 589
Ethiopian Rift 1623
Green River Formation, USA 588
Greenland 1605
Karoo Basin, South Africa 838, 841
Lake Eyre, Australia 291, 397–398, 399
Mesopotamian marshes 293
Okavango inland deltas 293
Potoco Formation, Bolivia 602
Santa Cruz Mudstone, USA 138
scaled models 1543–1555, 1631–1648
SE Utah 1583
St Bee's Sandstone, UK 1043
Svarlbad 1605
Tanqua Karoo Basin, South Africa 1121,
1126, 1133–1135, 1139, **1140**
Tordillo Formation, Argentina 602
Windermere Supergroup, Canada 454
Andrew Field, UK 195, 364
Anerveen Field, Netherlands 603
Anglo-Dutch Basin 25–33
Angola 116–117
deepwater exploration 1199–1216
NE Kwanza Basin 1263
Plutino development 1425–1433
Angus Field, UK 259
Anton Dohrn Igneous Complex 1621, 1629
Anton Dohrn Lineament Complex 939,
941–943, 1001, 1003
apatite fission track analysis 344–345,
1088, 1095–1107
Appleton Field, UK 263, 1238–1241
aquifer 1587
chemistry variations 1301–1314
drive 390
heterogeneity 145–158
mobility 671–672
performance 679
pressure 330, 1306–1307
support 285
Arbroath Field, UK 146, 148, 154, 155,
255, 362, 451
Ardmore Field (previously Argyll Field),
UK 365–388
Argyll Field, UK 253–256, 346, **362**, 367
Armada Complex, UK 258, 569, 675–686
Artemis Field, UK 1284–1288
ash beds 513
Askeladden Field, Norway 232
aspect ratios 699
Atlantic Field, UK 187, 192, 195, 204, 220,
222, 223
Atlantic Ocean *see* N Atlantic-Arctic link;
N Atlantic Margins; N Atlantic
opening; NE Atlantic; North Atlantic
Deep Water
attic reserves 390
Auk Field, UK 172, 253, 254, 257, 346,
362, 367, 370, 1238, 1243
baffles, reservoir 105, 270, 330, 618–620,
669, 672, 1371, 1524, 1529
Balder Field, Norway 99–101, 109, 124,
135, 137, **138**, 142–143, 172, 1112,
1317–1329
Balder Formation 111–113, 764, 877, 900,
977, 978, 980, 987, 1333, 1520, 1580
Balmoral Field, UK 172, **362**, 362, 1518
Barra Volcanic Ridge System 1010,
1017–1018, 1092
Barremian maximum flood 190–191
barriers, reservoir 105, 181, 270, 469
Barrow Island Field, Australia 861
basement
extension with salt withdrawal 254, 256,
261, 265
reactivation 861–871
terrane 735, 883
basin-centred gas 576
basin geometry 735
basin modelling 665, 682–685, 842, 1235,
1237, 1243–1244, 1253–1264,
1275–1299, 1361–1365
Beatrice Field, UK 172, 342, 345, **362**
Beechnut discovery, UK 262
before stack depth migration (BSDM)
324–325
Beryl Field, UK 172, 389–403
biodegradation 346, 395, 633–639, 1113,
1212, 1228, 1252, 1272–1273
impact of shale diagenesis on
1267–1274
biogenic gas 567, 577–578, 610, 708, 1229
biomarker analysis 395, 1235, 1317–1329
biostratigraphy 265, 326, 418, 426–429,
453–455, 480, 513, 514, 587, 678, 845,
923, 1060, 1089, 1347, 1505 *see also*
micropalaeontology; palynology
Bittern Field, UK 450–451
bitumen 272, 665, 667
Bivrost Fracture Zone/Lineament 793, 796,
805–811, 846, 850, 855, 890, 939,
1149
Bivrost transfer system 786, 787, 791, 797
Blake Field, UK 187, 192, 195, 200, 220,
222, 223
Blane Field, Norway 146, 148, 154, 155
Bohai Wan basin, offshore China 25–33
Boje Field, Norway 1337
bolide impact 1587 *see also* Chicxulub
impact; Silverpit Meteorite Impact
Crater
borehole
breakouts 552, 553, 560, 561
calibration of amplitude anomalies
1581–1582
gravity gradient sensors 1458
imaging 363, 477–494, 1118,
1488–1505
real time 1493
seismic 1375, 1471–1479
stability 559–563, 580, 663–673
see also vertical seismic profile
bottom simulating reflectors (BSRs)
724–726
Boulton Field, UK *see* Caister–Murdoch
System
Brage Field, Norway 172, 1252
breached relay ramp system 1487,
1543–1555
break-out analysis 1379
breccias, collapse 372, 384
Brendan Igneous Centre 1010, 1018, 1049
Brent Field, UK, 38, 172, 253, 256–257,
568
Brent Group 477
Bressay Field, UK 346
bright spots 192, 569, 579, 1229,
1381–1382, 1535
Britannia Field, UK 146, 148, 152,
156–157, 187, 191–192, 195, 196,
200–201, 364, 511–525, 1507–1516,
1578, 1579, 1591
British Volcanic Province 742–743, 745,
750, 1153
Brodgar Field, UK 217–218, 220, 223
Buchan Field, UK 172, 201, 346, **362**, 559
Buckland Field, UK 389
Buzzard Field, North Sea 41–45, 241–252,
1112, 1370
Caister–Murdoch System, UK 317–326
Cambay/Bombay Basin, India 25–33
canyon system 203, 205, 616, 621, 622,
1224

- cap rock
 analysis 555–557
 leakage mechanisms 625, 682
- capillary pressure 1334–1344
- capillary transition zone 149
- Captain Field, UK 187, 191, 195, 196, 199, 200–201, 217–218, 220, 223
- carbon dioxide
 plume 1385–1399
 sequestration 721, 1370, 1385–1399
- carbonate
 build-ups 1595–1611
 mounds 724
 deep-water 1011
 ramp system 302, 308, 308, 312, 314, 1135
 reefs 1566, 1567
 time-lapse saturation changes 1371
- carbonate-evaporite sediment sequences 299–315, 337–348
- Carboniferous gas fields, Southern North Sea 587–594
- cataclasis 351, 456, 670, 683, 689
- cataclastic rocks 296, 557, 692
- Cecilie Field, Denmark 87–88, 92, 95, 1187, 1195
- Céré-la-Rone gas storage, France 641
- Chalk
 fields
 filling history 1331–1345
 reserve growth 169–175
 maximum flooding event 196
 overpressure 145, 148
 seals 368
 seismic response 1375, 1401–1413, 1456
 underexplored play 159–168
- channel sands 271–272, 287–293, 654, 1118, 1161, 1567–1576
- charge modelling, hydrocarbon 167–168, 635–636, 654, 665, 1116, 1247–1264, 1299, 1307, 1309
 integrated pressure, fluid and charge model 1301–1315
 ‘motel’ charge storage model 987, 1250, 1254
 ‘whoopie-cushion’ model 1250, 1254
see also fill-spill
- Charlie Gibbs Fracture Zone 933–945, 1024, 1027, 1031, 1047, 1059
- chemostratigraphy 272–273, 326, 363, 480, 483–485, 488–489, 491, 493, 513
- Chestnut Field, UK 137, 138, 341, 346, 1112, 1577–1594
- Chicxulub impact, Gulf of Mexico 1176, 1181
- Chiswick Field, UK 319
- Christian discovery, UK 262
- Clair Field, UK 346, 957–967, 1250
- Clair Group 957–967
- Clair Lineament 935–936, 939, 941, 943, 996, 1003, 1047
- Clair Transfer Zone 972–973
- clathrate gun hypothesis 726
- Claymore Field, UK 172, 187, 191, 201, 213, 344
- climate change 19, 736, 1058, 1069, 1181
- climate control of sedimentation 964
- Clyde Field, UK 172, 258, 362, 1238, 1241–1243
- coal resources 715–722
- coalbed methane 17, 567, 569, 575–577, 715–720
- Cod Field, Norway 146, 152, 451, 861
- Coevorden Field, Netherlands 299–315
- coherency (semblance) volumes 503, 506
- coiled tubing 405
- collapse of block dip slope 212, 215
- combination traps, structural-stratigraphic 48, 50, 52, 218, 241–252, 977–991, 1225
- compaction
 chemical model 1365
 curves 816, 1239–1240
 gradual pressure build up 1333, 1404
 history 842
 pressure preserving 1333, 1404
 reducing effects of 247
see also disequilibrium compaction
- compactional anticlines 138, 143, 255
- compaction/decompaction
 effects of 1406–1411
 modelling 1401–1413
- compartmentalization 105–106, 177–186, 272–273, 287, 293, 295, 297, 362, 406, 417–420, 456, 469, 619–620, 655, 671–672, 681, 694, 1045, 1229, 1432, 1488, 1494 *see also* baffles; barriers; reservoir connectivity
- compression 796, 798, 883, 899, 933, 1058, 1063, 1105
 Cenozoic deformational history 993–1007, 1064–1065
 domes 810–812, 847, 865, 1068
 Miocene 845–859, 1063
see also flexural warping; inversion
- constriction traps 166
- continent-ocean boundary 735, 747–748, 760–764, 769, 777, 786–788, 811, 913, 936–938, 943, 1005, 1057–1058
- continent-ocean transition 805, 893, 954
- Continued Professional Development 1486
- Continuous Time Random Walk method 546–550
- contour currents 953
- contourites 736, 1063, 1064–1065, 1068–1071, 1073
- core analysis
 probe permeameter studies 540
 visualization 1613–1620
- Cormorant Field, UK 172
- Corrib Field, Ireland 733, 736–737, 1035–1046, 1374
- crackle breccias 372, 384
- Crawford Field, UK 362
- creaming
 analysis 57
 curves 14, 26, 36–38, 67, 69, 71–74, 80–81, 89, 169, 254, 574, 587, 1200
see also discovery curves
- Cretaceous-Tertiary Boundary 1175–1176
- crevasse splay sands 272, 289–293, 1127, 1569
- Cromarty Field, UK 187, 195, 200, 217–218, 220, 223, 224–225
- Cromer Knoll Group 177–178
- cross flow 692–694
- crustal lineaments 735, 787
- crustal thinning 735, 1025–1031
- Curlew cluster, UK 262–263, 454
- Cyrus Field, UK 172, 195, 362, 553–554
- Dagmar Field, Denmark 87–88, 90, 171
- Dalton Field, UK 569, 687–694
- Dan Field, Denmark 85–90, 146, 148, 154, 156, 160–163, 171, 172, 174, 184, 1331–1332, 1340–1343, 1402, 1405, 1410–1411
- Danish Continental Shelf
 Cenozoic depositional history 1347–1358
 hydrocarbon potential 85–97
- Danmarkshavn Basin 890, 891–901
- Danmarkshavn Ridge 890, 892–895, 900
- Darwin Seamount 883–884, 998, 1621
- data
 shadows 527, 533
 transmission, real-time 493
- dating *see* ⁴⁰Ar/³⁹Ar dating;
 biostratigraphy; K/Ar dating
- Dauntless Field, UK 262
- De Wijk Field, Netherlands 299–315
- deasphalting 1252
- debris flows (debrites) 105–107, 110, 128, 138, 142, 515, 518, 523, 597, 598, 600–601, 1068, 1115, 1137, 1150, 1186, 1190–1191, 1222, 1521, 1566
- decline analysis 14
- decompaction 816
- deepwater
 clastic environments 130–131, 133–144, 1111–1120
 facies 521–524, 916–917
 plays and reservoirs 1111–1232
- delamination, lithospheric 810, 1058, 1072
- delta facies 433, 434–444
- deltas, Tertiary 569, 573–574, 578–580, 607–624
- depletion 11–19, 658–659, 671
- depositional models 1115
 Britannia Field 517–525
 Buzzard Field 250
 Clair Group 963–966
 Corrib Field 1041–1043
 E Greenland 903–912
 Early Cretaceous, North Sea 188–191
 facies architecture 290–293
 Goldeneye Field 201–202, 205–207
 Heron Cluster 285–297
 Jade Field 270–273, 275, 277, 279
 Judy Field 655
 Muschekalk Fields 303–314
 Ninian Field 496–505
 Ormen Lange Field 1176–1178
 Rockall Basin 1087
 Sele Formation 453
 Shearwater Field 669
 Southern North Sea 595–605
 submarine fans 1123
 Troll West 429–444
 Varg Field 407–411
- depositional systems analysis 1565–1576
- depth conversion 211, 222, 224, 323–325, 503, 507, 516, 828, 1051, 1538
- intercept and gradient method 1429

- uncertainties in 530, 589–591, 679, 681
 derivative logistic 14
 detachment surfaces 554, 790–791, 809–811, 1035
 determinism 3
 development, field
 Ardmore Field 387
 consecutive 326
 Dalton Field 692–694
 Eider Field 481–493
 Judy Field 657–660
 Mittelplate Field 465–467
 Nevis South Field 390–392
 Varg Field 405
 Deveron Field, UK 172, 362
 dewatering 145, 1364, 1520, 1578
 diagenesis 454, 994, 997, 1039
 burial-related 671
 calcite 423–424, 537, 669, 1361
 cementation 290
 inhibition 272
 chlorite 265, 290, 1044, 1196
 clay mineral 1113
 dolomite 272, 312, 371, 1043–1044
 evolution 1359–1366
 feldspar leaching 669
 illitization 265, 398, 537, 691, 1044, 1267
 impact on fluid migration 1235
 meteoric 256
 pressure solution 1043–1044, 1240
 seals 576
 secondary porosity formation 265
 shale 1267–1274
 silica cement 247, 265, 290, 398, 537, 689, 1043–1044, 1312, 1359–1365
 zeolites 1466, 1466
 see also thermo-chemical diagenesis models
 differential compaction 126, 130, 204, 218–220, 226, 244, 247, 289, 1571
 differential depletion 397, 659
 differential stress 559
 differential stretching models 735
 differential subsidence 290, 736, 794, 1058, 1073, 1152, 1155, 1181
 direct hydrocarbon indicators (DHI) 100, 104, 199, 210–213, 214, 579, 618, 685, 900, 1116–1118, 1169, 1374 *see also* seismic amplitude-versus-offset; bright spots; flat spots; gas chimneys; gas clouds; seismic amplitude anomalies; seismic spectral decomposition
 discovery
 curves, UKCS 41–45, 135
 modelling 57
 size distribution 64–65
 discovery-process model 4–5, 57
 discovery-production correlation 14
 disequilibrium compaction 141, 269, 1235, 1243, 1311, 1587
 Dnepr-Donets Basin, Libya 25–33
 domino fault arrays 1545–1554
 Don Field, UK 362
 Dooish discovery, Ireland 733, 737
 drainage
 model, North Sea 194, 196
 pathway complexities 259
 process 1334
 Drake Field, UK *see* Armada Complex
 drape 204
 over basement ridges 255, 451
 Draupe Formation 1317–1329
 Drekaeyga Intrusive Centre 876, 883–884
 drilling
 differential sticking 278
 economies 317
 efficiency 81–82
 fluid design 580
 hazards 142, 381, 726, 1380, 1382, 1591
 infill 278, 528, 692–694
 overbalance 275
 overpressured wells 285
 real time bit steering 1478
 steerable assemblies 484–485, 508
 technology 364, 474
 see also geosteering; horizontal wells; shallow-water flows; Through Tubing Rotary Drilling; wells
 Drilling Formation Tester 493
 Drol Igneous Centre 1087, 1093
 Duncan Field, UK 259, 368, 370, 381, 383
 Dunlin Field, UK 172, 361, 362
 Durward Field, UK 262
 E Greenland
 Kap Dalton Group 923–932
 sediment input point 913–921
 source rocks 903–912
 Volcanic Province 893
 Eastern Trough Area project, UK 1301–1315
 economics
 drilling 317
 impact on production 7
 project 319
 screening criteria 82–83
 Edda Field, Norway 171
 Egret Field, UK 262 *see also* Heron Cluster
 Eider Field (previously Wendy Field), UK 477
 Ekofisk field, Norway 160, 163, 166, 169–174, 184, 256, 554, 568, 644, 1406
 El King Field, Egypt 621, 622
 Eldfisk Field, Norway 171, 172, 174, 184
 Elgin Field, UK 254, 255, 262–263, 264, 286, 672, 1301–1315, 1435–1448
 Elly Field, Denmark 87–88, 90, 92
 Emerald Field, UK 362
 endorheic setting 963–966
 energy efficiency 568
 enhanced oil recovery 12, 406–420, 469–475, 527–535, 1488
 environmental impact 711, 720–722
 of coalbed methane 718
 of gas 568, 572, 581
 equivalent radius method 181
 Erland Transfer Zone 972–973
 Erris Basin 1010–1018, 1023, 1024, 1035, 1036, 1078, 1092
 erosional truncation 43, 49
 Erskine Field, UK 259, 262, 263–264, 286
 Espirito Santo Basin, Brazil 1122–1124, 1140
 Ettrick Field, UK 200–201, 203, 208–209, 242, 243, 344
 Everest Field, UK 146, 152
 exhumation 1095–1107
 experimental design 515–516, 524, 1289–1299
 exploration
 concepts 5
 constraints 5
 efficiency 28, 32, 70–71, 73, 1271
 history 5, 21–24, 63–68, 135–137
 model, for estimating resources 6
 perseverance 22
 risk 1374, 1483
 see also risking; stratigraphic traps; uncertainties
 EXPLOSIM exploration simulator 81–84
 extension
 basin 512
 continental margin 768, 899, 1035–1046
 faulting 294, 345, 774, 1543–1555, 1631–1648
 gravity-derived 1202, 1226, 1227
 with salt withdrawal 254, 256, 261, 265, 293–294
 extrudites 1589, 1590
 facies cube, 3D 516–519
 facies uncertainties 516–517
 fans 237–239, 361, 595–605, 611, 979–980, 1267–1274, 1318, 1586, 1614
 abandonment events 123
 apron 1111
 facies 959
 spillover 236
 submarine 1121–1145
 wedge 236
 Faroe Bank Channel 873–885, 1005, 1058, 1070
 Faroe Bank Channel Knoll 875, 876, 881, 883–884, 998
 Faroe Conduit 1058, 1070–1071
 Faroe Fracture Zone 935, 943
 Faroe-Shetland Basin 913–921, 933, 969–975
 Cenozoic deformational history 993–1007
 effects of overpressure 1247–1264
 Neogene evolution 1057–1076
 tectonic history 1248–1249, 1251
 Faroe-Shetland Channel, Palaeocene exploration 977–991
 Faroes basalts, seismic and petrophysical properties 1461–1469
 Faroes Margin 755–766
 Farsund Formation, Late Jurassic, source rock 85, 92
 fault
 arrays, segmented 1635–1636
 automated interpretation 1557–1563
 characterization 1378, 1379
 displacement analysis 1548, 1551
 growth 1551–1553
 imaging 1380, 1429, 1444–1445, 1471–1474, 1510
 mapping 580
 reactivation 337–348, 554–557, 847–850, 856, 880, 883, 1093, 1639
 registration 1383

- transmissibility 294
 trap analysis 327–335
see also domino fault arrays
- Fault Analysis Seal Technology (FAST)
 555, 557, 559
- fault seal 1272, 1370, 1381, 1488
 analysis 270, 294, 296, 456, 479, 591,
 659, 670, 678, 683, 689, 1210,
 1275–1288 *see also* cataclastic rocks
 cross-fault 318–335
 failure 345, 1243–1244
 reactivation 551–564
- Fiddich discovery, UK 261
- field-life extension 469–475
- field size distribution charts 56, 69, 71–74
- Fife Field, UK 92, 1332
- fill-spill 214, 330, 335, 395, 655, 658, 1267,
 1272–1274, 1301–1316
- filling histories 625, 630–631, 667, 1229,
 1254, 1331–1345, 1349–1353,
 1364–1365, 1524
- financial performance and imagery of oil
 companies 13
- Fyne Field, UK 137, **138**
- fingerprinting 670, 1307
- Finnmark Platform, Barents Sea
 1125–1129, 1139, **1140**
- fjord incised valley systems 407
- flank trap 212–213
- flap development 1640–1644
- flat spots 100, 207, 215, 579, 617, 643, 644,
 646, 685, 1116–1118, 1186, 1209,
 1210, 1215, 1230, 1427, 1534, 1535
- Fleming Field, UK 413, 414 *see also*
 Armada Complex
- flexural cantilever model 772
- flexural warping 868, 1068–1071
- flooding surfaces 123
- floodplain deposits 289, 959, 960
- fluid
 chemistry variations 293, 656
 dynamics 1331–1345
 flow 86, 1363–1365, 1381, 1613
 inclusion analysis 679, 1310, 1361, 1363,
 1365
 replacement modelling 210–211
 substitution (Gassmann) methods 223,
 224, 1406, 1491
- fluidization 133
- flume studies 615
- fluvial facies 272, 283–297, 917–918, 927,
 929, 1567–1574, 1614
 braided river 959, 960, 963, 1041–1043
- foam injection 417
- Foinaven Field, UK 913, 977, 979, 987,
 1112, 1250, 1461
 Foinaven Active Reservoir Management
 (FARM) 1370–1371
- foreland fold/thrust belts, diagenetic
 evolution of reservoirs in 1359–1366
- formation damage 576
- Forties Field, UK 172, 253, 255, 361, 362,
 450–452, 458, 568, 1114
- forward modelling techniques 219,
 416–417, 772, 862, 1240, 1290,
 1421–1422
- fractal methodology 42, 80, 81
 parabolic 14
- fractionation 633, 637
- fracture
 characterization **1378**, 1379–1380
 distribution 181
 drilling-induced tensile 560–563
 gradient 664
 in Chalk 161
 permeability 180
 stimulation 174, 180, 562–563,
 1037–1038
 twisting 562
 visualization 1614
- Fracture Aligned Sweep Technology
 (FAST) 90
- Fracture Zone/Lineaments *see* Anton
 Dohrn Lineament Complex; Bivrost
 Fracture Zone/Lineament; Charlie
 Gibbs Fracture Zone; Clair Lineament;
 crustal lineaments; Faroe Fracture
 Zone; Gleipne Fracture Zone; Green-
 land fracture zone; Jan Mayen Fracture
 Zone/Lineament; Judd Lineament;
 Magnus Lineament; Marflo Lineament;
 Møre-Trøndelag Lineament; Senja
 Fracture Zone; South Hatton Linea-
 ment; Surt Fracture Zone/Lineament;
 Vesterålen Fracture Zone; Wyville-
 Thompson Lineament Complex
- fractured reservoirs 545–550
 naturally 559, 563, 576
- fracturing, artificial 708, 713
- Fram Field, UK 451, 454
- Franklin Field, UK 254, 255, 262, 263, 286,
 672, 1301–1315, 1435–1448
- free water levels 146, 181, 1407–1411
 tilted 162–163, 1331–1342
- Freja/Gert Field, Denmark 87–88, 90, 92
- Frigg Field, Norway 124, 641
- Fugløy Ridge 994, 996, 998, 1061, **1065**,
 1435–1448
- Fulmar Field, UK 172, 254, 257, 258, 265,
362, 1238, 1241–1243
- Fulmar Formation 675–686, 1301–1315
- fuzzy logic 496
- Gannet Field, UK 258, 451, 1112
- Garn Formation 537–543
- gas
 basin-centred 576
 biogenic 17
 capillary trapping 625–631
 charging 269, 329
 chimneys 162–163, 166, 726, 1262,
 1596
 clouds 1357, **1378**, 1380, 1538
 composition 591–592
 coning 160
 demand 568–569, 572, 584
 destruction 633–639
 environmental benefits of 568, 572, 581
 field monitoring 641–650
 flaring 583
 hydrates 18, 225, 567, 569–570, 575,
 578, 579, 584, 693, 723–730
 infrastructure 592–593
 liquids 18
 market strategy for Europe 569, 581
 miscible flooding 470–478
 quality maps 77–84
- renaissance 567–730
 reserves 572–573
 resources 572–573
 role in world energy 8
 stranded 575
 synthesis 575
 turbines 572
see also deltas, Tertiary; Nile Delta,
 Egypt
- gas chromatography mass spectrometry
 679, 1319
- gas-to-liquids technology 570, 572, 575,
 581
- gas-to-solids technology 572, 575, 581
- Gassmann equations 1386, 1395, 1402,
 1475 *see also* fluid substitution
 (Gassmann) methods
- Gaussian curvature map 181, 182
- Gaza Marine discovery, Palestine 610,
 611, 621
- gel-squeeze 417
- generation of hydrocarbons 1031, 1235,
 1307
 effects of pressure on 1255–1264
see also geochemistry; maturation;
 migration; source rocks
- geocellular model 364, 483, 493, 1510
- geochemistry 293, 670, 904–912, **1090**
see also biodegradation; biomarker
 analysis; charge modelling; fill-spill;
 filling histories; fingerprinting; fluid
 chemistry variations; fluid inclusion
 analysis; fractionation; gas chromato-
 graphy mass spectrometry; generation
 of hydrocarbons; isotopes; maturation;
 migration; mixing of oils; oil-to-source
 correlation; source rocks; vitrinite
 reflectance; water geochemistry
- geomechanics 551–564
- geoscience, role in new play identification
 38
- geostatistics 224, 363–364, 515–525,
 1373
- geosteering 112, 363–364, 483–485,
 491, 507–510, 1487–1506
- geothermal gradient 398
- Ghadames Basin, Algeria and Tunisia 5
- ghosts 324, 1418–1420
 notches 1371–1372, 1425
- Gippsland Basin, Australia 25–33
- Gleipne Fracture Zone 786–787, 788,
 805, 808–810, 846
- Glenelg Field, UK 1435–1448
- Glenn Field, UK 195, 200, 204, 217–218,
 220, 223
- Global Gas Flaring Reduction Public-
 Private Partnership (GGFRP) 583
- global warming 577, 581
- Goban Spur Basin 1010, 1013–1015,
 1018
- Goldeneye Field, UK 187, 195
 discovery of 199–216
- Gorm Field, Denmark 85–86, 87–88, 90,
 161, **171**, 172, 174
- gradient, petroleum 655, 664
- Grane Field, Norway 100, 124, 137, **138**,
 1149, 1153–1154
- gravitational (Rayleigh-Taylor)
 instabilities 1586

- gravity
flows 597, 601, 959–961, 1126,
1133–1134, 1154–1155, 1574, 1578
submarine 128–131, 241–252, 431
see also debris flows
- segregation 273
- studies 1047–1056, 1373–1374
anomaly 876, 883, 1027
microgravity 1397, 1476
modelling 804, 933–945, 1027–1029
monitoring 642–647, 650
sensors 1453–1459
- greenhouse gas emissions 572, 577, 581,
718–722, 724, 726
- Greenland
continental margin 785–801
fracture zone 785
sediments from 193
- Greenland-Faroe Ridge 745–746, 935,
938, 942, 1003
- Greenland-Scotland Ridge 1057–1058,
1070–1071
- Grieg Field, Norway 137, **138**, 1112
- Groningen Field, Netherlands 30, 69,
72–73, 253, 568
- gross rock volume uncertainties
1446–1447
- growth faults 1039
- Gryphon Field, UK 92, 112, 124, 135, 137,
138, 142, 1112
- Guillemot Field, UK 258, 451
- Gulf of Mexico, USA 17, 173, 554,
1262–1263, 1267–1272, 1373, 1383,
1423, 1567–1571, 1574
- Gulf of Suez Basin, Egypt 25–33, 1553,
1648
- Gulf of Thailand, offshore Thailand 25–33
- Gullfaks Field, Norway 27, 172, 363,
527–535, 643
- Gyda Field, Norway 172
- Halfdan Field, Denmark 85–90, 156,
161–166, 168, **171**, 174, 1331–1332,
1340–1343, 1355–1356
- Halley Field, UK 259, 1238, 1241–1243
- Hannay Field, UK 195, 200, 220, **222**, 223
- Hanz Field, Norway 100
- Harald Field, Denmark 85, 87–88, 90, 92
- Harbort Field, UK 1112
- Harding Field, UK 92, 112, 124, 137, 138,
142, 1112
- Harpoon inversion structures 999
- Hashin-Shtrikman model 1402–1403,
1406–1407, 1412
- Hatton Basin 933, 935, 1013, 1023–1033
Cenozoic deformational history
993–1007
structure 947–956
- Hawkins Field, UK *see* Armada Complex
- Hawksley Field, UK *see* Caister–Murdoch
System
- Heather Field, UK 172, **362**
- Heather Formation 395, 903, 1317–1329
- heavy minerals 969, 1353
analysis 289, 971–972
- Heidrun Field, Norway 641, 649
- Heimdal Field, Norway 99, 124, 641
- Heimdal Sandstone 123–131
- Helland-Hansen Arch, Norway 192–193
- Heron Cluster, UK 285–297, 1307–1309
- Heron Field, UK 255, 262
- Hewett Field, UK **362**
- Highlander Field, UK 172, 201, 213
- history matching 109, 364, 398, 504–505,
515, 569, 647, 679, 695–706, 1492,
1529–1530
- Hod Field, Norway **171**, 172, 174, 1332
- Horda Shale seal 113
- horizontal wells 160, 180, 226, 363–364,
390, 403, 445, 477, 481, 486, 495–510,
576, 580–581, 646, 713
challenge to 424
fractures 562
- hotspots 740, 741, 743–745, 749, 796, 805,
809, 811, 864, 929, 1057
- HPHT reservoirs 93, 253–283, 663–673,
1237, 1435–1448 *see also* plays,
UKCS
- Hubbard, M King 7, 14
- Huldra Field, Norway 1252
- Hutton Field NW, UK **362**
- Hutton Field, UK 172, **362**, 362
- hydrate stability zone (HSZ) 724–727
- hydraulic
connectivity 1333
failure 142, 554, 1302, 1306–1307
fracturing 159–160, 162, 552, 576–577,
657, 1363 *see also* hydrofracturing
jump conditions 431
- hydrocarbon flow pathway prediction
1275–1288
- hydrodynamic
flow, compaction-driven 1238
gradient 162
- hydrofracturing 719, 727, 1267,
1272–1274, 1361
- hydrogen exploration 349–358
- hydrothermal vent complexes 833,
836–843
- ice loading and unloading 1243
- Iceland-Faroes Ridge 748, 757
- Iceland mantle plume 739–750, 755–756,
793, 796, 805, 809, 820, 869, 929–930,
933–934, 942, 1057–1058,
1072–1073, 1095, 1103–1106, 1153
- ichnology 265, 926, 928
analysis 409–411
- igneous rocks
extrusive 351, 734–735, 742, 923, 929,
1088, **1090**, 1461–1469, 1621–1630
intrusive 324, 351–356, 734–735, 742,
771, 803–812, 833–844, 914–920,
996, 1017–1019, 1057, 1092,
1621–1630
rare-earth distribution in 755
see also Anton Dohrn Igneous Complex;
Barra Volcanic Ridge System;
Brendan Igneous Centre; British
Volcanic Province; Darwin Sea-
mount; Drekaeyga Intrusive Centre;
Drol Igneous Centre; E Greenland
Volcanic Province; Faroe Bank
Channel Knoll; North Atlantic
Igneous Province; Porcupine Median
Volcanic Ridge; Porcupine Volcanic
Ridge System; Regin Smidur
Volcanic Centre; Rosemary Bank
igneous centre; Seabight Igneous
Centre; seamount highs
- imaging of traps, improved 38 *see also*
seismic imaging
- impedance 1116
- improved recovery 41 *see also* enhanced oil
recovery; project for improved oil
recovery and productivity
- Increased Oil Recovery (IOR) *see*
enhanced oil recovery
- Indonesia 1566
- injectites, sand 92, 105–107, 110,
133–144, 1153, 1173, 1192, 1194,
1420, 1577–1594
- Innes Field, UK 259, 368, 370, 380
- integrated Seismic Imaging and Modelling
of Margins (iSIMM) 735, 756,
947–956
- inversion
basement 1226
Cenozoic 941, 987
density 1586
erosional channels 851–853
Late Cimmerian 190
mechanisms 861–871
Neogene 1011
Oligo-Miocene 1069–1071
tectonics 86, 126, 166, 184, 218, 223,
258, 370, 736–737, 797, 821,
845–859, 865, 868, 1017–1019,
1058, 1063, 1100, 1104, 1347, 1355,
1438, 1581, 1633, 1637–1638,
1642–1648
Tertiary 329, 333, 340–341, 344–346,
851, 899, 980, 999, 1003
- Irish Atlantic Margin
Cenozoic history 1010–1011
regional development 1023–1033
structural framework 1009–1033
see also Porcupine Basin; Rockall Basin
- Irish Sea basin, Mesozoic-Cenozoic
exhumation history 1095–1107
- isotope analysis 723, 1235, 1307
carbon 273, 637, 726, 1043, 1069–1071
gas 1309–1310
³He/⁴He 742
hydrogen 708
oxygen 856, 1069–1071, 1229, 1361,
1365
Sr-Nd 741
see also ⁸⁷Sr/⁸⁶Sr ratio
- Ivanhoe/Rob Roy Field, UK **362**
- Jacqui discovery, UK 262
- Jade Field, UK 263, 269–283
- Jameson Land Basin 891, 893–898,
903–912
- Jan Mayen Fracture Zone/Lineament 785,
787, 793, 805, 806, 810, 834, 838, 839,
846, 851, 862, 864, 890, 897, 899,
933–945, 1057, 1070, 1072,
1149–1150, 1166, 1168–1169, 1178,
1182–1183
- Jan Mayen Ridge 1069
- Joanne Field, UK 146, 148, 154, 155–156,
162, 1238, 1239, 1241, 1332

- Josephine Field, UK 256
 Jotun Field, Norway 99–110, 124, 137, 138, 142
 Judd High 979, 987–989
 Judd Lineament 935–936, 939, 941
 Judd Transfer Zone 920, 972–973
 Judy Field, UK 254, 257, 262, 291, 569, 651–661, 1238, 1239, 1241
 jump correlation 1490–1491
 Jupiter Field, UK 333
- K/Ar dating 1038
 Kangerlussuaq region, E Greenland 913–921, 972–973
 Kessogg discovery, UK 262, 271
 Ketch Field, UK 319
 Kimmeridge Clay Formation 113, 142, 249, 395, 469, 477, 903
 Kittiwake Field, UK 259, 262
 Kolbeinsey Ridge 747, 749, 935–936, 943, 998, 1070, 1104
 Koldeway Platform 889–891, 894–900
 Kopervik Formation 142
 Kraka Field, Denmark 86, 87–88, 146, 148, 159, 161–162, 169, 171, 172, 174, 1331–1332, 1336–1340, 1354–1355, 1410
 Kyle Field, UK 171
 Kyoto Protocol 581–583
- lacustrine facies 272, 289–293, 654, 959–961, 1614
 Large Igneous Province 739, 741
 Late Paleocene Thermal Maximum 969, 974
 Leadon Field, UK 137, 138, 361
 leak-off tests 552, 664
 leakage 235, 406, 625–631, 636–637, 665, 1304, 1306–1311
 leakpoint 329–330
 Leman Field, UK 350
 ‘Life of Field’ seismic 1371
 liquefied natural gas 570, 572, 575, 581–583
 liquefied petroleum gas 570
 lithospheric flexure 552–553
 lithospheric stretching 767–783
 Liverpool Land – Blossville Kyst Shelf 893, 900, 929
 Lofoten margin 767–783, 785–799
 Miocene compression 845–859
 log analysis 278, 326, 363, 480, 483, 681, 727, 1116–1118, 1215
 dipmeter 411
 image logs 411, 486–487, 488
see also sonic velocity studies
 logging-while-drilling (LWD) 418, 419, 485, 507–509
 pipe-conveyed 278
 realtime 112
 logistic curves 7, 14
 Lomond Field, UK 146, 152, 451
 Loppa High, Barents Sea 1595–1611
 Loyal Field, UK 1250
 Lulita Field, Denmark 85, 87–88, 90
 Luva Field, Norway 193, 1534–1537
 Lyonesse Fold Complex 999, 1001, 1003
- MacCulloch Field, UK 137, 138, 363, 1517–1531
 Machar Field, UK 259, 262, 286
 Maclure Field, UK 112
 magnetic
 polarity events 301
 studies 1047–1056, 1374
 anomaly modelling 838
 Magnus Field, UK 172, 469–475, 643, 1116
 Magnus Lineament 935–936, 939, 941, 943, 996
 Mallard discovery, UK 262–263
 Måløy slope 1149, 1150–1153, 1161, 1162
 mantle
 convection 1072–1073
 flow models, divergent 777
 plume 345, 735, 750, 768, 773, 775, 947
 head collapse 743
 sheets 744
see also hotspots; Iceland mantle
 plume
 velocity anomaly 743, 749–750, 942
 Marflo Lineament 935–936, 939, 940, 943
 Marginal High, NE Greenland 890, 893, 900
 Marib-Al Jawf Basin, Yemen 25–33
 Marjun discovery, Faroes 733, 1370
 Marnock Field, UK 257, 259, 261, 285, 286, 288, 291
 mass
 failure 736, 1068, 1093, 1115, 1119
see also debris flows; sediment
 slides; slumps; submarine landslides
 flow deposits 50, 199, 202, 217, 1327
 maturation 181, 635, 774–776, 861
 effects of pressure on 1255–1264
 history, North Sea 35
 timing 1235
 Maureen Field, UK 172, 362, 362
 Maureen Formation 676–686
 Mauritanian continental margin 1217–1232
 McAdam Field, UK *see* Caister–Murdoch System
 Merganser Field, UK 451, 454, 457
 Messinian salinity crisis 611, 615–616
 Messoyakha Field, Russia 726
 methane hydrates *see* gas hydrates
 methanogenesis 635, 637, 723
 Michigan Basin, USA 4–6
 micropalaeontology 1121–1222, 1223
 microseismicity 1476, 1478, 1485
 Mid-Hatton Bank Fold Complex 1001, 1003
 mid-ocean ridge basalts (MORB) 741–742
 Midgard Field, Norway 641, 648, 649
 migration, hydrocarbon 103, 113, 163–168, 181, 205, 207–210, 237–238, 273, 341, 469, 656, 856, 987, 1113, 1235, 1252–1253, 1303, 1405, 1586, 1591
 fairway 1196
 impact of shale diagenesis on 1267–1274
 lack of 1217
 lateral 1334, 1579
 long distance 395–396, 1196–1197, 1272, 1347–1358
 modelling 625–631, 683, 1272
 process 1235
 secondary 1235
 through faulted structures 1275–1288
see also phase fractionation; re-migration
 migration processes, transient 156
 Mime Field, UK 362
 Mirren Field, UK 451
 Mittleplate Field, Germany 364, 461–468
 mixing of oils 633
 Moab Fault, Utah, USA 1279–1284
 Moho discontinuity 764, 809, 952–954, 1052, 1053
 geometry 1029
 Monte Carlo approach 364, 1373, 1422
 Montrose Field, UK 148, 154, 155, 172, 253, 255, 362, 451
 Møre Basin, Norway 60, 910–913, 1149, 1154, 1157, 1159–1162, 1181
 Cenozoic uplift 1166
 hydrothermal vent complexes in 833–844
 intrusions in 833–844
 Miocene compression 845–859, 1070, 1072
 Neogene evolution 1057–1076
see also Ormen Lange Field
 Møre-Trøndelag Lineament 935–936, 939, 940–943
 Morocco 1566
 mounded
 deepwater geometries 130
 seismic facies 202–203, 215
 mud
 diapir 1012, 1153
 volcanoes 724, 842, 996, 1005
 Multi-Point Statistics 517, 519–520
 multicomponent (4C) seismic 1377–1384, 1577
 multidisciplinary teams 107–109
 multiples 242, 412, 1421–1423
 elimination of 191, 243, 1371, 1444
 Munkagrunnur Ridge 875–884, 941, 998, 999, 1003, 1005, 1066
 Munkur Basin 875
 Murchison Field, UK 172, 362, 362
 Murdoch Field, UK *see* Caister–Murdoch System
 Muschelkalk carbonates, Netherlands 299–315
- N Atlantic-Arctic link 746–750
 N Atlantic Margins 733–1106
 basin settings 734–735
 sands 193, 194–197
 N Atlantic opening 188, 1220–1221
 Napoleonville salt dome, USA 1645–1646
 NE Atlantic
 break-up 739–754, 803, 877, 1104
 petroleum systems, effects of
 overpressure 1247–1264
 phytogeography 969–975
 Neogene evolution 1057–1076
 sediment dispersal patterns 969–975
 structure and evolution 933–945, 1069
 syn-rift architecture and basin fill 863–867

- tectonic setting 862
see also Irish Atlantic Margin
 NE German-Polish Basin 25–33
 NE Greenland continental margin 785–801
 geological development 887–902
 tectonic elements 889–893
 Nelson Field, UK 255, 362, 450–452, 454, 455, 458, 554
 Neptune Field, UK 695–706
 neural network, seismic facies analysis 1230, 1595–1596, 1603–1611
 Ness Field, UK 390
 Netherlands
 exploration 69–75
 future gas discoveries 77–84
 see also Groningen Field
 Nevis Central Field, UK 393
 Nevis North Field, UK 390, 393
 Nevis South Field, UK 389–403
 Nile Delta, Egypt 607–624
 Nini Field, Denmark 87–88, 92, 95, 1195, 1356–1357
 Ninian Field, UK 172, 362, 363, 495–510
 Njord Field, Norway 1487–1506
 North Atlantic Deep Water 1071
 North Atlantic Igneous Province (NAIP) 739, 741–744, 750, 873, 969, 974, 1629
 North Carnarvon, offshore Australia 25–33
 North Cormorant Field, UK 363
 North Faroe Bank Channel Basin 875–876
 North Hatton Bank Fold Complex 999, 1001–1005
 North Morecambe Field, UK 691
 North Sea
 Central, structural elements 256–257, 1553, 1631–1632, 1645–1648
 discovery patterns 25–33
 drilling activity 36–37
 exploration history and future potential 21–24, 35–54
 plays 38
 Southern *see also* Anglo-Dutch Basin
 Northwest European Plate, sands of 193–105
 Norwegian Continental Shelf
 exploration history 63–68
 structural and stratigraphic correlation with NE Greenland 785–801
 tectonic elements 865
 undiscovered resources 55–62
 see also Lofoten margin; Møre Basin; NE Atlantic; Viking Graben; Vøring margin
 Norwegian Sea Deep Water 1058, 1070–1071
 nuclear magnetic resonance 729

 ocean bottom
 cables 50, 363, 785, 1116, 1371, 1374, 1378, 1380, 1382, 1418, 1578
 seismometers 735, 756, 803–813, 849, 951, 1371, 1382
 sensors, permanent 1476–1478, 1485
 survey 528–534
 uncertainties 532, 534
 oceanic structure 942–943

 oil
 conventional 11–12
 deepwater 12, 14, 17
 non-conventional 12
 polar 12, 14, 17
 regular 12, 15–16
 seeps 339
 synthetic 12, 16
 oil depletion, meaning of 11–19
 oil-to-source correlation 1235
 oil-water contact *see* OWC
 opacity rendering 1618–1619, 1622, 1624–1627
 OPEC 6–7, 15
 reporting of reserves 13–14
 Ormen Lange Field, Norway 193, 733, 817, 821, 826, 828, 913, 1147, 1165–1184, 1536–1539
 Oseberg Field, Norway 27, 172
 Otter Field, UK 363, 477–494
 overlooked areas in exploration 38
 over/under streamer operations 1419
 overpressure 141–142, 145, 148, 168, 174, 257, 269, 273, 285, 330, 554, 557, 560, 611, 616, 620–621, 664, 669, 672, 683, 842, 1195, 1267, 1302–1315, 1363, 1401–1413, 1587
 effects on petroleum systems 1247–1264
 in the C North Sea 1237–1245
 prediction 261–262, 265–266, 1237
 see also disequilibrium compaction; thermo-chemical diagenesis models
 OWCs
 dynamic 107
 tilted, hydrodynamic 145–158

 palaeo-hydrocarbon column 162, 260, 672
 palaeobathymetry 512, 736, 770, 815–831, 1030, 1342, 1348–1353
 palaeodrainage 613–614
 palaeoflow 294, 409
 palaeofluid 351
 palaeogeography 258, 302, 339, 443, 463, 600, 961–963, 1178–1183
 palaeogeomorphic traps 51, 341
 palaeokarst 1595–1611
 palaeolatitudes 744
 palaeopressures 1310–1311
 palaeorelief 50, 209
 palaeosols 288, 290–291
 palaeotemperature data 1096, 1098–1102, 1310–1311
 palaeotopography 49, 245, 454, 523, 928–929, 1122, 1136
 palynology 429, 430, 441, 445–447, 450, 496, 500, 507–510, 513, 920, 923–925, 928, 969–975, 1174, 1178–1181, 1222
 Pangea break-up 746–750, 1015
 passive margin hinge zone 746
 pedogenesis 272
 perched basins 1016, 1017–1019, 1092–1093
 percolation theory 539
 permanent downhole gauges 697
 permeability
 prediction 1378
 ratios 537–543

 scale dependence 537–538
 Transient Pulse Decay measurement 1240
 petroleum system 188–191, 1230, 1235–1366, 1247–1264
 analysis 1267–1274
 concept 25
 mixing 181
 modelling 6, 1289–1299
 see also play fairway
 petrophysical analysis 414, 515–516, 1461–1469
 modelling 540–543, 700–702
 mud invasion 1491
 visualization 1613–1620
 see also log analysis
 phyllosilicate framework fault rocks 689–690
 physical models
 sandbox 146 *see also* analogue scaled models
 phylogeography of the NE Atlantic 969–975
 Pierce Field, UK 146, 148, 153–155, 451, 454, 457, 458
 Pilot Field, UK 137, 138, 1112
 PILOT Taskforce 41
 Pilot Whale Anticline 994, 996, 998, 1005
 pinchout trap 218, 226, 736, 1509
 Buzzard Field 249–252
 Tor Field 166
 pipeline blockages 723
 Piper Field, UK 172, 257
 plate separation 793–799
 plate tectonics
 far-field stress 1165
 forces 1072
 model 787
 re-organization 747, 792, 856, 1072, 1106
 thin-skinned 744–750
 play
 analysis 55
 concepts, development of 217–222, 1112–1116
 fairway
 assessments 191
 delineation 203–214, 815–831, 1200–1204, 1217–1232
 knowledge 99–110
 mapping 199–216
 uncertainties 218
 play-based integration of disciplines 39
 plays
 Angola deepwater 1199–1216
 Barents Sea, Norway
 Carboniferous and Permian 60, 60–61, 1595–1611
 Jurassic and Cretaceous 60–61, 231–240
 Tertiary 60, 60–61
 Triassic 60, 60, 61
 complexity of 21–22
 Danish Continental Shelf
 Cretaceous Chalk 85–90, 177–186
 Jurassic 85, 90–96
 Palaeogene 85, 93, 1185–1198
 Mauritania deepwater 1217–1232

- NE Atlantic Eocene post-rift 929–931
- Netherlands
- Permian Rotliegend 71, 73, 81, 327–335
 - Permian Zechstein and Carboniferous 71, 73
 - post-Triassic 71, 73
 - Triassic 71, 73, 299–315
- Norwegian North Sea
- Agat play, Cretaceous 188
 - Early Cretaceous **56**, 57, 58, 192
 - Late Cretaceous **56**, 57, 58
 - Late Jurassic **56**, 57, 58, 1111
 - pre-Jurassic **56**, 57, 58
 - Tertiary **56**, 57–58, 99–110, 123–131
 - Triassic–Early/Mid–Jurassic **56**, 57, 57–58
 - Utsira High 99–101
- Norwegian Sea
- Cretaceous **58**, 58, 59
 - Jurassic 57, **58**, 58–59
 - pre-Jurassic **58**, 58–59
 - Tertiary **58**, 58–59, 913–921
- stratigraphic 736
- UKCS **46**, 47–48, 52–53, 345–346
- Alba play 42, 1577–1594
 - Apto-Aptian play 187–198
 - Britannia fairway 200
 - Captain-Glenn fairway 200
 - Carboniferous 43, 45, 47, 49, 317–326, 569, 587–594
 - Central North Sea HPHT 45, 253–283, 663–673, 1301–1315, 1435–1448
 - Devonian 367–388
 - Eocene deepwater *1114*
 - fringing shoreface 259
 - Fulmar 257–266
 - Jurassic/Triassic, Central North Sea 42, 44, 47, 253–267
 - Kopervik fairway 187, 191–192, 196, 199–228
 - Lower Cretaceous deepwater 42, 44, 45–47, 49, 51, 1111, *1112*
 - Middle Jurassic shallow marine/deltaic 42–43, 44, 47, 253, 477–494
 - Palaeogene deepwater 42–47, 50–52, 913–921, 1111, *1113*, 1517–1531
 - Permian aeolian 43, 44, 47, 49, 253, 256, 375–380, 595–605, 695–706, 1613–1615
 - Tay fan 51
 - Tertiary 111–121, 258, 1111, *1113–1114*
 - Upper Cretaceous carbonates 47, 49–50, 187
 - Upper Jurassic deepwater 42–47, 1111, *1112*
 - Upper Jurassic shallow marine/deltaic 42–47, 258, 651–661
 - West of Shetlands 42, 44, 977–991, 1111
 - Zechstein 256, 337–348, 367–388
- Po Valley, Italy 17
- pockmarks 1586
- pod-interpod salt withdrawal synclines 254, 260, 262–263, 265, 293 *see also* turtle structures
- polar regions 12, 14, 17
- politics, impact on production 6–7
- polygonal faults 1114, 1183, *1520*, 1537, 1577–1583, 1589–1594
- ponding of intra-slope sediments 1225
- pop-up structures 1003
- Porcupine Basin *1010*, 1011–1018, 1023–1033, 1042, 1077–1078, **1126**, 1129–1131, 1139, **1140**
- deep structure 1047–1056
 - Neogene evolution 1057–1076
 - structure *1013*
- Porcupine Median Volcanic Ridge 1012, 1017–1019, 1048, *1052*, 1053, 1055
- Porcupine Volcanic Ridge System 1048, *1052*, 1053, 1055
- Port Fouad Field, Egypt *610*, 611, *612*, 622
- post-stack depth migration 1037
- potential field
- data 785, 834
 - imaging 933–945, 1453–1459
 - see also* gravity modelling; magnetic anomaly modelling
- potentiometric gradients 145–147, 155–156
- pre-stack depth migration 213, *214*, 270, 287, 327, 411, 589, 759, *1038*, 1372–1375, 1383, 1435–1452, *1456*, 1457–1459, 1490, 1596, *1598*
- Kirchhoff formulation 1423
- pressure 212, 280, 364, *514*
- barriers 1431–1432
 - communication 420
 - depletion 671
 - depressurization 1243, 1304, 1306
 - differential 331
 - history of the C. North Sea 1237–1245
 - impact of shale diagenesis on 1267–1274
 - pore, monitoring 643, 647
 - prediction 262–263, **1378**
- price of oil, role 15
- probabilistic modelling 515–525, 1289–1299
- probe permeameter studies *540*
- production
- history 4
 - optimization 449, 452–453
- productivity indices 467
- project for improved oil recovery and productivity (PRIORITY) 177
- prospect
- database, Netherlands 77–84
 - evaluation 504
 - mapping 199–216
 - modelling 191
 - ranking 81
 - risk *see* risking prospects
 - sizing *see* sizing of prospects
 - success ratio 64
- provenance
- indicators 294
 - studies 238, 737, 920
- Puffin Field, UK 259, 263, 291
- pumps
- electrical downhole 466
 - electrical submersible 465, 477, 482, 505, 507, 509
- PVT 636
- simulation 1310
- Qantara Field, Egypt *610*, 611, 621
- quadrant 35, North Sea **1149**, 1153–1156, 1161, *1162*
- radar interferometry 1476
- rafts 1202 *see also* rift-rafts
- ramp anticlines 1003, 1005
- ramp-flat-ramp 1487
- Rannoch Formation 495–510
- ravinement surface 436
- recovery efficiency 449
- recovery factors 174, 386–387, 515
- improvement in 452–458, 1370
 - maximization 477–494, 580–581
 - optimization 278
 - sand injectites 140
 - through time 361–362
 - uncertainties in 160–161
- redeposited Chalk 161
- Regin Smidur Volcanic Centre 875, 876, 883–884
- Regnar Field, Denmark 86–90, **171**, *172*, *174*
- relay-ramp system 392, 393, 1182, 1543–1555 *see also* breached relay system
- re-migration 17, 162, 346, 1073, 1269–1271, 1331
- renewable energy 18
- reperforation 278, 293, 295, 299, 314
- reserve growth 6–9, 13, 41, 574–575
- in Chalk fields 169–175
- reserve-to-production ratio 13
- reserves
- added 1429
 - gas 77–84
 - proved, concept of 12–13
 - replacement 13
 - reporting practices 12
 - revisions 14
 - US Securities and Exchange Commission (SEC) definition 6, 573
- reservoir
- architecture 105, 424, 458, 513, 600
 - de-risking 622, 1119
 - characterization 361–564, 667, 669, 687–688, 1373, 1471, 1478–1479
 - improvements in 453–458
 - connectivity 283–287, 669–671
 - continuity 285
 - facies 304–315
 - management 469–475, 527–535, 1425
 - mapping 203–214
 - modelling 225, 278–281, 285, 515–515, 538–543, 679, 696–706, 1483, 1526–1527
 - monitoring **1378**, 1476–1479
 - performance 161, 281, 296–297
 - quality 105–107, 138–139, 262, 265, 290, 304, 307, 308, 311, 362, 397–398, 400–401, 500–501, 667, 669, 678, 1044–1045, 1169
 - controlled by depositional facies 272, 290
 - uncertainties 1045

- subsidence 644–647
 uncertainties 511–525, 699
 Residual Salt Analysis 669, 670
 resource
 assessment 8
 demand 4
 discovery patterns 25–33
 resources, undiscovered 3–6, 35–39
 Norwegian Continental Shelf 55–62
 UKCS 41–54
 response surface modelling 1289–1299
 retention capacity 555, 559
 ridge jumps 943, 1003, 1072, 1354
 ridge push 553, 856, 865, 869, 899, 1011, 1018, 1105
 ridge-trough topography 1585, 1586, 1589
 rift, asymmetric 1543–1555
 rift-raft tectonic model 254, 265
 rifted margin, model 776–781
 rifting 770–774, 790–793, 809–810, 828, 864, 874, 915, 933, 1015–1018, 1098, 1438
 Ringhorne Field, Norway 100, 124, 137, 138
 risk
 reduction 1235
 sharing 317
 risking 1119
 biodegradation 1267
 drilling 277–278, 678, 1269–1271
 fields 420
 geophysical programmes 649–650
 migration 1267
 overpressure 1267
 plays 600
 production 456, 669
 prospects 55, 202–203, 210–211, 218, 226, 236, 244, 253, 334–335, 557–559, 1211, 1289
 reservoir 1267
 seal integrity 554–557, 1267
 well 417
 see also reservoir architecture; seal
 Roar Field, Denmark 86, 87–88, 1331–1332
 rock physics 1491
 models 1371, 1401–1413
 properties of basalts 1466–1467
 see also saturation modelling
 Rockall Basin 1011, 1017, 1023–1033, 1054–1055, 1077–1094, 1098, 1104, 1621–1630
 Neogene evolution 1057–1076
 Rockall Plateau 948
 Rolf Field, Denmark 86, 87–88, 90, 171, 172, 174
 rollover 244, 247, 257, 341, 687
 Rosemary Bank igneous centre 1621
 Rough Field, UK 603

⁸⁷Sr/⁸⁶Sr ratio 669, 670, 672
 sag 1068–1071
 morphology 736–737
 see also differential subsidence
 salt
 breach 299
 diapirism 451–456, 790, 1331, 1634, 1637, 1640–1644
 doming 407, 461–463
 impact of 153–155, 188, 234–235, 285, 289
 pillow and turtle structures 1199–1216
 precipitation in faults 333
 rafts in 323
 tectonics 290, 339–348, 407, 412, 413–414, 664, 672, 724, 749, 892, 899, 1195, 1225–1228, 1631–1648
 withdrawal 254, 256, 261, 265, 269–271, 293–294, 589, 590, 1039, 1438
 SAMBA database 63
 sand remobilization 130, 133
 Santos Basin, Brazil 1124–1125, 1126, 1140
 saturation modelling 1405–1411
 scale 109, 417
 inhibitors 470
 management 285
 Scapa Field, UK 172, 187, 191, 201
 Schiehallion Field, UK 643, 913, 977, 981, 982, 987, 989, 1112, 1250
 Schooner Field, UK 319
 Scoter Field, UK 451, 454, 456, 458
 Scott Field, UK 553
 sea-floor spreading 742, 774, 777–780, 791–793, 803, 1005, 1104, 1165
 sea-level curves 189
 Seabird Igneous Centre 1010, 1017
 Seagull discovery, UK 262, 286, 291
 seal 141, 236, 239, 249, 299, 322, 342, 368, 372, 389, 469, 513, 514, 656, 665, 977, 989, 1113, 1217
 bottom 150
 capacity 330, 657, 665
 capillary 576, 625–631
 diagenetic 576
 effectiveness 394–395
 failure 141, 163, 236, 259–260, 263, 345, 551–564, 672, 1195, 1302–1315
 fracture gradient 664
 hydraulic 551
 hydrodynamic 331
 integrity 261, 266, 554–557, 656–657, 1113–1114
 juxtaposition 331–334
 lateral 1225
 membrane 554
 pinchout 576
 potential 625
 pressure 620
 risk 244, 554–557
 vent 664–665
 see also cataclasis; fault seal analysis; fracture; leakage
 sealing
 capacity 181, 580
 efficiency 181
 seamount highs 190, 1065, 1092, 1228
 seaward-dipping faults 791
 seaward-dipping reflectors 739, 746, 748, 761–764, 793, 795, 803, 810, 893, 936–938, 947
 sediment
 bypass 249, 250, 259, 822, 1115, 1122–1123, 1161, 1178, 1182, 1202, 1215
 controls on 963–966
 dispersal patterns of the NE Atlantic 969–975
 slides 1059 *see also* Siri Canyon; Storegga Slide; submarine landslides
 transport direction 412, 450–451, 521, 913–921
 see also wedges
 sedimentology 245–252, 288–290, 326, 454, 480, 496–503, 516, 663, 698–700
 seep survey 339, 342, 346
 seeps, hydrogen 355
 seismic
 3D 174, 225, 242, 262, 270, 323, 390, 465, 1116, 1425–1433, 1577–1594
 4D 174, 363–365, 411, 474, 527–535, 641–650, 1385–1399, 1488–1501
 acoustic impedance 86, 218, 392, 394, 397, 479, 490, 491, 492, 503, 579, 641, 685, 1116, 1121–1145, 1408, 1512–1514, 1622
 amplitude anomalies 977–991, 1112, 1222, 1229, 1372–1373, 1577–1594
 amplitude-extraction maps 51, 205, 580, 1171, 1211
 amplitude-versus-offset (AVO) 45, 47, 50–51, 53, 192, 220–224, 450, 579, 737, 759, 977, 982, 983–986, 1116–1118, 1169, 1199–1200, 1215, 1230, 1370–1375, 1381–1382, 1407, 1425–1432, 1471
 calibration 1474–1475
 arrays 1420–1421
 attribute analysis 50, 104, 211, 245, 426, 452, 506, 677, 685, 1122, 1171
 texture 1595–1611
 bandwidth 1371–1372, 1415–1424
 coherency 181, 1211, 1557–1563, 1574
 facies analysis 191, 437–438, 439, 836, 894, 1217–1232, 1600–1611
 fluid identification 1425–1433
 forward modelling 416–417
 geomorphology 1122–1145, 1565–1576, 1601
 imaging 47, 191–193, 218, 224, 363, 1037, 1372–1373, 1378, 1471, 1533–1542
 degradation in sub-Chalk 203
 of gas 578–580
 of hydrothermal vent complexes in 833–844
 of/under igneous intrusions 734, 755–766, 833–844, 876–880, 979–991, 1461–1469, 1621–1630
 of/under salt 411, 1423
 resolution 838
 through dunes 5
 see also integrated Seismic Imaging and Modelling of Margins (iSIMM)
 interpretation 124, 126, 219–221, 244–252, 412–413, 438–446, 479–481, 489, 503–506, 529–534, 589–591, 617–618, 880, 1038–1039, 1199–1232, 1372–1373, 1383, 1490, 1509–1515, 1557–1563

- inversion 86, 161, 363, 364, 413–416, 479–481, 524, 579–580, 679, 685, 804, 1025, 1116, 1374, 1449
 far offset 1212
 pre-stack full waveform 1422–1423
 lithology
 identification 1425–1433
 prediction 523, 804, 1112, 1137–1139, 1371, **1378**, 1381
 mapping 323–326, 503–504
 multicomponent (4C) 1377–1384, 1577
 processing 191–192, 392, 411–412, 528–529, **531**, 804, 950–951, 1382, 1471
 pull-up 325, 530
 push-down 163, 224, 1388, 1391–1396
 resolution, clarity of 191, 1116, **1378**
 seep anomalies 840, 842 *see also* gas chimneys
 signal-to-noise ratio 1421
 spectral decomposition 450, 576, 1533–1542
 stratigraphy 438–445, 1092, 1121–1145, 1565–1576, 1600–1611
 volcanostratigraphy 1621
 technology, recent advances in 1367–1479
 tomography 742–743, 942
 tuning 1622
 velocity
 anisotropy analysis 1437–1447
 modelling 951–952, 1372–1374, 1435–1452
 visualization, 3D 225, 323–325, 1483–1648
 wide-angle 785, 947, 1025–1031, 1047–1056, 1374–1375, 1461–1469
see also borehole seismic; bright spots; flat spots; 'Life of Field' seismic; vertical seismic profile
 seismic-while-drilling 1375
 Sele Formation 449–459
 Selkirk discovery, UK 262–263
 Senja Fracture Zone 787, 793, 846, 862
 sensitivity modelling 515–516
 sequence stratigraphy 179, 200, 211, 265, 409–411, 424, 428, 438–445, 450, 608–622, 977, 1122, 1222–1225, 1521, 1523
 megasequences 1063–1069
 Sequential Indicator Simulation 5156–517, 520, 695–706
 serpentization 353–354
 Seven Heads Field, Ireland 363
 Seymour Field, UK 675–686
 shale gouge 670
 fault seal studies 678, 683
 ratio analysis 456, 457, 1277
see also phyllosilicate framework fault rocks
 shales
 diagenesis 1267–1274
 fractured 567, 569, 577
 resources 707–714
 shallow-water flows **1378**, 1382
 Shannon High 891
 shape factors 545–550
 shear acoustic anisotropy 553
 shear wave information 220, 223, 226, 364, 803, 811, 977, 1116, 1371, 1374, **1378**, 1380–1383
 Shearwater Field, UK 254, 255, 262–263, 264, 286, 296, 569, 663–673, 1301–1315, 1435, 1435, 1438, 1631, 1634, 1645
 shelf facies 429, 431, 432, 436–444, 495–510, 537, 663–673, 916–917, 926–929
 Sherwood Sandstone Group 1036–1046
 Sigyn Field, Norway 99
 sill complexes 833–843
 Silverpit Meteorite Impact Crater 1485
 simulation, dynamic reservoir 146, 154, 157, 392, 398, 467, 469, 483, 496, 504, 507, 511–525, 538–543, 647, 658, 695–706, 1043, 1334–1345, 1371, 1492, 1524–1530
 object-modelled approach 402
see also history matching; static modelling
 Siri Channel 93, 96, 1185–1198
 Siri Field, Denmark 85, 87–88, 93, 95, 141, 1272, 1356–1357
 Sirte Basin, Libya 25–33
 sizing of prospects 334–335
 Skaggerak Formation 259–261, 269–297, 651–661, 1301–1315
 Skene Field, UK 389, 398
 Skjold Field, Denmark 85–86, 87–88, **171**, 172, 174, 1341
 Skua Field, UK 262 *see also* Heron Cluster
 Sleipner Field, Norway 99–101, 109, 641, 645–646, 647, 648, 1385–1399
 slope facies 1115
 slug model 1112
 slumps 516, 523, 1115, 1187, 1509, 1586
 slurry flows 521–524, 1111
 Slyne Basin 1010–1018, 1023, 1024, 1035–1046, 1078
 Snadd Field, Norway 1111, 1112
 Snøhvit Field, Norway 231, 232, 641, 649
 Snorre Field, Norway 27, 172
 Sognefjord Formation 423–448
 Solan Field, UK 1250
 Sole Pit Field, UK 595
 sonic
 transform Unconfined Cohesive Strength 488
 velocity studies 344, 1102
 source rocks 113–114, 231, 238, 249–250, 273, 339–340, 345–346, 381, 383, 592, 610, 736–737, 900, 903–912, 1225–1226
 hydrocarbon potential 1317–1329
 kerogen 1317–1321
 uncertainties 929
see also Alun Shale; Draupe Formation; Heather Formation; Kimmeridge Clay Formation
 source-to-earth coupling 1416–1418
 South Arne Field, Denmark 85, 87–88, 159, 161–163, 164, 168, **171**, 1332, 1402, 1405, 1407, 1411
 South Hatton Lineament 935–936, 939, 941, 1003
 South Morecambe Field, UK 688, 691
 Spekk Formation 903, 911
 spit and strand plain system 423, 431, 433, 434, 435, 438–444
 stacking patterns 105, 123, 293
 Staffa Field, UK 362
 Starling Field, UK 451, 454, 456
 Statfjord Field, UK and Norway 172, 361, 568
 static modelling 457, 469, 515–525, 539, 658, 671, 689–691, 697–698, 1035–1046, 1492
 object modelling 700–701
see also reservoir modelling
 statistical assumptions for modelling 467
 statistical extrapolation 3–7
 statistics 1235 *see also* geostatistics; probabilistic modelling; stochastic analysis
 Stavropol Field, Russia 350
 stochastic analysis 363
 fault modelling 681
 reservoir model 130–131, 538, 695–706
 synthetic seismograms 221
 trend curves 228
 STOIP 383–387
 uncertainties in 159–160
 Storegga Slide 724, 736, 1536
 Strathmore Field, UK 1250
 stratigraphic traps
 discoveries in UKCS 45, 48, 50, 50–51, 191
 exploration for 22, 191, 595
 stream-function corner flow solutions 777, 779–780
 stress
 effective, change in 1408–1409
 in the North Sea 551–564
 prediction **1378**
 stretching factors 736, 767–783, 805, 809, 955, 1023, 1028–1031, 1055
 structural
 complexity, high-order 265
 fabric evolution 254–256
 history 294–296, 392–393, 406–407
 interpretation 327–335, 479–480, 622
 traps, UKCS 48
 uncertainties 483, 516
 reducing 1435–1448
 submarine
 landslides 726
 fan systems 58, 60 *see also* fans
 subsea facilities 317–318, 391, 477, 481–482, 1045
 subsidence 793, 821, 868, 874, 1027, 1058
 effects of lithospheric stretching on 774–779
 modelling 768–773
 passive margin 899, 1072
see also differential subsidence
 subsurface mapping 327
 Subthrust Reservoir Appraisal (SUBTRAP) consortium 1359–1366
 subtle traps 36, 42
 Suga Sgeir fan 1067
 Suilven Field, UK 1250
 Surt Fracture Zone/Lineament 805–811, 864, 1156

- Svend Field, Denmark **171**, 172, 174
 swash bar and inter-bar deposits 431–434
 swing production 15–16
 synthetic seismograms, stochastic 221
- tar mat formation 1252, 1356–1357
- Tartan Field, UK 172, **362**
- Teal discovery, UK 262–263
- teamwork 39, 282, 420, 453–454, 495–510, 1484
- technology
 change produced by 4, 13, 42
 impact on production 7
- tectonics
 basement 265
 Cimmerian, North Sea 188–191
 Northwest Europe, early Cretaceous 194, 196
- tempestites 312, 431
- Temsah Field, Egypt 610, 611, 612, 618, 619–620, 622
- Tern Field, UK 172, 363
- Tethyan Outflow Water 1069, 1070
- Texas Railroad Commission 15
- Thames Field, UK **362**
- thermal
 collapse 975
 uplift 793, 1027
 doming 407, 796
- thermo-chemical diagenesis models 1235
- thermohaline circulation 1071
- Thetis Basin 890, 892–893, 895, 899–900
- Thistle Field, UK 172, 361, 362
- Through Tubing Rotary Drilling (TTRD) 474–475
- tidal facies 434–444
- tight gas sands 567, 569, 576
- tilting 1068, 1069, 1071
- time-lapse seismic 99, 102–107, 527–535, 569, 1116, 1370–1373, 1485, 1517–1531 *see also* 'Life of Field' seismic; seismic, 4D
- Timor Seas 861–863, 866–869
 syn-rift architecture and basin fill 863–867
- Tineh Field, Egypt 610, 611
- toe pilots 109
- tomography, computerized 1613–1620
see also seismic tomography
- Tor Field, Norway 166, **171**, 172, 174
- Tornquist Zone 93, 1347
- transfer zones 370, 613, 1035, 1049–1055, 1059, 1553
 NW-SE trend 745
 Wegener 747
see also Bivrost transfer system; Clair Transfer Zone; Erland Transfer Zone; Fracture Zone/Lineament; Judd Transfer Zone; Victory Transfer Zone; Westray Transfer Zone; Wyville-Thompson Transfer Zone
- Transient Pulse Decay permeability measurement 1240
- transpression reactivation 943
- trap
 fill 330
 integrity 218, 262–263, 265
see also combination traps; constriction traps; flank trap; gas, capillary trapping; palaeogeomorphic traps; pinchout traps; stratigraphic traps; structural traps; subtle traps
- trend-curve analysis 219, 221, 223, 226
- triple junction 934–935
- Troll Field, Norway 27, 56, 172, 363–364, 641–647, 1254
- Troll North Field, Norway 1252, 1252
- Troll West Field, Norway 423–448, 1252
- Trøndelag Platform **1149**, 1155–1161, 1162, 1168
- tuffs 1353 *see also* Balder Formation
- Tullich Field, UK 111–121
- turbidites 92, 105–110, 133, 204, 238, 246, 431, 449–459, 511–525, 611, 676, 821, 953, 1115, 1121–1145, 1171–1178, 1199–1232, 1238, 1475, 1509, 1573
 Cretaceous and Palaeogene 1147–1164
 seismic response 1523–1529
- turtle structures 259–260, 1202
- Tyne Field, UK 319, 319
- Tyra Field, Denmark 85–86, 87–88, 160, 1332, 1340
- Tyrihans Field, Norway 537–543
- UK Continental Shelf (UKCS), remaining potential 41–54
- Ula Field, Norway 146, 148, 154, 157, 157, 172, 289
- uncertainties 1116
 in field performance 1528
 in petroleum systems modelling 1289–1299
 managing 364, 516–517, 569, 663–673
 seismic 589, 678, 1373, 1490
 subsurface 681, 687, 1453–1459
see also aquifer performance; depth conversion; facies uncertainties; gross rock volume uncertainties; play; ocean bottom survey; recovery factors; reservoir; reservoir quality; source rocks; STOIP; structural uncertainties; vertical seismic profiles; wells
- unconventional gas resources 567
- underplating, magmatic 345, 735, 737, 755, 771, 773, 805–808, 820, 929, 942, 1029–1031, 1058, 1072, 1103, 1621
- unitized agreement 317, 326
- Uppsala Protocol 18
- upscaling 364, 457–458, 541–543, 546, 549, 696, 702
- US Securities and Exchange Commission (SEC)
 reporting requirements 12
 reserves definition 6, 573
- Valdemar Field, Denmark **171**, 177–186
- Valhall Field, Norway 163, 166, **171**, 172, 174, 184, 554, 1332, 1371
- valley
 fill mounds 50
 incised 407, 409, 442, 445, 851–853, 1159, 1566, 1580–1581, 1600
- Varg Field, Norway 363, 405–421
- Venezuela 1359–1366
- vertical seismic profile (VSP) 989, 1375, 1462, 1471–1479
 uncertainties 1472
- Veslefrik Field, Norway 172, 1252
- Vesterålen Fracture Zone 793, 796
- Victory Transfer Zone 972–973
- Viking Graben 1133–1136, 1139, **1140**
 effects of overpressure 1247–1264
 tectonic history 1249, 1251
- visualization, 3D 109, 675–686
 Collaborative Visualization Environment (CVE) 1484–1486
 immersive 1118, 1485, 1619–1620
see also seismic visualization
- vitrinite reflectance
 kinetic model of 1259
 studies 344, 1095–1107, 1258, 1307
- voidage replacing ration 472
- volcanoes 1011
- Völkersen Field, Germany 1614
- Vøring margin 60, 767–799, 892–893, 910–913, 993, **1149**, 1156–1161, 1162
 crustal structure 803–813
 hydrothermal vent complexes in 833–844
 intrusions in 833–844
 Miocene compression 845–859, 865–867, 899, 1070–1071
 Neogene evolution 1057–1076
 palaeobathymetry 815–831
 sedimentation in 815–831
 syn-rift architecture and basin fill 864
- V-shaped ridges 743, 756, 935, 943
- Warren & Root model 546–550
- washwater injection 285
- water-alternating-gas (WAG) scheme 471–474, 527
- water-escape structures 1114, 1173
- water geochemistry 669, 672
- water injection 390, 397, 417, 469, 496, 560–561, 563, 641–650
- water-table fluctuation 288
- Watt Field, UK *see* Caister–Murdoch System
- wedges, Plio-Pleistocene prograding 1059, 1060, **1064–1065**, 1066–1067, 1068, 1071 *see also* Sula Sgeir fan
- well production index 400, 401
- wells
 completions 482, 580
 deliverability 281
 designer 477–494, 507–510, 580
 dual-lateral 475
 extended reach 465–466
 geometries 1488
 infill 417
 intervention 417–418, 469
 multi-zone completions 470
 multilateral 363, 1119, 1488
 placement 364, 1483, 1487–1506
 planning 482–483, 560, 1432, 1512–1514

- pre-drill, batch 420
- production rates, uncertainties in 161
- trajectories 482–483, 560, 1432, 1492, 1494–1505
- see also* drilling; foam injection; gel-squeeze; horizontal wells; scaling
- Welton Field, UK 595
- West Abu Qir Field, Egypt 621, 622
- West Hod Field, Norway 163, 166
- West of Shetland 957–967
- West Siberian Basin, Russia 25–33
- West Sole Field, UK 575
- Westray Fault 979
- Westray Transfer Zone 920, 972–973
- Wilmington Field, USA 449
- wrench-fault systems 1449–1452
- Wytch Fram Field, UK 363
- Wyville-Thompson Lineament Complex 935–936, 939, 941, 1059
- Wyville-Thompson Ridge 875, 876, 878, 883–884, 933, 1058, 1063, 1069–1070, 1073
- Cenozoic deformational history 993–1007
- Wyville-Thompson Transfer Zone 8760
- yet to find oil and gas
 - North Sea 35–39
 - Norwegian Continental Shelf 63–68
 - UKCS 43–54
- Yme Field 64
- Ymir Ridge 994, 996–999, 1000, 1003, 1005
- Zechstein
 - carbonate reservoirs 256, 337–348, 367–388
 - salt 1039–1040, 1239, 1301–1315, 1631, 1645
 - seal 30