

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- AAPG. *See* American Association of Petroleum Geologists (AAPG)
- å1 Basin area 139
- Abolag-1 well
stromatolitic carbonates 680
Taoudenni Basin 679
- Abu Zenima 772
- Acacus Formation 686
- acoustic impedance (AI) 510
Chalk units 543, 547
juxtaposition difference value of zero 513
PHIT relationship 547
South Arne 527, 528
v. total porosity 543
- acoustic pull-ups
MMU 84
- acquisition and processing. *See* Four dimensional acquisition and processing
- acquisition plan
ISROCK-96 seismic survey 556
Rockall Trough 556
- active rifting
Angola 1046
- Adriatic basin
geological sections 117
hydrocarbon occurrences 117
Porto Corsini East gas field 122
- Adriatic Sea 121
- aeolian sandstones 826
- aeromagnetic compilations
average density 570–571
basement rocks magnetic properties **570**
basement structure map 575
bathymetry and topography map 561
datasets 559–569
aeromagnetic 560
bathymetric 559–560
gravity 560–565
petrophysical 565–569
topographic 559–560
- Greenland 580–581
magnetic data 579
methods and applications 559–583
modelling 571
Norway 559–583
Norwegian–Greenland Sea 579
results 569–580
basement structures 569–573
North Atlantic oceanic spreading 578–580
quaternary sand channels 575–576
salt-related magnetic anomalies 576–578
sedimentary subcrop pattern 573–575
rocks magnetic properties **572**
surveys **562**, 579
susceptibility log 577
- aeromagnetic data acquisitions
NUG 33
- aeromagnetic modelling
NUG 33
- Africa. *See also* specific areas e.g. North Africa
erosion 679
exploring older and deeper hydrocarbon plays 681–682
heritage palaeohighs 718
orogen 708
- AFTA. *See* apatite fission track analysis (AFTA)
- aggradational prism 89
- aggrading channels
architecture 84
central North Sea basin Late Neogene
below Horizon 6, 83–85
geological controls 89–90
- Ægir ridges
spreading rates 579
- Ahara High 712–714
Algeria 712–714
interpretation 713–714
stratigraphic architecture 712–713
- Cambro-Ordovician succession
stratigraphic pinchout 712
chronostratigraphic chart 720
Devonian succession 713
interpretation 713–714
shape 713
stratigraphic architecture 712–713, 713
- Ahara uplift
Silurian 713
- Ahnet Basin 686, 729, 733, 738
Azzel Matti Ridge 720
chronostratigraphic chart 720
Fammenian sediments 738
Palaeozoic petroleum system 686
- AI. *See* acoustic impedance (AI)
- airborne laser scanner 20
- Airy–Heiskanen root 565
- Ajjer Tassil outcrops
Palaeozoic succession stratigraphic column 709
- Alaminos Canyon area
roof-edge thrust 904
- Alaminos Canyon 818 site 1151–1152
- Alaska
Amethyst State-1 well 637, 638, 639, 640
palaeotemperatures 639
Brookian sequence 828
exhumation episodes 642
Mount Elbert Prospect 1151
North Slope
burial/uplift history 639
gas hydrates occurrence 1152
individual episode magnitude 643
location map 637
wells 640
sedimentary rocks magnetic properties **572**
- Alba Field 337–342
Alba drilling technology 340–342
cartoon geological models 340
4D data showing water cones 341
4D seismic results 346
4D seismic showing OWC movement 341
EOR mechanisms 346
fault baffling 340
fault interpretation 339
field edge seismic tuning 342
first step-change 337
injected sands 340
lithology distribution 342
MPD 346
pilot hole-attic oil capture 343
production 338
reservoir level
faulting 337
seismic data history **339**
seismic datasets 340
seismic technology 337–340
shear impedance inversion 337
TTD 346
UKNS maximizing offshore heavy oils fields 337–347
field history 337–342, 337–347
viscous oil 339
- Alba Northern Platform (ANP) 340
drilling slots 342
- Al Basin
wells VR trends 100
- Alberta
BCG stratigraphic summary 1102
British Columbia border 1106
Cold Lake Field 7
4D seismic steam conformance maps 1149
Cretaceous section 1099
Early Cretaceous 1102
heavy oil deposits 1142
Lower Cretaceous McMurray Formation 1062
sandstone v. conglomerate 1111
- Albian age
Early
Wabiskaw Formation 1144
- Albian–Cenomanian 120
foreland 124
hydrocarbon occurrences 124
- Albian Pinda carbonate play 1045
- Albian Wabiskaw Formation 1144
- Albo-Aptian Kopervik Sandstone 53
algal-derived fluorescent amorphous organic matter (AOM) 98
- Algeria 707, 708, 709, 718, 721, 729, 731, 733
Ahara High, Illizi, and Berkine basins 712–714

- Algeria (*Continued*)
 Early Silurian Tannezuft hot shale thermal maturity 690
 field map 1168
 Neoproterozoic geology 677
 platform sub-basins 707–708
 reservoirs 753
 tectonic events 689
 Tihemboka High, Illizi and Murzuq basins 715–716
- Allen, Mark 589
- allochthonous biofacies
 North Sea Eldfisk Field 481
- Allochthonous Complex 119
- Almada Basin 875
 conjugate margin evolution 879–880
 data 868–869
 2D gravity modelling outline 870
 margin setting 869–874
 nature of crust transitional domain 874–877
 salt diapirs 871
 total rift setting 877–879
- Almada–Gabon margin 868
- Alpin Anticline 967
 seismic profile 969, 972
- Alpine
 collision 265
 compression 975
 orogen 113
- Alpine Foredeep 743
- Alpine foreland
 petroleum geoscientists virtual fieldtrips 25
- Alportian–Pendleian mudstones 1091
- Alps 113
 Villafortuna–Trecate oil field 119
- Alston Block 1091, 1092
- Altay mountains 660
- amalgamated turbidites 279
- Amerasia Basin 589, 590
- American Association of Petroleum Geologists (AAPG) 13
- Amethyst State-1 well, Alaska 637, 638, 639, 640
 palaeotemperatures 639
- amplitude variation with offset (AVO) 245, 279, 448
 applied time-lapse seismic methods 528–533
 compaction monitoring on northern crest 532–533
 fault control of injected water 530–532
 reservoir depletion of northern crest 528–530
- character 443
 distribution 441
 Donan Field 439, 441, 442
 signature 439
- Forties response with gas v. oil 220
- gas sand calculation 291
- gas sand thickness uncertainty 295
- Laggan 283, 285, 289, 291, 295
- Lochranza field development 449
- net gas sand map 285
- rock physics analysis 437
- Seismofacies 289
 traces 294
- structural map 283
 Tormore 283, 296
- time-lapse rock physics 528–533
 Tormore 283
- analogue models 19
- Andrew fan axis 436
- Andrew Formation
 interbedded turbidites 431
- Aneth Field
 location map 1190
- Angola. *See also* specific location
 active rifting 1046
 biogenic source rocks TOC 1052
 block 12
 thermogenic petroleum systems post-salt 1051
 block 15
 post-salt gas plays 1050
 block 31, 1014
 block zero seismic amplitude gas indications 1051
- database 1046
- deepwater 1013, 1014
- direct gas indicators 1054
- estimated methane solubility 1054
- future gas exploration 1043–1057
 biogenic gas unconventional petroleum system 1052–1056
 conceptual Neoproterozoic petroleum system 1055–1056
 regional framework 1044–1045
 thermogenic petroleum systems 1045–1052
 Post-Aptian salt plays 1049–1052
 Pre-Aptian salt plays 1045–1049
- gas discoveries 1047
- gas generation schematic 1052
- generalized basal heat flow 1048
- hydrocarbon maturation studies 1046
- methane generation microbial ecosystem succession 1053
- oil exportation 1043
- oil production 1043
- possible biogenic gas play 1055
- pre-salt gas plays 1046
- sedimentary basins 1044, 1044
- syn-rift areas 1046
- ANP. *See* Alba Northern Platform (ANP)
- Anti-Atlas 729
- Antrim Shale-analogues with biogenic methane in Europe 1083
- AOM. *See* algal-derived fluorescent amorphous organic matter (AOM)
- apatite fission track analysis (AFTA) 633, 980
- Amethyst State-1 well 638, 639, 640
- Arctic 641
 burial history reconstruction 635
- Carboniferous sandstones 996
- Denmark 642
 detailed analysis 639
- Eocene palaeogeothermal gradients 636
- Gro-3 well in Nuussuaq Basin 640
- Norwegian wells 989
- palaeotemperatures characterizing 636
- Svalbard 640
- Trail Island 641
- Apennines 113
 Eocene to Pliocene times 113
 frontal thrusts 121
 geological sections 117
 hydrocarbon occurrences 117
- mountain chains 113
- Pliocene times 113
- Porto Corsini East gas field 122
- Settala gas field 123
- Val d'Agri oil field 121
- Villafortuna–Trecate oil field 119
- Appalachian Basin
 US 1090
- applied time-lapse seismic methods 523–534
 reservoir management 523–534
 South Arne 523–524
 time-lapse rock physics AVO inversion 528–533
 compaction monitoring on northern crest 532–533
 fault control of injected water on SW flank 530–532
 reservoir depletion of northern crest 528–530
- time-lapse seismic data acquisition 524–528, 525
 AVO inversion 526–527
 time shifts 525–527
 time-lapse time shift observations 528–533
- Aptian 662
 coal-bearing muddy sediments 598
- Apulian Platform 119
 Cretaceous age 120
 geological sections 117
 hydrocarbon occurrences 117
 Val d'Agri oil field 121
- aquifer
 saline 1191, 1195
 seal capacity determined 498
 v. holes 502
- Arab Field
 Jurassic GDE map 795
- Arab Formation
 carbonate grainstone 795
 grainstones 796
- Arabian Palaeozoic petroleum system 692
- Arabian Plate 684, 812
 geology 792
 Middle East exploration potential 794–799
- Ara Group 674
- Arctic 641. *See also* Russian Arctic shelves (RAS) geology
 assessment of undiscovered petroleum resources 621–631
 frontier margins 823
 offset and curvature of Novaya Zemlya 645–656
 sedimentary basin 590
- Areoligera gippingensis* biomarker 435
- Argana Basin 930
 location map 922
- Argana Valley 927
- Arkitsa fault, Greece
 petroleum geoscientists virtual fieldtrips 24–25
- Arne–Elin Graben 129
- Arnsbergian Sabden Shale
 general characteristics 1088–1089
- A sandstones
 Dooish 950
 Dooish area 950

- Rockall Basin 946, 950
- Rockall Basin palaeodrainage 944, 946
- Ashgill aged glacial valleys 717
- Askrigg Block 67, 1092
- Asl Sandstone 778, 778
- Asmari carbonate reservoir
 - Cenozoic age 791
- Asterosoma* 133
 - facies core photos 135
- Asti Formation
 - foreland ramp 123
- Atar Group 679
- Athabasca
 - Lower Cretaceous McMurray Formation 1141
- Athabasca Basin
 - heavy oil deposits 1145
 - sediments 1144
 - surface mining map 1149
- Athabasca Oil Sands
 - Lower Cretaceous McMurray Formation 1062
 - reservoir characterization 1141–1150
- Athabasca reservoir characterization impact 1141–1150
 - managing large well datasets 1149–1150
 - regional setting 1141–1144
 - reservoir heterogeneity 1147–1149
 - stratigraphy 1144–1147
- Atlantic. *See also* specific areas e.g. North Atlantic
 - borderland
 - location map 922
 - crustal thickness map 864
 - lead space plots 948
 - pre-drift reconstruction 1031
- Atlantic basins
 - base basalts 1028
 - Mesozoic 938–940
 - seismic section 1028
- Atlantic Margin
 - basin inversion 971
 - bathymetric map 964
 - Cenozoic unconformities 974
 - geological and structural features 844
 - imaged sub-basalt strata 1029
 - Ireland thick sediments 924
 - Mesozoic 938–940
 - Permo-Triassic Basin evolution 921–934
 - Central High Atlas Basin, Morocco 931–934
 - developing analogue depositional 928–929
 - Fundy Basin, Nova Scotia, Canada 929–931
 - geological framework 921–927, 922–925, 925–927
 - integrated regional study 921
 - provenance studies 927–928
 - structural and terrane map 923
- Atlantic sub-basalt hydrocarbon prospectivity 1025–1031
 - Faroe–Shetland and Møre basins 1025–1028
 - Rockall 1028–1029
 - seismic data acquisition and processing 1025
- Atlantis Field
 - OBS nodes 1016
- Atlas Basin
 - Morocco 928
- Atwater Valley 1151
- Auðhumla Basin
 - bathymetric gorge 973
- Auðhumla Basin Syncline 969, 973
 - seismic profile 973
- Auk–Argyll–Flora area 60–62
- Auk–Argyll region 58, 59
- Auk–Flora Ridge 66
 - seismic profile
 - along crest 61
 - crossing northern flank 62
 - Dogger Granite 63
 - southern flank 60
- Auk Terrace 200
 - remnant topography 196
- Australia. *See also* specific location
 - Jackson Field 355
 - petroleum systems 828
- Austria. *See also* specific location
 - shale 1081
- Austrian Unconformity 742
 - recognition 749
- AVO. *See* amplitude variation with offset (AVO)
- Avon shale 206
- Awanat Wanin I formation
 - incised valleys 712
- Axial Structural Domain
 - Novaya Zemlya 651
- axis-perpendicular sub-regional correlation
 - Dagny area 173
 - Sigrun–Gudrun area 168–173
- Azienda Generale Italiana Petroli (AGIP) 113–114
- AZIP. *See* Azienda Generale Italiana Petroli (AGIP)
- Azzel Matti Ridge 716
 - chronostratigraphic chart 720
 - Silurian sediments 717
- back-barrier sediments
 - Gert-1 well 148
 - Upper Jurassic barrier island system of Freja discovery 149–150
- Badenian
 - deepwater marine shales 1126
- Baghewala Oil Field
 - Rajasthan, India 676
- Bai Hassan
 - wells 804
- Bakken Fairway 1065
- Bakken Formation 1066, 1075
 - API 1075
 - bulk kinetic parameters 1067
 - computed transformation ratios 1071
 - Devonian age 1065
 - gas chromatography analysis 1067
 - GOR 1067, 1074, 1075
 - maturity map 1069
 - MSSV 1072
 - oil gravity data 1067, 1074
 - PEE 1070, 1073
 - petroleum generation threshold 1072
 - petroleum migration 1066
 - PGI 1070, 1073
 - phase distribution map 1071
 - Rock–Eval pyrolysis 1067, 1069, 1070
 - stratigraphic column 1066
 - TOC 1067, 1073
 - upper v. lower 1073
 - Williston Basin 1065–1076
- Bakken hydrocarbon pools
 - GOR 1073
 - oil gravity data 1073
- Bakken member
 - maturity 1070
 - pseudo van Krevelen diagram 1070
 - TOC 1070
- Bakken petroleum system 1065–1076
 - analytical techniques 1067
 - data sources 1067
 - geological overview 1065–1067
 - goals 1067
 - results 1068–1073
 - bulk geochemical signature 1068–1073
 - gas–oil ratio 1071–1072
 - oil density 1072–1073
 - phase behaviour 1070–1071
 - pyrolysis gas chromatography 1068–1069
 - source rock kinetics 1070
- Bakken shales
 - TOC 1066
- Balder Field 46
 - hydrocarbons 48
- Balder Formation
 - Eocene age 45
 - maturity map 662
- Balder Sand Formation 49
- Balmoral. *See also* Lower Balmoral sandstone system 441
- Baltica Craton 604
- Baltica Timanide sources 595
- banked oil 356
- Barents Basin 604
 - geological cross-sections 600
 - plate-tectonic setting 603
- Barents–Kara region 592, 593
 - areal occurrence 602
 - depth-to-basement map 599
 - petroleum play elements chart 601
- Barents Megabasin 598
- Barents–Pechora Shelf 601
- Barents Province 598–603, 600, 601
- Barents region 598
 - gas trap formation 603
- Barents Sea 564, 565, 591
 - basement thickness 893
 - Cenozoic exhumation
 - episodes 637
 - exhumation episodes 642, 643
 - exhumation histories 634–637
 - free-air gravity field 595
 - geology 634
 - high-resolution aeromagnetic surveys 576
 - individual contributions to basement depth map 889
 - individual episode magnitude 643
 - Moho map 892
 - Paleocene cooling 637
 - remapped 560
- Barents Shelf 593, 649
 - basinal connections 656
 - fold-and-thrust belt 646, 653
 - palaeogeography maps 655

- Barents Shelf (*Continued*)
 pre-Permian subsidence events 647
 structural curvature 654–656
 structural pattern 651
 subsidence history 654–656
- Barnett Shale 7, 1131
 bedding-parallel fractures 1137
 Fort Worth Basin 1087, 1088
 fracture 1137
 gas production 1087
 mudrock cores 1134
 mudrock sample 1137
 subcritical crack index measurements 1138
 tall calcite-sealed fractures 1133
 thermal maturity 1087
 UK shale gas 1087
- barrier island sandstones
 Freja discovery area 146
 palaeotopography 150
 reservoir architecture 145–154
- basal heat flow
 Angola 1048
- basal Silurian hot shale source rock
 Murzuq Basin 689
- basal Silurian succession 712
- basal Triassic Bunter Shale 38
- basalts
 escarpments 969, 970
 NE Atlantic basins 1028
 Palaeogene age 1025
 Rockall–Faroe area 969, 970
- basal Volgian–Ryzanian megasequence
 unconformity (BVRU) 196, 204
 broad log character motifs 199
 formation 200
 tectonic reconfiguration events 209
 well correlation 198, 202
- Base Balder unconformity
 Faroe–Shetland Basin 975
- base basalts
 NE Atlantic basins 1028
- Base Buzzard 373
- Base Chalk
 Central North Sea Chalk role 502
 hydrocarbon discoveries *v.* aquifer seal capacity 505
- Base Cretaceous 38
 clastics 433
 prospect map 433
 surface 44
- Base Cretaceous Unconformity (BCU) 177, 186, 419, 505
 aquifer gradient 502
 hydrocarbon discoveries *v.* aquifer seal capacity 504
- basement
 Caledonian or Precambrian 893–894
 definition 893
- Base Permian Saalian Unconformity 37
- base salt maturity present day
 Bucomazi Formation 1048
- base volcanic reflector 1038
- Base Zechstein
 fault trends 43
- Basilicata–Calabria accretionary arc
 Val d’Agri oil field 121
- basin architecture
 deepwater reservoirs Palaeogene *v.* Late Jurassic 50
- basin-centred gas (BCG) 1104, 1112
 distribution 1106
 3D structure 1117
 gas expulsion 1112
 gas–water transition zone schematic 1114
 reservoirs 1099
 seismic profile 1115
 structural geometry at thrust front 1117
 systems 1099
 tight gas 1121
 Western Canada 1099–1122
 Cadomin Formation 1104–1106
 depositional model 1104–1105
 rock properties 1105–1106
 deep basin stratigraphy 1100–1101
 fractures 1118–1120
 Gething Formation 1106
 interpreting internal fold structure 1116
 megascale structure 1115
 Nikanassin Formation 1101–1104
 depositional model 1102–1103
 rock properties 1103–1104
 reservoir 1112–1113
 seismic stratigraphic mapping 1120–1122
 Spirit River Formation 1106–1110
 Cadotte Member 1108–1110
 Falher Member 1106–1108
 Notikewin Member 1108
 structural style 1113–1114
 water saturation 1111–1112
 Western Canadian BCG basin model 1110–1111
- basin modelling 78
- basin setting/sea-level response
 deepwater reservoirs 49–50
- Bastrup delta 983
- bathymetric gorge
 Auðhumla Basin 973
 North Ymir Ridge anticlines 973
- Batnfjordsøra 918
- Bayesian Belief Networks
 global petroleum systems 6–7
- bay-fill 164
 wireline-log cross-plot 165
- Bay Fill Facies Association 163
 Hugin Formation sedimentology 159–162
 description 159
 interpretation 159–161
 sequence stratigraphy 161
 wireline-log character 161–162
- bay-fill mudstones
 gamma ray logs 161
 transgression 161
- Bazhenov Formation
 gas yield 665
 source rocks 661
- BCG. *See* basin-centred gas (BCG)
- BCU. *See* Base Cretaceous Unconformity (BCU)
- beach ridges 148
- Beatrice Oilfield 1090
- Beavington-Penny 589
- Bechar Basin 725, 733
- bedding-parallel fractures
 carbonate concretions 1137
- Belayim Land Field 778
- Bennett Island 597–598, 598, 610
- benthic biofacies
 Eldfisk Field 480
- Bergman, Steve 589
- Berkine Basin 686, 688, 712–714, 712
 burial history 689
 Cambro-Ordovician configuration 714
 chronostratigraphic chart 720
 Devonian succession 714
 Frasnian source rocks 689
 interpretation 713–714
 isopach map 714
 Palaeozoic succession stratigraphic column 709
 stratigraphic architecture 712–713, 713
 tectonic events 689
 Triassic reservoirs 689
- Berry, John 589
- Beryl Embayment area 46
- Besano Shales 118
 foreland 124
 hydrocarbon occurrences 124
- BGS. *See* British Geological Survey (BGS)
- Bighorn Basin 5
 hydrocarbons 6
- Big Sandy shale gas field 1087
- Bill Bailey’s Bank 966–967
- Billund delta 983
- biofacies
 allochthonous 481
 benthic 480
 Early Maastrichtian Tor Formation 484
 Eldfisk Field 480
 Late Campanian Magne Formation 483
 Late Danian Middle Ekofisk Formation 488
 Late Danian Upper Ekofisk Formation 488
 Late Maastrichtian Tor Formation Subzone 485, 486
 Mid-early Danian Lower Ekofisk Formation 487
 North Sea Eldfisk Field 479–481
 Upper Ekofisk Formation 488
- biogenic gas
 accumulations 122
 Angola 1055
 Angola future gas exploration 1052–1056
 conceptual Neoproterozoic petroleum system 1055–1056
 fairway 1053
 Netherlands petroleum exploration 264
 unconventional petroleum system 1052–1056
- biostratigraphy 376
 A1-NC198 exploration well in Kufra Basin, SE Libya 761–769
 Balmoral sandstone system 441
 Buzzard Field 375
 Central Graben 77
 Eldfisk Field 474, 490
 Hugin Formation 174
 Laggan wells 288
 Lower Balmoral sandstone reservoir 440
 Middle Ekofisk Formation 476
 Pentland succession 193
 turbidite lobe 381
- bioturbated shale-prone interval
 Kristin Field 425
- bitumen 1141
- Bivrost Lineament 571, 893

- black shales **1095**
 Cambro-Ordovician 1080
 Carboniferous age 1092
 Dniepr-Donets Basin 1081
 mineralogy 1092
 principal source rocks 1092–1096
 UK shale gas 1091–1096
 Early Jurassic age 1081
 Europe 1081
 Infracambrian age 676
 Jurassic age 1096–1097
 Kimmeridge Clay 1096
 Lower Bowland **1095**
 Lower Palaeozoic age 1091
 Poland 1080
 Silurian age 762, 1080
 UK shale gas 1090–1091
- Bled el Mass area
 Djebel Tamamat 716–718
- block 1
 dynamic modelling study 397
- block 12
 post-salt thermogenic petroleum systems 1051
- block 15
 post-salt gas plays 1050
- block 31
 extrasalt 1015
 location 1013, 1014
 petroleum geology 1013
 RMS amplitude extractions 1015
 salt coverage 1014
 salt geometries 1014
 subsalt areas 1015
 WATS survey acquisition area 1023
- block zero seismic amplitude gas indications 1051
- Blodøks Formation 540
- Blomidon Formation 929, 931, 932
- Bo Member
 depth range 97
 hopanes 107
 hopane:sterane ratio 103
 oil-prone 98
 oil-prone shales 103
 sapropelic kerogen photomicrographs 102
 source rock potential 104
 thermal maturity map 101
 wells GR 99
- Book Cliffs of Utah 24, 52
- Boreal Ocean 420
- borehole Leak Off Test
 Central North Sea 496
- Bossier sandstones
 East Texas Basin 1112
- bottom-simulating reflectors (BSR)
 gas hydrate 1152
 Nankai Trough 1153
- bottom-water currents
 Cenozoic compressional structures 963
 Faroe Bank Anticline 967
 Hatton–Rockall Basin 965
 North Rockall Trough 973
 Rockall–Faroe 972–973, 973
 compression 973
 Wyville–Thomson Ridge 969
- Bouguer anomaly
 Norwegian continental shelf 887
- Bouguer gravity 565
 data 567
 profiles 574
- Bovanenkovskoye fields 664, 664
- Bovanenkovskoye gas charge 666
- Bowland Shale
 black shale **1095**
 Lower **1095**
 mudstones thickness 1096
 thickness 1095
- Brazil. *See also* Almada Basin; Camamu Basin; Santos Basin
 margins 879
 Bouguer-corrected gravity anomaly field 870, 873
 characteristics 873
 COB 870, 873, 873, 877, 878
 conjugate margins 876
 conjugate transects 877
 continental lithosphere thinning 865
 crustal extension 869
 crustal-scale gravity modelling 868
 geological map 869
 gravity modelled transect 872
 gravity modelling 869, 871
 gravity modelling transect 871
 hinge-lines 878
 MCS profile 874, 875
 plate reconstructions 870
 POC 874
 rifted 856, 859, 877
 subsidence analysis using flexural backstripping 859
 tectonomagmatic evolution 879
- Bream Field
 hydrocarbons 987
- Brennand 38
- Brent Delta systems
 Jurassic age 174
- Brent Field 43
- Brent Formation sandstones 565
- Bridge Anticline 969–970
 Cenozoic sediments 969
 seismic profile 972
- British Columbia
 Alberta border 1106
 Alberta sandstone v. conglomerate 1111
 BCG stratigraphic summary 1102
 Horn River Basin 1079
- British Geological Survey (BGS) 27
- British Sedimentological Research Group (BSRG) 27
- Broad Fourteens Basin 269
- Brookian sequence
 Alaska 828
- Brooks, Jim 31
- Brown Shale 1087
- B sandstones
 Rockall Basin 946
 palaeodrainage 944–946, 947
- BSR. *See* bottom-simulating reflectors (BSR)
- BSRG. *See* British Sedimentological Research Group (BSRG)
- Buah Formation 674, 679
- Buchan Graben 369, 371
- Bucumazi Formation
 generalized base salt maturity present day 1048
- Bunter Shale
 Triassic age 262, 270
 basal 38
- burial anomaly 987
- burial history modelling
 coal-measure source rocks 71
- Burns reservoir
 LKO 345
- Bush Formation petroleum system 674
- Buzzard discovery 48
- Buzzard Field 53, 377
 appraisal well correlation 373
 biostratigraphy markers 375
 bottom hole pressure 378
 B4 reservoir 381
 Central Panel wells 384
 chemostratigraphic sand 384
 data acquisition 372
 depositional sequence compensational stacking 385
 development area location map 370
 downhole gauge data 379
 end 2007, 377–379
 exploration 371
 geochemical data interpretation 380
 interference data plot 378
 late 2005 to end 2006, 375–377
 consistent biostratigraphic interpretation 376–377
 pre-development drilling results 375–376
 pre-development geological model 377
 location 369
 mid 2003, 372–374
 geological model at field sanction 373–374
 reservoir stratigraphy 372–373
 seismic interpretation 373
 mid 2003 reservoir stratigraphy 372–373
 planar laminated shales 375
 pressure measurements 377–379
 reservoir from appraisal to production 369–384
 Southern Panel wells 384
 stratigraphy 372
 today mid 2009, 379–384
 Buzzard chemostratigraphy integration 380–381
 reservoir connectivity current understanding 382–384
 revised geological model 381–382
 top reservoir depth map 371
 wells 374
- Buzzard Field Development Plan 372
 appraisal drilling 373
 Donan 448
- Buzzard reservoir 380
 geological model 384
 model 380
- Buzzard Sandstone Member
 palaeogeography 370
- BVRU. *See* basal Volgian–Ryazanian megasequence unconformity (BVRU)
- bypassed oil 349
 defining 349
 locating 349, 351
 Nelson Field 365
 T70 366
 T70 unit 366

- bypassed pay
 - case histories 456–461
 - Type 1 Scenario A 456–457
 - Type 1 Scenario B 457–459
 - Type 1 Scenario C 459
 - Type 2 Scenario A 459
 - Type 2 Scenario B 459–460
 - Type 2 Scenario C 460–461
 - classification **454, 455**
 - evolution 455–456
 - commerciality 456
 - identification 455–456
 - resources estimation 456
 - identification 453–461
 - net pay 453
 - pay 453–454
 - types 454–455
 - Type 1 Scenario A 454
 - Type 1 Scenario B 454
 - Type 1 Scenario C 454
 - Type 2 Scenario A 454
 - Type 2 Scenario B 455
 - Type 2 Scenario C 455
- Cadomin Formation 1099–1104, 1122
 - basin-centred gas in Western Canada 1104–1106
 - depositional model 1104–1105
 - rock properties 1105–1106
 - dip and strike seismic profile *1115*
 - Lower Cretaceous age 1100
 - outcrop photograph *1103*
 - porosity–permeability cross-plot *1110*
 - pressure–depth plots *1113*
 - thickness *1109*
- Cadotte Member
 - basin-centred gas in Western Canada 1108–1110
 - dip and strike seismic profile *1115*
 - permeability v. porosity cross-plots *1111*
 - upper shoreface sandstones isopach *1110*
- calcspheres 481
- calcite-sealed fractures
 - Barnett Shale *1133*
 - hydraulic fracture treatments *1133*
 - New Albany Shale *1138*
 - reactivation *1133*
- Caledonian basement 888, 889, 893–894
 - mid-Norwegian margin 895
 - Vøring margin 890
- Caledonian erosion 754
 - Temis 3D model *757*
- Caledonian event 686
- Caledonian gravity collapse 893
- Caledonian Høybakken detachment 890
- Caledonian nappes 889, 890
- Caledonian orogeny 265
- Caledonian unconformity
 - Upper Silurian age 711
- Caledonoid granite core
 - potential field modelling 61
- calibrated difference reflectivity (CDR) 517
 - 4D acquisition and processing
 - additional 4D noise reduction 521
 - processing flow improvements 520
 - improvements **522**
 - map *519*
 - processing and acquisition *521*
 - reductions 520
- calibrated INSAR satellite images 1169
 - surface elevation changes *1169*
- Callovian age
 - Kimmeridgian basin breakup 205
 - Kimmeridgian erosion 209
 - Kimmeridgian megasequence 192, 203
 - Humber Group 186–192
 - regional sequence stratigraphic correlation of wells *183*
 - well correlation *204*
 - Late 186
 - Ryazanian interval
 - sequence stratigraphic schemes *179*
 - unconformities 185
 - tectonostratigraphic succession 186
- Caltanissetta accretionary arc
 - Gela oil field *120*
- Camamu Basin
 - conjugate margin evolution 879–880
 - data 868–869
 - margin setting 869–874
 - continent–ocean boundary 872–874
 - crustal architecture 870–872
 - Gabon 872
 - Northeast Brazil 870–871
 - structural inheritance 869–870
 - M-reflector 875
 - nature of crust transitional domain 874–877
 - crustal extension mode 876–877
 - exhumed mantle 875–876
 - S-reflector resemblance 876
 - total rift setting 877–879
 - transect construction 868–869
 - 2D gravity modelling outline 870
- Camamu margin 868
- Cambrian age
 - basin remnant *681*
 - Novaya Zemlya *652*
 - plays in North Africa *682*
 - succession 707–710
 - fluvial sandstones 717
 - North Africa 684
- Cambro-Ordovician age
 - Ahara High *712*
 - black shales in Europe 1080
 - configuration and Berkine Basin *714*
 - North Africa stratigraphy 682–686, *684*
 - succession stratigraphic pinchout *712*
- Campanian age
 - Magne Formation biofacies map *483*
 - sediments *482*
- Canada. *See also* specific location
 - BCG 1099–1122
 - gas hydrates occurrence in Mallik 1153
 - heavy oil deposits 1141
 - Mackenzie River Delta 1153
 - ultra-heavy oil 1062
 - Williston Basin *1066*
 - canopy-margin thrust systems
 - salt tectonics emerging concepts 904–905
 - Captain Field 342–346
 - attic oil map *346*
 - Captain pilot holes 344–345
 - cross section showing reservoirs *344*
 - discovery 342
 - drainage schematic *345*
 - drilling technology 343–344
 - 3D seismic data acquisition 343
 - dual-lateral wells 346
 - geosteering LWD tools 345
 - phased development areas *345*
 - pilot well example 345
 - reservoirs 343
 - showing main reservoir intervals *344*
 - UKNS maximizing production 337–347
 - Alba Field development 340–342
 - drilling technology 343–344
 - field history 340–342
 - pilot holes 344–345
 - pilot well example 345
 - Well A3 pilot holes *346*
- Captain Sand
 - Lower 343
- Caradocian Qasim Formation 695
- carbonate
 - Albian Pinda play 1045
 - Alpine foreland 25
 - buildups 733
 - facies 826
 - grainstone 795
 - methane gases *1094*
 - petroleum geoscientists virtual fieldtrips 25
 - platforms 823
 - slump Eldfisk Field *479*
- carbon capture and storage (CCS) 1061, 1155
 - defined 1165
 - rationale 1165–1166
 - scale 1165–1166
 - technology 17
 - underground gasification 1155–1162
- carbon constrained world
 - preparation 1189–1195
 - anticipated carbon storage capacity 1195
 - commercial-scale deployment project overview 1193–1195
 - completed and ongoing validation tests 1190
 - Gordon Creek Field 1193–1195
 - medium-scale validation project impacts 1193
 - Paradox Basin 1190
 - Permian Basin 1190–1191
 - San Juan Basin 1191–1192
 - SWP terrestrial pilot test 1192–1193
 - terrestrial Riparian Restoration Project 1192–1193
- carbon dioxide 1155. *See also* Sleipner carbon dioxide plume
 - emissions 1189
 - flow characteristics 1184–1186
 - geological storage 1165–1169
 - challenges 1167
 - geography 1166
 - options 1166–1167
 - storage 1166
 - depleted oil and gas fields 1166–1167
 - experience at In Salah project 1167–1169
 - monitoring demonstration 1168–1169
 - saline formations 1167
 - satellite imagery 1169
 - unconventional oil and gas resources 1063
 - volumetrics 1166
 - history-matching flow simulations 1171–1182

- injected hydrocarbon migration
 1183–1188
 carbon dioxide flow characteristics
 1184–1186
 implications 1186–1188
 Utsira Formation 1183–1184
 Sleipner Field 1063
 Sleipner plume 1171–1182
 store 16
 UCG with CCS 1158–1159
 Utsira Formation 1185, 1187
 well integrity 1167
 carbon dioxide water contacts (CWC)
 1173–1174
 structural analysis 1177
 Carboniferous age 320, 321
 basin configuration 72
 black shales 1092
 Dniepr–Donets Basin 1081
 mineralogy 1092
 principal source rocks 1092–1096
 UK shale gas 1091–1096
 block and basin structure 71
 Central North Sea petroleum system 57–74
 geophysical methods synthesis 67–69
 hydrocarbon prospectivity implications
 69–74
 play types and traps 71–74
 source rocks 69–71
 potential field modelling 63–67
 input model construction data 64–65
 sub-Permian basin architecture 65–67
 three-dimensional forward 63–64
 three-dimensional inversion
 solution 65
 seismic interpretation 59–63
 Auk–Argyll–Flora area 60–61
 Jaeren high area 62
 Mid North Sea High area 61
 sub-Zechstein relationships 60–63
 West Central Shelf 62–63
 source rocks 69–71
 sub-Zechstein well sections 57–59
 Chiswick Field UK SNS reservoir
 317–319, 319
 Early 730
 Krechba reservoir 1168
 Late
 Netherlands petroleum exploration 263
 palaeogeography maps 655
 North Africa
 outcrops 726, 727
 plays 731
 sequence frameworks 728
 petroleum system 74
 sandstone 641, 996
 sediments 316
 shallow marine 596
 Shannon Basin 23
 source rock 71, 73
 source rocks elevated structural
 locations 71
 stratigraphic traps 725–733
 Early Bashkirian regression
 729–730
 Early to Middle Tournaisian
 transgression 729
 global transgressive–regressive cycles
 730–731
 Late Carboniferous 730
 Late Devonian regression 725–729
 Latest Viséan to Serpukhovian
 transgression 729
 Late Tournaisian regression 729
 Late Tournaisian to earliest Viséan
 transgression 729
 potential stratigraphic trapping types
 731–733
 Carbonate buildups 733
 depositional pinchout 731–733
 incised valley-fills 732
 Serpukhovian–Bashkirian incised
 valleys 733
 Strunian to Tournaisian incised valleys
 733
 truncation traps 731
 Viséan incised valleys 733
 Viséan transgressive–regressive cycles
 729
 subcrop 318, 319, 322
 total organic content (TOC), 1092
 Unayzah formations 697
 Variscan Foreland Basin 1080–1081
 Catskill Mountains
 gas-generated hydraulic fractures 505
 CCS. *See* carbon capture and storage (CCS)
 CDR. *See* calibrated difference reflectivity
 (CDR)
 Celtic Sea basins 924
 location data 922
 Cenomanian age
 deltaic coals 663
 fields 660
 fluvial-deltaic deposits 662
 gas charge 660, 662, 663
 gas fields 667
 gas volumes 664
 Iabe Formation 825
 play 659, 662, 663
 Pokur Formation 659, 662, 663
 reservoirs 664
 traps 664, 666
 Cenozoic age 46. *See also* Early Cenozoic age
 Arctic synchronous exhumation 633–643
 Asmari carbonate reservoir 791
 Barents Sea 637
 Bridge Anticline 969
 clastic input 273
 compression 118, 963
 compressional structures 963
 deep Oligocene play 698–700
 deepwater reservoirs Palaeogene *v.*
 Late Jurassic 45–46
 Early 847, 849
 East Greenland continental margin 975
 exhumation 637
 intraplate inversional swells areal
 occurrence 602
 Late 971
 Middle East exploring potential of
 hydrocarbon plays 673–702
 Mordor Anticline 967
 NE Atlantic Margin unconformities 974
 Netherlands petroleum exploration with
 stratigraphic plays 273
 North Africa exploring potential of
 hydrocarbon plays 673–702
 North Africa volcanic centers 673
 rifted continental margin seismic
 profiles 839
 Rockall–Faroe area 963, 974
 Scandinavia 982
 Slyne Basin 1005
 structural elements 265
 thrust-and-fold belts 113
 uplift 916
 Val d’Agri oil field 121
 Viera Anticline 971
 Central Europe
 Pannonian Basin 1126, 1126
 Central Graben 226. *See also* Danish Central
 Graben (DCG)
 biostratigraphic records 77
 chalk lithostratigraphic nomenclature 473
 Dutch 265
 East 180, 189
 high-amplitude reflector 185
 shoreface deposition 190
 horizon between four wells 82
 horizon characteristics **81**
 Humber Group 177–210
 seismic profile 80
 seismic profile perpendicular to basin axis
 80, 81
 sequence stratigraphic schemes 179
 tectonic reconfiguration evidence
 200–201, 200–205
 Central High Atlas Basin, Morocco 929
 Atlantic margin Permo-Triassic Basin
 evolution 931–934
 location map 922
 Permian section 930
 Central North Sea (CNS) 70, 178
 aquifer seal capacity 505
 borehole Leak Off Test 496
 Carboniferous basin configuration 72
 Carboniferous petroleum system
 57–74, 69
 crystalline basement surface 73
 diapir flank structure 518
 direct pressures in chalk 498
 discoveries analysis 503
 dry holes 497, 503
 Gannet Area 46
 Huntington discoveries 213–223
 hydrocarbon discoveries 497
 v. aquifer seal capacity 504, 505
 v. aquifer seal capacity histogram 502
 hydrocarbon leakage 493
 hydrocarbon seal capacity calculations
 499–501
 Jasmine discover 225–242
 lithostatic stress 496
 location 350
 long-offset seismic data 58
 pressure-depth plot 496
 retention capacity 496
 stratigraphic thicknesses control 504
 Tay formation fan system 46
 Triassic 407
 Triassic strata truncation 41
 wells 58
 Central North Sea Basin 85
 aggradational channels 91
 channel troughs traces 89
 depositional model 91
 erosive trace along channel base 90

- Central North Sea Basin (*Continued*)
- Late Neogene development contour
 - currents 77–92
 - aggrading channels geological controls 89–90
 - channels and salt diapir leakage zones 85–86
 - contour current depositional setting evidence 86–89
 - geophysical data and methods 78
 - Late Neogene basin development implications 90–92
 - regional background 77–78
 - results 78–85
 - aggrading channels below Horizon 6, 83–85
 - channel features detailed mapping 83
 - Late Neogene succession seismic-stratigraphy 78–83
 - Merganser leakage zone 88
 - three channel pathways 88
 - time-sliced map 89
 - Central North Sea Chalk
 - aquifer seal capacity 496–497
 - methods comparison 497
 - deep overpressure
 - comparisons of dry holes and discoveries 497–502
 - base Chalk 502
 - base Cretaceous unconformity 502
 - top reservoir/base seal 498–502
 - low porosity and low permeability 497
 - pressure transition zone 493–495
 - mud pressure profiles 494–495
 - non-reservoir characteristics 494
 - role as regional seal 495
 - Upper Cretaceous pressures 494
 - role in development of deep overpressure 493–506
 - seal breach analysis 495–496
 - Central Panels 369
 - Buzzard Field 384
 - high-density turbidites 372
 - injection well 382
 - OWC 372
 - Central Structural Domain
 - Novaya Zemlya 651
 - Central Taimyr Fold Belt
 - crustal tectonic 594
 - Central Trough 43, 48, 50
 - deepwater reservoirs Palaeogene v. Late Jurassic 49
 - salts regional traverses 45
 - wells 51
 - central Utah deltaic reservoir analogues
 - petroleum geoscientists virtual fieldtrips 24
 - central West Siberian basin 661, 662
 - Central Ymir Ridge Anticline
 - seismic profile 971
 - Cervia Mare
 - Porto Corsini East gas field 122
 - CGGVeritas 249
 - Chalk
 - acoustic impedance v. total porosity 543
 - biostratigraphic analysis 474
 - Central Graben 473
 - characterized 539
 - composite seismic section 543
 - composition 463
 - Ekofisk Formation 464
 - Eldfisk Field 475
 - facies 495
 - holostratigraphic approach 473–491
 - holostratigraphic study 473
 - hydrocarbon seal 505
 - inversion results 545
 - JCR 473
 - Late Cretaceous age
 - Inoceramid bivalves 480
 - Netherlands petroleum exploration with stratigraphic plays 269–273
 - lithostratigraphic nomenclature 473
 - North Sea 538
 - basin 479
 - well correlation diagram 540
 - PHIE v. true vertical depth 541
 - PHIT 546
 - reflector 4D seismic monitoring 343
 - represents 539
 - reservoir and non-reservoir 495
 - Tor Formation 464
 - units 541, 546
 - Chalk Group
 - AI-PHIT relationship 547
 - hydrocarbon producing 273
 - petrophysical log analysis 547
 - time isochore map 539
 - well log correlation 547
 - Chalk Sea 88
 - channel axis drainage cells 365
 - channel features detailed mapping
 - central North Sea basin Late Neogene 83
 - channelized turbidites
 - geological characteristics 351
 - channel troughs traces
 - Central North Sea basin 89
 - chaotic hummocky basin floor facies 1035
 - chaotic hummocky mounded facies 1035
 - charging giant gas fields
 - Siberia Basin 659–667
 - chemostratigraphy 374
 - AI-NC198 exploration well, Kufra Basin, Libya 767
 - material and methods 765
 - results 765–766
 - study objective 765
 - Buzzard Field 384
 - Chimney Rock Shale 1190
 - China
 - Drilling Expedition GMGS-1, 1153–1154
 - Chiswick Field 316
 - appraisal well results 317
 - BP drilled appraisal well 315
 - Carboniferous depth structure map 317
 - Carboniferous rocks 316
 - Carboniferous subcrop 318, 319
 - gas producers 321
 - geological well section 322
 - hydraulic fracture locations 322
 - intra-Carboniferous reflectors 319
 - LASMO drilled well 315
 - location 315
 - location map 316
 - seismic section 320
 - stratigraphic column 318
 - UK SNS overcoming multiple uncertainties 315–323
 - Carboniferous reservoir 317–319
 - Westphalian 319
 - Westphalian B 319
 - field history 315–316
 - phase I field development 321–323
 - development plan 321
 - drilling results 321
 - Gamma well 321
 - phase II field development 322–323
 - Rotliegend reservoir 319
 - seismic interpretation 319–320
 - database 319
 - depth conversion 320
 - interpretation 319–320
 - stratigraphy 316–317
 - structural history and stratigraphy 316–317
 - structure 316
 - Westphalian 319
 - Venture Production's involvement 315
 - wells penetration 317
 - chlorite
 - coatings 292
 - Laggan 279, 284, 289
 - porosity and permeability preservation 288
 - Chondrites facies core photos 135
 - Chukchi Basin 613
 - HC play elements 614
 - internal structure 613
 - Chukchi Peninsula 597
 - Chukchi Sea 591, 598, 608
 - RAS sedimentary basins and petroleum geology 611–614
 - Chukchi Shelf
 - structural elements 612
 - Cimmerian age
 - Late
 - rift architecture and stratal geometries 44–45
 - tectonics and fault geometries 39
 - North Sea hydrocarbon systems 37–45
 - reservoir distribution controls 38–39
 - rifting seismic line 44
 - Clair Field 32, 299–313
 - core segment 311
 - data acquisition packages 306
 - depletion lack 310
 - development 299–313
 - discovery 299
 - fault juxtaposition 310
 - field pressure decline graph 308
 - first water injector well data 308
 - formation pressure tests 307
 - 4D difference map 311
 - 4D seismic data 311
 - fractured oil reservoir 299–313
 - fractures 300
 - fractures azimuth establishment 305
 - Graben segments 301
 - granulation seams 310
 - horst segments 301
 - injector positioning and timing 307–310
 - location 299
 - location and seismic data coverage 300
 - LoFS 311
 - managing field start-up 303–310
 - data acquisition strategy 304–306
 - early well results 306–307
 - producer-led start-up 303–304

- OBC dataset 301
oil and water production data
 309, 311
original field development plan 303
petrographic analysis 310
play in Yell Basin 960
pre-development appraisal 301–302
reservoir communication 306
reservoir pressure 309
reservoir quality 300
seismic line and crossline 302
start-up, oil production profile 312
streamer dataset 303
structure and stratigraphy 299–301
3D seismic data 303
Top Unit V 301
Top Unit V map 303
uninterpreted seismic data
 comparison 304
water breakthrough 310–312
water injector well data 309
well data 306, 307
well interference testing 309
Witch's Hat segment 309, 310
- Clair Group
 stratigraphy and matrix properties 300
- Clair Unitization and Field Operating
 Agreement 299
- Clare Shale 23
- clastic basin fill
 stratigraphic traps 269
- clastics 262
 Jurassic–Cretaceous 1118
- Clavering Island 641
- Clavering Ø
 thermal history solutions 998
- clay mineral
 Shiranish Formation 816
- Claymore Field 391
- claystone packages
 Buzzard Field 384
- Clearwater Formation 1144
- Cleo-1 wells 138
- Clyde Field
 subdivided 182
- CNS. *See* Central North Sea (CNS)
- coal
 Cenomanian deltaic 663
 gas content 1091
 gasification 1063
 gasifying *in situ* 1156
 Pennine Basin 1093
 source rocks 71
 underground gasification 1155–1163
- coal mines
 deaths 1160
- coastal plain 164
 facies 163, 167
 description 167
 Hugin Formation sedimentology 167
 interpretation 167
 sequence stratigraphy 167
 wireline-log character 167
 sequence stratigraphic surfaces 185
- Cockburn Basin
 geoseismic profile 926
- Coffee Soil Fault 537
- Cold Lake development
 Imperial 1147
- Cold Lake Field, Alberta 7
 4D seismic steam conformance maps 1149
 4D seismic surveys 1149
- Colin Oakman core workshop 27–28
- commercial-scale injection test
 Gordon Creek Field, Utah 1193–1195
- common risk segment (CRS) mapping
 process 791
 defined 794
 play fairway 794
- compressional structures
 Rockall–Faroe area compression
 Hatton Bank Anticline 964–965
- conceptual play model
 Lower Cretaceous early syn-rift stage 962
 Lower Cretaceous rift initiation 962
 Middle Jurassic pre-rift sandstone 962
 West Shetland Platform 961
- conceptual stratigraphic architecture
 Judy Member 409
- conductivity–temperature–depth (CTD)
 probe
 Rockall Trough 550, 554
- Congo 827
 craton 876
- Congo Basin
 Lower 1044
 3D seismic survey 1045
 gas discoveries by play 1047
- conjugate continental margins
 bathymetry contours 868
 crust deformations 880
 rifting and crustal thinning 877
- continental crust 825
- continental epeiric sea basins 828
- continental margin
 deeper structure 824
 petroleum plays 975
 post-rift evolution 824
 subsidence and heat flow history 840
- continental red beds 934
- continental shelf
 Norway sedimentary rocks properties 572
- continental uplift 827
- continent–ocean transition (COT) 6, 868
 Faroe Islands 838, 840
 HVLC P-wave velocities 831
- controlled retractable injection point (CRIP)
 1156
- controlled-source electromagnetic (CSEM)
 survey 254, 258, 828
 Northern Judd Basin T38 sequence
 prospectivity 254–258
 Suilven 257
 T38 anomaly 257
- Cooler Farm borehole 1090
- cooling episodes 996
- core intervals 28
- Corrib gas field 938
 Dooish K-feldspars 950
 sandstones 949
- Corsica
 Pleistocene age Golo turbidite system 382
- COT. *See* continent–ocean transition (COT)
- counter-depositional dip 46
- Crag Formation 90
- Craven Basin 62
 southern margins analogue 64
 thickness 1093
- Craven Group
 black shale 1095
 Pennine Basin 1092–1093
 shale 1093
- Creaney, Steve 589
- Cretaceous age 420. *See also* Early
 Cretaceous age; Late Cretaceous age
- Alberta 1099
 Alpine orogen 113
 Apulian Platform succession 120
 breakup 855
 chalk Tor Formation 225
 clastics 1118
 depocentres 846
 Early 1100, 1102
 Faroe–Shetland Basin syn-rift play
 953–962
 gas yield 665
 Khaz Dumi and Garau major play
 systems 793
 Late 811–818
 Lewis Shale 1091
 Middle
 early syn-rift stage mature 962
 Faroe–Shetland syn-rift play 957–958
 relay ramps 962
 stratigraphic interpretation 1121
- Møre Basin 420
 oil 808
 petroleum system 119–120
 reservoir 803, 805
 Faroe–Shetland syn-rift play 958–962
 early syn-rift 961
 Greenland analogues 958–959
 Jurassic rift stage 960
 rift initiation 960–961
 structural control on sedimentation
 959–961
 syn-rift plays 961–962
- Rockall Basin sandstones 1031
 stratigraphic interpretation 1121
 syn-rift play models 962
 tight gas sandstones 1120
- Vøring Basin 1031
 wedge 1114–1116
- crew change 1
- CRIP. *See* controlled retractable injection
 point (CRIP)
- Cromer Knoll 495
 mudrock 505
- Cromer Knoll Group 186, 495
- cross-bedded sandstone
 Garn Formation 423
- CRS. *See* common risk segment (CRS)
 mapping process
- crustal scale deformation
 North Sea hydrocarbon systems 39–41
- crustal thinning 6
- Cruziana ichnofacies 164
- Cryogenian age
 Dar Cheikh Group 677
- crystalline basement
 depth 67
 Devil's Hole Granite 68
 Devono-Carboniferous basin 72
 Ireland 948
 lead space plots 948
 output 69
 overlain with gas chimneys 73

- crystalline basement (*Continued*)
 sub-Zechstein composite layer 72
 three dimensional model 70
- C sandstones
 Rockall Basin 946
 Rockall Basin palaeodrainage 946, 947
- CSEM. *See* controlled-source
 electromagnetic (CSEM) survey
- CTD. *See* conductivity–temperature–depth
 (CTD) probe
- Curlew area
 well correlation 198
- Curlew Embayment 191
 deltaic conditions 190
- CWC. *See* carbon dioxide water contacts
 (CWC)
- Cylindrichnus* 133
- Czech Republic
 shale 1081
- Dagmar Field 544, 547
- Dagny area
 axis-perpendicular sub-regional correlation
 173
 well-log correlation panel 171
- Dakhla source rock 788
- Dan Field 543
- Danian age
 Chalk Group deposition 538
 Ekofisk Formation 539, 541
 biofacies map 487, 488
 Late 488
- Danish Basin 569, 576
 individual contributions to basement depth
 map 891–892
 potential field 892
 Precambrian basement 895
- Danish Central Graben (DCG) 95
 barrier island sandstone reservoir
 architecture 145–154
 Freja discovery 148–153
 back-barrier sediments 149–150
 depositional environments 149–150
 shoreface sandstones 150
 stratigraphy 149
 thick stacked 150–153
- Holocene–Recent Rømø 146–148
 methods 146
 morphology and depositional
 environments 146
 palaeogeographic reconstruction 148
 vertical section trough Rømø barrier
 island 147–148
- biomarker ratios for oils and source rocks
108–109
- chronostratigraphic scheme 130
- cores sedimentology 129
- facies distributions and basin evolution 134
- Late Kimmeridgian palaeogeographic map
 152
- Late Kimmeridgian to Ryazanian 134
- log correlation panel 131, 132, 133
- Lower Cretaceous succession 128
- map 96
- oil types 95–111
- potential kitchen areas 110
- reactive kerogen wells **106**
- reservoir sandstones 127–142
 depositional environments 129–133
- distribution 129–141
- Lower Volgian shoreface sandstones
 138–139
 depositional environment 139
 palaeogeography 139
 reservoir characteristics 139
- methods 129
- palaeogeography 135–136
- reservoir characteristics 133–134
- structural setting 127–129
- Upper Kimmeridgian shallow marine
 sandstones 136–137
 depositional environment 136–137
 reservoir characteristics 137
- Upper Kimmeridgian to Lower Volgian
 sandstones 137–138
 depositional environment 137–138
 palaeogeography 138
 reservoir characteristics 138
- Upper Middle Volgian to Ryazanian
 sandstones 139–141
 depositional environment 139–141
 palaeogeography 141
 reservoir characteristics 141
- sandstone play area 95–111
 methods 95–96
 oil composition and source 103
 petroleum evaluation 95–111
 regional setting 96
- sedimentological and biostratigraphical
 data 129
- sedimentological core log 140
- simplified structural profile 129
- source rock maturity and quality 96–103
 generative kerogen estimation 101–103
 kerogen composition 96–100
- source rock potential 104
- steranes in oils and source rocks 110
- structural elements 146
- structural map 128
- structural section 98
- syn-rift sedimentary fill 96
- time stratigraphic chart 128
- Upper Jurassic
 barrier island sandstone 145–154
 isochore map 128
 reservoir sandstones 127–142
 sandstone play area 95–111
 succession 128
 wells 131, 132, 133, 146
- Danish North Sea
 location map 538
 time isochore map 539
- Danish Wadden Sea 148, 149, 151
- Darag sub-basin
 seismic profile 780
- Dar Cheikh Group
 Late Cryogenian age 677
- Dawn Anticline 967–968
 bathymetric gorge 973
- DCG. *See* Danish Central Graben (DCG)
- DDB. *See* Dniepr–Donets Basin (DDB)
- Dead Sea fault system 812
- deaths
 coal mines 1160
- debates
 GeoControversies 11–17
- Deep Joanne model 412–414
 gas and oil recovery factors 412
- model data **412**
 parameter sensitivities **411**
 porosity–depth realization 412
 reservoir depth 412
 results 412–414
- Deep Judy model results 412
 initial gas rate v. CGR 412
 model data **412**
 parameter sensitivities **411**
 porosity–depth realization 412
 reservoir depth 412
 RF v. CGR/GOR 412
 sensitivity 414
- deep Triassic reservoirs
 porosity–depth relationships 410
 production behaviour 410
- deepwater 48
 Angola 1013, 1014
 Badenian marine shales 1126
 far-outboard areas 823
 fold belts 823
 Gulf of Mexico 1014
 Ormen Lange system 917, 918, 920
- deepwater reservoirs
 basin architecture 50
 ESB and Jameson Land 49
 Late Jurassic v. Palaeogene age 50
 North Sea hydrocarbon systems 45–50, 50
 basin setting/sea-level response
 49–50
 Cenozoic examples and play
 considerations 45–46
 Central Trough Upper Jurassic
 comparison 49
 provenance/hinterland 49
 sandstone injectites 46
 Upper Jurassic deepwater depositional
 systems 46–48
- Palaeogene v. Late Jurassic 45–50
 provenance/hinterland 49
 salt withdrawal role 50
- Default Thermal History 634, 635,
 636, 639
- Delaware Formation 456
- De Long Massif 597
- deltaics 826
 central Utah reservoir analogues 24
 depocentres 823
- DEM. *See* digital elevation model (DEM)
- Denmark 563. *See also* Danish Central
 Graben (DCG)
 basin 569, 576, 891–892, 895
 Danish–German basin 891
 Felicia-1 wells AFTA data 642
 North Sea 538, 539
 Norwegian Basin 891
 petrophysical samples locations 568
 potential field anomalies 891
 sedimentary rocks magnetic
 properties **572**
 Wadden Sea 148, 149, 151
- depositional architecture
 tectonic and climatic influence 934
- depositional shoreline break (DSB) 82
- depth velocity plots
 compaction depth–velocity 750
- Desana Formation
 Settala gas field 123
- desiccated reservoir 1112

- detrital potassium feldspars
 lead 940
 isotope analysis 827
 isotopic composition 950
- detrital zircon
 geochronology 6
 global database 6
 plate reconstruction 6
- Devil's Hole Granite
 crystalline basement output 68
 depth contours 68
 3D model showing granite morphologies 68
- Devil's Hole High wells 59
- Devonian age 711. *See also* Early Devonian age
 Ahara High 713
 argillaceous 750
 Bakken Formation 1065
 basin development 57
 Berkine Basin 714
 Brown Shale 1087
 Carboniferous basins 66
 3D display of crystalline basement surface 73
 locations 69
 chronostratigraphic diagram 747
 depth velocity plots 750
 Exshaw Western Canada Basin 1075
 Ghadames Basin 711
 Ghadames–Illizi Basin 756
 Horn River Basin, British Columbia 1079
 hot shale 756
 hydrocarbon prospectivity 686–688
 Jaurf Formation 692
 Kyle Limestone 59
 Late 725–729, 745
 GDE map 746
 Mississippian Bakken Formation 1065
 Muskwa Shale 1079
 Netherlands petroleum exploration 266
 North Africa stratigraphy 686–688
 palaeogeography maps 655
 regional-scale synthesis 57
 sandstones 569
 stratigraphic succession 710
 stratigraphic wedges 715, 721
 succession 707–710, 713, 714
 Tihemboka 715
 unconformities types 711
 Williston Basin 1065
- diagenetic trapping 262
- diapiric salt
 Gulf of Mexico 902
 intrude downwards 911
 Niendorf II diapir 903
- diapirs 899. *See also* Salt diapirs
 Central North Sea 518
 flank structure 518
 Gulf of Mexico 900, 901
 Hildesheimer Wald 902, 903
 intrude salt plumes 900
 Niendorf II 902
 rise 905
 stages 901
- digital elevation model (DEM) 20
 digital outcrop model (DOM) 20
- Dinantian palaeogeography United Kingdom 69
- Diplocraterion* 161
 dipmeter 1147
 direct gas indicators
 Angola 1054
 Disko 981
 Djebel Tamamat area 716–718
 interpretation 717–718
 stratigraphic architecture 716–717
 wedge geometry 717
- Djebel Tebaga
 Austrian Unconformity 743
- Dniepr–Donets Basin (DDB)
 Carboniferous black shales 1081
 cross-section 1081
 shale 1081
- Dogger Granite 65
 crystalline basement output 68
 depth contours 68
 3D model showing granite morphologies 68
- DOM. *See* digital outcrop model (DOM)
- Donan Field 443, 446
 appraisal well location 434, 441
 AVO 439, 441, 442
 data summary 450
 discovery and appraisal of well results 434
 drilling efficiencies 449
 FDP 448
 FPSO 443
 full stack seismic data 440
 geological model 432
 high-resolution biostratigraphy 437
 high-resolution dinocyst-based biostratigraphy study 434
 historical behaviour analysis 442
 infill locations 437, 448
 lithology impedance volume 447
 location map 432
 oil price trends chart 437
 overburden canyons 445
 OWC behaviour 444
 polarity flip 440
 post-well analysis 441
 production history 443
 production plot 435
 redevelopment 437
 renaissance old field in new landscape 431–450
 beyond second oil Donan 2007–?, 447–449
 2008 drilling campaign 448–449
 infill well performance 449
 preparing for infill drilling 448
 well performance 447
 first life Donan 1987–1997 431–437
 abandonment 437
 Donan changing geological view 435–437
 Donan discovery and appraisal 431–432
 Donan field development 432
 early field performance 432–434
 infill drilling 434–435
 location and block history 431
 future challenges 449
 identifying remaining potential 449
 Lochranza birth 449
 new beginning prospects Donan 2001–2007 437–447
 development drilling 443
- Dumbarton Project birth 441–442
 field redevelopment plan 443
 leveraging technology 443–447
 reappraisal 441–442
 reservoir modelling 442–443
 technologies influencing appraisal 437–441
 residuals map 445
 rock physics model 439
 structure map 441
 time slice 445
 wedge modelling 442
- Donan model
 layer-cake 435
 revised 436
- Donan reservoir
 pressure plot showing depletion 443
- Dooish A sandstones 950
- Dooish gas condensate discovery, Eastern Rockall Basin 938
 palaeodrainage 940–942
- Dooish potassium feldspars 950
 Corrib gas field 950
 Porcupine Basin 950
 Rockall Basin margin 950
 Slyne Basin 950
- Dooish sandstones
 deposition 948
 lead space plots 947
 potassium feldspar 947
- Dooish well
 Ireland 939
 lead concentration 942–943
- Downey, Marlan 16
 motion National Oil Companies petroleum industry future 13
- Drachev, Sergey 589, 590
- drainage cells 350, 350
 creation 361
 number and location 367
- Drauppe Formation 100
- Drilling Expedition
 GMGS-1, China 1153–1154
 UBGH1, South Korea 1154
- drilling technology 340–342
 drill stem tests (DST) 372, 374
 dry holes v. aquifer seal capacity 502
- DSB. *See* depositional shoreline break (DSB)
- DSDP Leg 96, 1151
- DST. *See* drill stem tests (DST)
- Duffield borehole
 TOC 1095
- Dumbarton Project 431, 442, 443, 447, 449
 birth 441–442
 development wells 446
 production performance 447
- Dutch Central Graben 265
- earliest Volgian 204
- Early Albian age
 Wabiskaw Formation 1144
- Early Cambrian age
 basin remnant 681
 North Africa plays 682
- Early Carboniferous age
 North Africa 730
- Early Cenozoic age
 Laramide Orogeny genetic basin analysis 5
 magmatic underplating 847, 849

- Early Cenozoic age (*Continued*)
 Middle East exploring hydrocarbon plays 673–702
 North Africa exploring hydrocarbon plays 673–702
- Early Cretaceous age
 Alberta 1102
 Cadomin Formation 1100
 conceptual play model 962
 DCG 128
 Faroe–Shetland syn-rift play 957
 faults analytic signal shaded relief map 576
 McMurray Formation
 Alberta 1062
 Athabasca 1141
 Athabasca Oil Sands 1062
 fluvial estuarine point bar sequence 1147
 isopach map 1146
 steepbank river outcrop 1146
 Netherlands petroleum exploration 268–269
 Nikanassin Formation 1099
 Rauwerd stratigraphic trapping 272
 rifting in Ghadames–Illizi Basin 741–742
 rifting in mid-Norwegian margin 849
 rift initiation 962
 sandstone 958
 sediment 1100
 Spirit River Formation 1101
 syn-rift stage 962
 thickening in Ghadames–Illizi Basin 742
 West Shetland Platform 956
- Early Devonian age
 Caledonian unconformity 711
 fluvial sediments 714
 isopach map 714
 MPath modelling 758
 palaeogeography maps 655
 Tadrart formation outcrop 711
 Tadrart play 758
 Tadrart reservoir GDE map 748
- Early Eocene age
 burial 635
- Early Jurassic age
 black shales 1081
 Netherlands petroleum exploration with stratigraphic plays 268
 paralic sandstone units 419
 petroleum system 118–119
 Posidonia shale 263–264
 source rock 271
- Early Maastrichtian age
 porosity and bulk volume water 477
 Tor Formation biofacies map 484
- Early Miocene age 635
 Pannonian Basin 1126
- Early Neogene age
 exhumation 983–984
- Early Oxfordian age
 sequence J46 186
- Early Palaeozoic age
 black shales 1091
 genetic basin analysis 5
 stratigraphic architecture 718
- Early Permian age
 basin development 57
 Rotliegend Group 325
 sediments deposition 739
- Early Pleistocene age
 progradational system 83
- early post-rift 961
- Early Silurian age
 Tannezuft hot shale 690
 Tanzuft 743–745
 Tanzuft Source Rock 744
- early syn-rift 961
 conceptual play model 962
- Early Tournaisian age 729
- Early Triassic age
 North Atlantic region 949
- Early Volgian age
 basin-scale palaeogeographic reconfiguration 205
 palaeovalley model 205–206
 prospect-scale models 206–207
 reactivation 205
 reconfiguration for exploration models 205–207
 sequence J64 199
 sequence J66a 195, 199
 shoreface sandstones 138–139
 depositional environment 139
 palaeogeography 139
 reservoir characteristics 139
 turbidites 206
 uplift 205
- Earth model
 channel complex details 1018
 density mode 1018
 model-based band-limited reflectivity 1018
 NATS data 1018
 velocity mode 1018
- East Central Graben (ECG) 180, 189
 high-amplitude reflector 185
 shoreface deposition 190
- Eastern Structural Domain
 Novaya Zemlya 651
- East Shetland Basin (ESB) 43, 44, 48
 deepwater reservoirs 49
- East Siberian Sea 593, 611
- East Siberian Sea Province (ESSP)
 crustal domain 609
 petroleum geology 611
 RAS sedimentary basins 609–611
 tectonic history 609
- East Texas Basin
 Bossier sandstones 1112
- Ebbing, Jorg 589
- EBN. *See* Energie Beheer Nederland B.V. (EBN)
- Eburnean Orogeny 677
- ECBM. *See* enhanced coal bed methane (ECBM)
- ECG. *See* East Central Graben (ECG)
- Edoras–Hatton margin
 LCB 849
- EGR. *See* enhanced gas recovery (EGR)
- Egret Field
 high production performance 405
- Egypt. *See also* specific locations
 geological section 699
 Nile Delta 699, 700, 701
 North Red Sea basin hydrocarbon prospectivity 783–788
 gravity/magnetics 787–788
 reservoir and seal 786
 seismic acquisition and processing 786
 seismic mapping 786–787
 source 783
 stratigraphy and tectonic framework 783
 Western Desert 697
- EIA. *See* Energy Information Administration (EIA)
- Eikesdalen 918
- Eileen Gas Hydrate Accumulation 1152
- Ekofisk Field
 Lower 475–476
 porosity and bulk volume water 477
- Ekofisk Formation 463, 473, 478, 523, 542.
See also Lower Ekofisk Formation
 air–mercury capillary pressure 469
 biofacies map 487, 488
 cementation factor 466
 Chalk 463, 464
 Chalk well micrographs 467
 core data 468
 depth trend 468
 effective stress 532
 Hg-capillary pressure 467
 Middle 488
 porosity, water saturation and PWFT 469
 reservoir 525
 shale to gas-bearing chalk 465
 time-lapse time shift 532
 Upper 488
 water saturation 465
- Eldfisk Alpha
 porosity v. permeability plots 479
- Eldfisk Bravo
 planktonic foraminifera 486
- Eldfisk Field
 benthic biofacies groups 480
 biostratigraphical database 474
 biostratigraphic and tectonostratigraphic summary 490
 carbonate slump 479
 Chalk 475
 Chalk sequences unconformities 480
 Cretaceous reworking 478
 depth map 474
 environmental factors 479
 fine-grained nannofossil component 481
 holostratigraphic approach to chalk 473–491
 holostratigraphic study 474
 hydrodynamic sorting pattern 479
 intra Danian reworking 478
 location 473
 location map 474
 planktonic bathymetric foraminifera biofacies groups 480
 planktonic morphotypes 479
 porosity and bulk volume water 477
 reworked horizons 478
 stratigraphic summary 476
 tectonic and eustatic events 489
- El Gassi Shale 684
- Elgin–Franklin area 189, 193
- Elgin–Franklin–Shearwater–Erskine trend
 productive reservoirs 187
- Elm Coulee 1065
- Emgyet Shale 686
- Emsian flooding surface 713
 stratigraphic pinchout 716
- endorheic dryland system 406

- Endröd Formation 1126
- Energie Beheer Nederland B.V. (EBN) 261
- Energy Information Administration (EIA) 1079, 1189
- Energy Resources Conservation Board (ERCB) 1141, 1145, 1147
- England. *See also* specific location
 biogenic shale gas 1080
 Carboniferous TOC 1092
 CCS 1162
 thermogenic shale gas 1080
 UCG case study 1162
 wells 1089
- enhanced coal bed methane (ECBM) 1190
- enhanced gas recovery (EGR) 1158
- enhanced oil recovery (EOR) 1158, 1165–1166, 1190
- Ensign Field
 appraisal Phase I 329–332
 well 48/14a-5 evaluation 330–332
 illite cementation 330
 well 48/14-2 evaluation 329–330
 hydraulic fracture stimulation parameters 330
 appraisal phase II 332–335
 well 48/14a-6 evaluation 332–335
 drilling induced fractures 333
 faults 333
 fractures 333–334
 appraisal wells 329
 core porosity–permeability 330
 discovery 325
 field history 325
 hydraulic fracture proppant size and volumes 331
 improving well deliverability 325–336
 Leman Sandstone depth map 326
 Leman Sandstone reservoir 327
 location 325
 map showing location 326
 overburden interval 329
 productivity in tight gas reservoirs 335–336
 reservoir sedimentology 327–328
 reservoir structure 328
 reservoir zones 328
 Schlumberger FMI 332
 seismic interpretation 328–329
 seismic section showing overburden 328
 stratigraphic sequence 327
 stratigraphy 327
 structure and tectonic setting 325
 Venture's appraisal campaign 335
 well data 327
- Eocene age
 Apennines 113
 Balder Formation 45
 Gannet Area 46
 hemipelagic, deep-marine deposits 984
 North Atlantic breakup transition 986
 palaeogeothermal gradients 636, 640
 plateau basalts 957
 Tay formation fan system 46
- EON Ruhrgas UK Exploration and Production Ltd 223
- EOR. *See* enhanced oil recovery (EOR)
- ERCB. *See* Energy Resources Conservation Board (ERCB)
- ERD. *See* extended reach drilling (ERD) wells
- Erri Basin 1009–1012
 data reprocessing 1009
 exhumation estimates from seismic velocity data 1010–1012
 location map 1006
 reprocessing example 1010
 seismic interpretation 1009–1012
 Slyne Basin 1009–1010
- Erskine area
 shoreface environments 191
- ESB. *See* East Shetland Basin (ESB)
- Essaouira Basin 926
- ESSP. *See* East Siberian Sea Province (ESSP)
- Eugene Island Block 338 Field
 fluid saturation crossplot 461
 production profile 460
 seismic velocity 461
- Euphrates Graben
 geological cross-section 812
 Shiranish Formation 811–818
 stratigraphy 813
 Syria sedimentology 811–818
- EUR. *See* expected ultimate recovery (EUR)
- Eurasian–African plate collision tectonic cycle 90
- Eurasian Arctic
 onshore fold belt 593
 tectonic events 593
- Eurasian Basin 589, 590
- Eurasian Continental Margin
 free-air gravity field 595
- Europe 31–33. *See also* specific location
 Antrim Shale-analogues with biogenic methane 1083
 basin architectures regional-scale polyphase rifting 42
 black shale 1081
 exploration 32
 exploration and exploitation techniques 33
 field development and production 32–33
 gas shales case studies 1080–1083
 Pannonian Basin 1126, 1126
 Petroleum Geology Conference series history 31
 proceedings overview 31–32
 shale gas 1079–1083
 regional overview 1079–1083
- European Margin
 lead potassium-feldspar data 937
- EUROSTRATAFORM project 914
- exotic fragments
 originate 910
 travel 911
- expected ultimate recovery (EUR)
 Joanne 415
 Judy 415
 Judy Field 412
- expendable conductivity–temperature–depth (XCTD) probe
 seismic acquisition 557
- expendable sound speed probe (XSP)
 seismic acquisition 557
- Exshaw Western Canada Basin 1075
- extended reach drilling (ERD) wells 340
- extensional margin evolution 867
- facies. *See also* shoreface associations 164, 933
 carbonate 826
 chaotic hummocky basin floor 1035
 chaotic hummocky mounded 1035
 coastal plain 163, 167
 core photos 135
 DCG 134
 Hugin Formation 160–161
 Ile Formation 424
 Joanne Member 407, 410
 Lagoa Feia lacustrine 862
 map 361
 Mississippian 267
 Shiranish Formation 815–816
 sigmoid aggradational 1035
 Tofte Formation 426
 units description 1035–1038, 1037–1038
- facies 5
 movement direction 1038
- facies 6
 movement direction 1038
- Faleide, Jan Inge 589
- Falher Member 1103, 1104
 basin-centred gas 1106–1108
- Fammenian sediments
 Ahnet Basin 738
- Fangst Group
 shallow marine 419
- Farne Granite 65
 crystalline basement output 68
 depth contours 68
 3D model showing granite morphologies 68
- Faroe Bank Anticline 967
 bottom-water current activity 967
- Faroe Bank Channel 973
- Faroe Bank Channel Syncline 967
 seismic profile 968
- Faroe Island Basalt Group (FIBC) 1033
- Faroe Islands 832, 836, 837, 865
 conceptual breakup models 863
 COT 838, 840
 description 1033
 effect of LVZ 834
 geological structures 1034
 geophone component 835
 intra-basalt units 1033–1040
 iSIMM seismic profile 838
 map 1026
 North Atlantic Ocean 1033
 profile constraints 839
 P-wave velocity structure 836
 rifted continental margins 836
 sub-basalt LVZ 839
 TD 1033
 3D seismic data 1033–1040
 wide-angle data 835
- Faroe–Shetland Basin 245, 246, 252, 827, 837
 Base Balder unconformity 975
 complete crustal structure 1027
 conceptual breakup models 863
 crustal thickness map 864
 Faroe–Shetland syn-rift play 953
 future exploration 962
 hydrocarbon provinces 1025
 Mesozoic–Palaeozoic structural play 954
 Paleocene age 281
 structural features 300

- Faroe–Shetland Basin (*Continued*)
 structural setting 959
 sub-basalt hydrocarbon prospectivity 1025–1031
 syn-rift play 953–962
 UKCS location map 280
- Faroe–Shetland Channel
 sub-basalt imaging 1034
- Faroe–Shetland region 953–962
 Cretaceous reservoir formations 958–962
 early syn-rift 961
 Greenland analogues 958–959
 Jurassic rift stage 960
 late syn-rift and early post-rift 961
 rift climax 961
 rift initiation 960–961
 structural control on sedimentation 959–961
 syn-rift plays 961–962
- Early Cretaceous 957
 exploration history 953
 Late Cretaceous 958
 methods 953–954
 Mid-Cretaceous 957–958
 Mid-Late Cretaceous 958
 onshore analogues 955
 Pre-Early Cretaceous 957
 reflection seismic data 953–954
 structural map 954
 structural observations 955–958
 wells 954–955
- Farsund Formation 139
 dead carbon average proportion 106
 depth map 98
 depth range 97
 HI v. depth plot 102
 hopane:sterane ratio 103
 immature to marginally mature samples 103
 kerogen 98
 non-bioturbated claystones 139
 oil window 96, 102
 PI v. depth plot 102
 sandstones and siltstones 141
 sapropelic kerogen photomicrographs and oil immersion 102
 shales 98
 source rock potential 104
 source rock quality 96
 thermal maturity map 101
 TOC contest 105
- fault. *See also* specific name
 analytic signal shaded relief map 576
 Arkitsa 24–25
 48/14a-6 well evaluation 333
 Base Zechstein 43
 control 532
 displacement 806
 fold 1118
 imaging 512
 inner and outer seismic distortion zones 510
 Jurassic age 576
 juxtaposition difference 515
 network 513, 515
 AI volume-rendered view 513
 juxtaposition difference values 513
 Puffin horst area 43
 relative seismic volume analysis 509–515
 case study 513–515
 caveats and discussion 515
 defining damage zone 510
 defining fault network 509–510
 fault relative analysis associated with damage zones 510–513
 fault-sealing potential 509–515
 inner zone 509
 outer zone 509
 reservoir depletion 532
 rift oblique lineaments 961
 sealing potential 509–515
 zones 958, 961
- fault damage zone (FDZ) 509
 index volumes 512
- FDZ. *See* fault damage zone (FDZ)
- Feda Graben 82, 103, 136, 150
 wells VR trends 100
- feldspars. *See also* detrital potassium feldspars; potassium feldspars
 concentration 942–943
 detrital lead isotope analysis 827
 Dooish potassium 950
 Dooish well 942–943
 European Margin 937
 provenance technique 934
- Felicia-1 wells, Offshore Denmark
 AFTA data 642
- Fell Sandstone Group 59
- Fennoscandian grid 565
- Fennoscandian Shield 598
- Fernie Formation
 interbedded sandstones 1116
- Ferron Sandstone 24
 lidar studies 24
- FFZ. *See* Florianopolis Fracture Zone (FFZ)
- FIBIC. *See* Faroe Island Basalt Group (FIBIC)
- fieldtrips
 petroleum geoscientists virtual 19–25
- Finland 563
- Finnmark 565
- Fisher Bank Basin
 Jurassic age 214
 wells 218
- five-tile WATS 1021
- Fjellanger, Erik 589
- Fladen Ground Spur 48
- flank well
 example of interpretation 1008
- Flett Basin
 gas-prone 252
- Flett Sub-Basin
 location map 280
- floating production storage and offloading (FPSO)
 Donan Field 443
 Maersk Oil's Leadon Field 443
- Flora Field 59
- Florianopolis Fracture Zone (FFZ) 855
- flowing tubing head pressure (FTHP) 315
- fluvial distributary system 408
- fluvial erosion
 Ormen Lange system 918
- fluvial sandstones
 Cambrian succession 717
- fluvio-deltaic distributary system 86
- fluvio-tidal channel-fill 164
 facies association 163
 facies association D 166–167
 description 166
 interpretation 167
 sequence stratigraphy 167
 wireline-log character 167
- Hugin Formation sedimentology 166–167
 wireline-log cross-plot 165
- FMH. *See* Forties-Montrose High (FMH)
- FMI. *See* Schlumberger Full-bore Micro-Imager log data (FMI)
- Foinaven Field 248
- foreland 124
 Asti Formation 123
 basin 113
 Italy hydrocarbon occurrences 113–125
 Mesozoic carbonate substratum 119
 Po Plain 119
 ramp 122, 123
 thrust propagation folds 122
- Foreland Basin 1 Megasequence 738
 Hercynian Orogeny 739
 Pre-Hercynian burial 738
 Pre-Hercynian structures 738–739
- Foreland Basin 2 megasequence 743
- Former Soviet Union (FSU) 13
- Forties Field
 bypassed oil target 365
 depth structure 221
 sandstone reservoir prediction 221
 well log section 222
- Forties-Montrose High (FMH) 203, 350
 Early Volgian reactivation 205
 palaeogeographic maps 205
 recording reactivation 204
 seismic line 203
- Fort Worth Basin (FWB) 1131
 Barnett Shale Formation 1087, 1088
 Mississippian Barnett Shale 1087
- forward and inverse model 8
- Fosen Peninsula 565
- fossil fuel 1189, 1193, 1195
- Foula Formation 930
- four dimensional acquisition and processing 517–522
 acquisition repeatability 521
 analysis method 517
 case study details 517–518
 CDR calculation 518–521
 additional 4D noise reduction 521
 improved acquisition repeatability 520–521
 processing flow improvements 520
 noise levels 517
 noise reduction 521
 North Sea case study 517–522
 repeatability measurements 517
 seismic CDR 521
 surveys 521
- four dimensional model
 Alba data showing water cones 341
 Alba seismic showing OWC movement 341
 Clair field difference map 311
 Cold Lake Field seismic conformance maps 1149
 response characterized 312
 seismic data
 Clair field 311
 monitor 311
 Nelson Field areal flow detection controls methods 360–361
 OWC 342

- seismic monitoring Chalk reflector 343
 seismic response T70 sequence 362
 seismic surveys 366, 1147
 Cold Lake Field 1149
 stem flooding monitoring 1145
 four-tile WATS 1021
 FPSO. *See* floating production storage and offloading (FPSO)
 fractures. *See also* Hydraulic fractures
 bedding-parallel carbonate concretions 1137
 calcite-sealed 1133, 1138
 Ensign enigma 335–336
 gas-generated hydraulic 505
 horizontal well 48/14a-6 335
 model 808, 809, 809
 strike-slip element 804
 oil reservoir 299–313
 reservoir models 23
 stimulation process 325
 well 48/14-2 332, 336
 well 48/14a-6 336
 Taq Taq field appraisal and development 807–808
 well 48/14a-6 evaluation 333–334
 France. *See also* specific location
 petroleum geoscientists virtual fieldtrips 24
 Franz Josef Land Archipelago 598
 Fraser, Al 589
 Frasnian age
 charge 754
 ‘hot’ shale 754
 source rocks deposition 722
 source rocks kitchen maps 757
 unconformity 686
 Freja Field 145, 152
 barrier island sandstones 146
 palaeotopography 145, 152
 well log panel 154
 Freja–Mjølner Field 146
 Froan Basin 925
 geoseismic profile 924
 location map 922
 FSU. *See* Former Soviet Union (FSU)
 FTHP. *See* flowing tubing head pressure (FTHP)
 Fugelli, Edith 589
 Fugloy Ridge 837
 effect of LVZ 834
 seismic data 834
 Fulmar–Clyde Terrace 190, 191
 turbidite deposition 195
 Fulmar Field
 correlation model 208
 defined 216
 exploration 216
 fault-crest seismic interpretation 207
 Jurassic age 214
 pinchout prospects 207
 reservoir 495, 498
 sandstone 178, 207
 aggradational packages 186
 BVRU 205
 deposited in narrow palaeovalleys 206
 deposition tectonic reconfiguration 206
 deposits sequences J52–J54b 193
 Humber Group thickness 207
 initial distribution 180
 isopach 218
 sequences J52 and J54 186
 shallow-marine 177
 subdivided 182
 well 22/30b-11 189
 well log section 222
 Fundy Basin 928
 Atlantic margin evolution and fill 929–931
 detailed analysis 929
 location map 922
 Permian and Triassic sections 930
 FWB. *See* Fort Worth Basin (FWB)
 Gabon
 conjugate margin evaporitic deposits 874
 crustal architecture 872
 margin 868, 872, 878
 hinge-lines 872
 tectosedimentary 879
 Gaffney, Cline & Associates (GCA) 13
 Gaffney, Peter 13–14
 Gaggiano Field
 Villafortuna–Trecate oil field 119
 Gamma well
 challenging gas development 321
 Ganges–Brahmaputra 827
 Gannet Area
 Eocene Tay formation fan system 46
 Garau major play systems 793
 Gargaff Arch 710–712
 chronostratigraphic chart 720
 geological map 710
 incised valleys 712
 interpretation 711–712
 Siluro-Devonian succession stratigraphic architecture 711
 stratigraphic architecture 710–711
 Garn Formation 421, 422–423
 chlorite 422
 cross-bedded sandstone 423
 depositional synthesis 423
 description 422–423
 petrographic porosity 421
 pressure profiles 422
 rapid pressure decline explanation 423
 gas 123
 Angola discoveries 1047
 Angola exploration 1043–1057
 Angola generation schematic 1052
 Bakken Formation 1067
 Barnett Shale 1087
 Bazhenov Formation 665
 BCG model expulsion 1112
 biogenic 122, 264, 1052–1056
 England 1080
 Scotland 1080
 Wales 1080
 Cenomanian 664, 667
 charge
 Cenomanian fields 660
 Cenomanian play 662, 663
 Urengoy field 667
 charging
 giant 659–667
 chimneys
 long-offset seismic data 58
 sub-Zechstein composite layer 72
 Chiswick Field 321
 chromatography
 analysis 1067
 Bakken petroleum system 1068–1069
 chain length distribution 1071
 Coal Measures 1091
 condensate
 Joanne Sandstone Member 228
 Triassic Skagerrak Formation 228
 West Limb core area 233
 Corrib 938, 949, 950
 Cretaceous sources 665
 Deep Judy model results 412
 direct gas indicators in Angola 1054
 enhanced recovery 1158
 Europe case studies 1080–1083
 generated hydraulic fractures 505
 greenhouse 1189, 1192–1193
 initial rate v. CGR 412
 Italy 115
 Judy model 414
 Jurassic sources 665
 Leningradskoye field drainage area 663, 664, 665
 liquefied natural 827, 1044
 Lower Congo Basin discoveries by play 1047
 North Africa occurrences 762
 Pokur Formation 663, 664
 recovery 412
 recovery factor 414
 Settala field 122, 123, 123
 shales 1080–1083
 South Arne rock physics model 528
 Tanopcha Formation 663, 664, 665
 thermogenic shale gas 1080
 trap formation East Barents region 603
 typical permeability reservoirs **1159**
 UK shale gas 1091
 Urengoy field drainage 665
 wetness ratio 1094
 GASH. *See* Gas Shales in Europe (GASH)
 project
 gas hydrates
 BSR 1152
 Gas Hydrate Production Research Program 1153
 India occurrence 1153
 JAPEX/JNOC/GSC Mallik 2L-38 1153
 JIP Gulf of Mexico 1151
 location 1152
 occurrences 1151–1154
 Alaska North Slope, Alaska, USA 1152
 drilling expedition GMGS-1, China 1153–1154
 Drilling Expedition UBGH1, South Korea 1154
 Gulf of Mexico, USA 1151–1152
 Mackenzie River Delta 1153
 Nankai Trough, Japan 1153
 NGHP Expedition 01, India 1153
 North Africa 762
 resource potential 1151–1154
 unconventional oil and gas resources 1062–1063
 gas–oil ratios (GOR)
 Bakken Formation 1067, 1074, 1075
 Bakken hydrocarbon pools 1073
 Bakken petroleum system 1071–1072
 Williston Basin 1072

- gas plays
 block 15, 1050
 Cenomanian 659
 Cenomanian Pokur Formation 659
 post-salt 1050
 salt 1046
- gas-prone petroleum systems
 stratigraphic summary 1045
- Gas Shales in Europe (GASH) project 1083
- Gassman equation 1185, 1187
- GCA. *See* Gaffney, Cline & Associates (GCA)
- GEBCO. *See* General Bathymetric Chart of Oceans (GEBCO)
- Gebel Duwi North Red Sea Hills 786
 field photograph 790
 palaeotopography of palaeostructuring 790
 pre-rift Cretaceous Nubia sandstone 790
- Gebel Zeit
 post-rift phase 776
- Gedinnian fluvial unit 713
- Gela Field
 age 120
 Caltanissetta accretionary arc 120
 discovery 118
 Italy hydrocarbon occurrences 118–119
- Gela Formation 120
- Gemsa Basin
 footwall prospectivity 775–777
 half graben cross-section 775
 landsat 7742 geological image 776
- General Bathymetric Chart of Oceans (GEBCO) 560
- Generic Mapping Tools (GMT) 554
- genetic analysis summary chart 4
- genetic basin analysis
 global petroleum systems 2–7
 processes hierarchy 3
- genetic models
 predictions 7
- Gent Ridge
 wells VR trends 100
- geochemistry 1065–1066, 1076
 oil 360
 water 357–358, 360
- GeoControversies debates 11–17, 16
 Debate 1 peak oil no longer concern 11–12
 for motion David Jenkins 11–12
 against motion Jeremy Leggett 12
 Debate 2 National Oil Companies
 petroleum industry future 12–14
 for motion Marlan W. Downey 13
 against motion Peter Gaffney 13–14
 Debate 3 North Sea finished 14–15
 against motion Jim Hannon 15
 for motion Richard Hardman 14–15
 summary Julian Rush 15–17
- geographic information system (GIS)
 applications 20
- geological conceptual model 350
- geological sidetrack 30/6-6Z 230
- Geological Survey of Norway (NGU)
 aeromagnetic and gravity data 559
 aeromagnetic data acquisitions and modelling 33
- Geology of Petroleum* (Levorsen) 14
- geomechanical modelling 1118
 example 1118
 three-dimensional output 1119
- geoscientists virtual fieldtrips 19–25
- geosteering 342
 Captain Field 345
 LWD tools 342
- German squeezed diapirs 903
- Gert Member
 porosity and oil saturation plot 136
- Gertrud Graben 103
 wells VR trends 100
- Gert-1 well 130, 145
 back barrier sediments 148
 HTHP environment 134
 interpreted washover fans photographs 153
 porosity–permeability plot 148
 sedimentological core log 147
- Gething Formation
 acoustic properties 1119
 basin-centred gas in Western Canada 1106
 shale 264
- Ghadames Basin 686, 689, 710–712, 725
 chronostratigraphic chart 720
 interpretation 711–712
 Siluro-Devonian succession stratigraphic architecture 711
 stratigraphic architecture 710–711
- Ghadames–Illizi Basin 736
 basin modelling approach and workflow 749
 chronostratigraphic diagram 747
 compaction depth–velocity relationship 751
 depocentres 755
 depth velocity plots 750, 751
 Devonian ‘hot’ shale 756
 Early Cretaceous rifting 741–742
 Early Cretaceous thickening 742
 genesis burial plots 754, 755
 Hercynian Unconformity 739
 integrated petroleum systems 735–759
 outline 740
 petroleum resources by country 753
 petroleum systems and play fairway analysis 735
 reservoir-seal combinations 745
 seismic profiles 741
 Silurian ‘hot’ shale 756
 stratigraphic framework 737
 Tanzuft source rock 758
 temperature v. depth 754
 velocity analysis 745
- Gharib
 Zeit evaporite section 787
- GIS. *See* geographic information system (GIS) applications
- glacial terrain
 Norway 918
- global database
 detrital zircon dates 6
- global oil resources 1143
- global petroleum systems 1–8
 Bayesian Belief Networks 6–7
 concepts 6
 detrital zircon geochronology 6
 distributions predictions 3
 extensional systems 6
 forward modelling 7
 genetic basin analysis 2–7
 example 5–6
 global data plate motion 4–5
 overview 2–4
 methods 6
 opportunities 7–8
 space and time 1–8
 technology 6
 tools 6–7
- global plate
 motion models 4
 reconstruction 4, 5
- global positioning system (GPS) 20
- global transgressive–regressive cycles and North Africa 730–731
- global warming 1189
- Glossifungites* ichnofacies 139
- GMT. *See* Generic Mapping Tools (GMT)
- goaf formation 1158–1159
 caved zone 1158
 fractured zone 1158–1159
- Goldsmith, Phil 38
- Gondwana
 craton 708
 supercontinent 674, 718
- Google Earth 20, 25
- GOR. *See* gas–oil ratios (GOR)
- Gordon Creek Field
 carbon constrained world preparation 1193–1195
 commercial-scale injection test 1193–1195
 site location/surface geology map 1192
 stratigraphy 1193
- Gorm Field 547
- Gorm-Lola Ridge 547
- Gothic Shale 1190
- GPS. *See* global positioning system (GPS)
- Graben Fault 309
- Graben segments
 Clair field 301
- graben system
 tectonic reconfiguration 178
- grainstones
 Arab Formation 796
 carbonate 795
- Grand Coyer sub-basin 24
- granite
 Caledonoid potential field modelling 61
 Devil’s Hole Granite 3D model 68
 Dogger Granite 65
 Dogger Granite 3D model 68
 Farne Granite 65
 Farne Granite 3D model 68
- Grantz, Art 589
- gravitational loading
 Neogene depositional units 92
- gravity
 Bouguer gravity data 567
 compilations 559–583
 flow sandstones 138
 gradiometry 579
 Iris-1 location 138
 Norway 559–583
 oil data 1067, 1073, 1074
 residual 567
 surveys compilation 566
 Svane-1 location 138
 Tail End Graben 138
- Greater Britannia area
 fluid pressure indications 502

- Greece
 Arkitsa fault 24–25
 petroleum geoscientists virtual fieldtrips 24–25
- Green, Paul 589
- Green Canyon area
 Marco Polo minibasin 909
 roof-edge thrust 904
 Suprasalt Miocene strata 909
- greenhouse gas 1189, 1192–1193
- Greenland 643, 955
 analogues 958–959
 case C episodic uplift and exhumation
 AFTA data defining cooling episodes 990
 thermochronological and geomorphological integration 990–992
 case D nature of Oligocene hiatus
 episodic uplift and exhumation 992–994
 case E Ordovician source rocks
 episodic uplift and exhumation 994–995
 Ordovician outlier implications 995
 case F post-rift burial episodic uplift and exhumation 995–999
 Cenozoic burial and exhumation 996–997
 East Greenland margin development 998–999
 mismatch between apatite dating and AFT results 997–998
 Palaeogene intrusive bodies thermal effects 996–997
 continental margin
 Cenozoic compressional features 975
 compression and inversion of underlying basin 975
 exhumation episodes 642
 hydrocarbons generation 999, 1001
 landscape 981
 margin
 aeromagnetic data reconstruction 580–581
 geological map 997
 uplifting and erosion in Norway 998
 Mesozoic basins 980
 Oligocene 993
 Palaeogene deposits 998
 plate reconstruction 582
 post-basalt heating 1000
 regional exhumation 1000
 regional structures 573
 seismic profile 996
 thermal history 641
 thermal history solutions 998
- Greenland Sea
 aeromagnetic surveys 579
 embayment 654
- Grès d'Annot Formation, SE France
 petroleum geoscientists virtual fieldtrips 24
- Grouw and Leeuwarden Field area
 stratigraphic trapping 272
- Gro-3 well
 Nuussuaq Basin 640
- Gryphon complex 46
- Gulf of Cadiz 555
- Gulf of Evia 24
- Gulf of Mexico 456, 458
 allochthonous fragments 908
- allochthonous minibasin 910
 bathymetric profile 906
 bulge of salt 907
 buried salt canopies 900
 compressed, uplifted area 906
 deepwater 1014
 density profiles 906
 diapiric salt 902
 extruding salt stock 908
 Gas Hydrate JIP 1151
 gas hydrates resource potential 1151–1152
 gravity and regional shortening 905
 Marco Polo minibasin 909
 prograding sedimentary wedge 907
 salt tectonics 902
 salt tectonics concepts 899–911
 source-to-sink systems 914
 spreading salt canopies 900, 910
 squeezed diapirs intrude salt plumes 900
 squeezed diapir stages 901
 subsalt Mad Dog Field 1015
 thin roof disruption 908
 thrust faults offset 907
 thrusts 904
 WATS experience 1023
- Gulf of Suez 783
 3D OBC seismic data 780
 hydrocarbon play 774
 isotope analysis 786
 location map and structural elements 772
 Nukul syncline 24
 petroleum system 788
 pre-rift beds 771
 pre-rift reservoirs 777
 sand pinchouts 780
 sandstone distribution 779
 seismic datasets 774
 source rock biomarker 786
 stratigraphic column 773
 subtle exploration plays 771–781
 exploration targets 774–775
 Gemsa Basin footwall prospectivity 775–777
 Gulf of Suez structural setting 771
 post-rift reservoirs 774
 pre-rift reservoirs 773
 Ras Abu Darag Concession 778–780
 regional stratigraphy 771–773
 reservoirs 773–774
 Rudeis Formation 777–780
 seismic data quality 774
 source rocks 773
 South October Concession 777–778
 syn-rift reservoirs 773–774
 types 774
 Upper Rudeis prospectivity 777
- syn-rift beds 771
 syn-rift sedimentation 774, 780
 watershed 787
- Gull Island Formation 23
- Guo, Li 590
- Haldan Field 537, 547
 Jurassic GDE map 795
- Haltenbanken
 stratigraphic column 420
- Halten Terrace 420, 422
 hydrocarbon generation 419
 overpressure development 419
- Halten-Trøndelag Basin 422
- Hammerfest Basin 634
- Hamra Quartzites 685
 isopach map 714
 Ordovician 685
- Hanifa Field
 source rock development 795
- Hanifa Formation
 Jurassic age 793
 source rocks 799
- Hannon, Jim 14, 16, 16
 against motion North Sea finished 15
- Hannon Westwood 14, 15
- Hans-1, Offshore Denmark
 AFTA data 642
- Hardangerfjord Shear Zone 893
 satellite image 916
- Harding/Gryphon complexes 46
- Hardman, Richard 16
 for motion North Sea finished 14–15
- Hareelv Formation 49
- Hassi Messaoud Field 684, 707
- Hassi R'Mel fields 707
- Hatton Bank
 COT 836
 crustal thickness 837
 igneous intrusions 837
 P-wave velocity 836, 837
 rifted continental margins 836
 seismic velocity structure of crust 836
- Hatton Bank Anticline 964–965
 seismic profile 967
 seismic profile of unconformities 967
- Hatton–Rockall Basin
 bottom-water current activity 965
- Heather Formation
 Ling Sandstone Member 174
- heavy oil deposits
 Alberta 1142
 Athabasca Basin 1145
 Canada 1141
- heavy oil production
 seismic monitoring 1147–1148
in situ 1147–1148
- Hejre-1 well 127
 HTHP environment 134
 oil discovery 99
- Helgeland Basin
 top basement 890
- Helgeson's model 44
- Helland–Hansen Arch
 basin inversion 971
- Heno Formation 149
 porosity–permeability relationship 136
 sandstones 127
- Heno Plateau 129, 136
- Henrietta Island 598
- Hercynian age
 burial 738
 erosion 679, 689
 foredeep 738
 orogeny 708, 711, 739
 structures 738–739
 unconformity 731
 Geoprobe image 742
 Palaeozoic geology 694
 subcrop map 740
- Hermod system 46, 49
 hydrocarbons 48

- Heron cluster
Skagerrak reservoirs 242
- Heron Field
high production performance 405
- HI. *See* hydrogen index (HI)
- hidden pay
example 458
- Hidra Formation 473, 540
- high-amplitude reflector
ECG 185
- High Atlas 926
- high-density turbidites
Central and Southern Panels 372
- high pressure–high temperature (HPHT) field
127, 1128–1129
appraisal and development 33
Hejre-1 and Gert-1 wells 134
Kristin Field sedimentology 419–428
diagenetic controls on reservoir quality
421–422
Garn formation 422–423
depositional synthesis 423
description 422–423
rapid pressure decline explanation 423
Ile formation 424–425
depositional synthesis 424–425
description 424
rapid pressure decline
explanation 425
Not formation 423–424
palaeogeography 420
reservoir sedimentology 422–426
tectonics and burial history 419–420
Tofte Formation 425–426
depositional synthesis 425
description 425
rapid pressure decline explanation 426
Upper Ror Formation 425
Norwegian shelf 420
Skagerrak Formation 405
Svane-1 well 138
- high-resolution biostratigraphy
Donan Field 437
- high-resolution dinocyst-based
biostratigraphy study
Donan Field 434
- high-velocity lower-crust (HVLC)
P-wave velocities 831
- Hildesheimer Wald
diapirs 902, 903
- Hith Formation
evaporites 795
Upper Jurassic GDE map 797
- Hod Formation 473, 478, 539, 540
listric faults and channel cuts 543
porosity *v.* permeability plots 479
time isochore maps 542
- Hoggar region 725
observations 745
- Holocene–Recent Rømø barrier island
system
analogue study 145
DCG 146–148
methods 146
morphology and depositional environments
146
palaeogeographic reconstruction 148
reservoir architecture 146–148
vertical section trough 147–148
- Holywell Shale
black shale **1095**
- Horda Platform 852
location map 922
- Horizon 4
coherency map 89
TWT structure map 86
- Horizon 6
TWT structure 83, 87
- horizon interval 82
- horizontal pilot holes 342
- Horn River Basin
Devonian age 1079
Muskwa Shale 1079
- horst segments
Clair field 301
- hot shale
Algeria 690
basal Silurian source rock 689
Devonian age 756
Frasnian age 754
Ghadames–Illizi Basin 756
Murzuq Basin 689
Silurian age 756
- Howe area 189
- Howells, Dvid 31
- Høybakken detachment 569–571
- HPHT. *See* high pressure–high temperature (HPHT) field
- Hubbert, M. King 11
- Hubbert's Peak 11, 1155
- Hugin Formation
biostratigraphic data 174
core descriptions and GR log
characteristics 163
cored wells distribution 162
facies associations 164
facies summary **160–161**
Jurassic age 157, 168
Jurassic strata 168
MFS 173–174
Norwegian sector Quadrant 15, 157–175
axis-perpendicular sub-regional
correlation 168–173
bay-fill facies association A 159–162
description 159
interpretation 159–161
sequence stratigraphy 161
wireline-log character 161–162
coastal plain facies association E 167
description 167
interpretation 167
sequence stratigraphy 167
wireline-log character 167
exploration implications 174–175
fluvio-tidal channel-fill facies association
D 166–167
description 166
interpretation 167
sequence stratigraphy 167
wireline-log character 167
mouth bar facies association C 166
cross-bedding 166
interpretation 166
sequence stratigraphy 166
wireline-log character 166
offshore open-marine facies association
F 167–168
description 167
interpretation 167
sequence stratigraphy 167
wireline-log character 166
tectonic setting 159
palaeogeographic reconstructions of
deposition 172, 173–174
present-day structural setting 158
regional maximum flooding surfaces 168
sedimentology 159–169
sequence stratigraphy 173–174
shallow-marine and marginal-marine
deposits 157
shallow-marine deposition 168
transgression 157, 168
well-log correlation panel 169, 170, 171
wireline-log cross-plot 165
- Humber Group
sequence stratigraphy
comparison of interpretations 181
interpretation 205
regional sequence stratigraphic
correlation of wells 184
succession
seismic line 203
turbidite deposits 189
UK Central Graben sequence stratigraphy
reappraisal 177–210
background 177–178
Callovia–Kimmeridgian megase-
quence 186–192
sequence J44 186–192
sequence J46 186
sequence J52 186–187
sequence J54a 187–190
sequence J54(b) 190
sequence J56 190–192
sequence J62a 192
sequence J62(b) 192
sequence J63 192
Central Graben unconformities 185–186
Early Volgian reconfiguration for
exploration models implications
205–207
basin-scale palaeogeographic
reconfiguration 205
palaeovalley model modification
205–206
prospect-scale models 206–207
Volgian turbidites 206
geological setting 180
previous sequence stratigraphic studies
180–182
revised sequence stratigraphic model
182–185

- study methodology 178–180
 tectonic reconfiguration 200–205
 basement uplift evidence 200–201
 block rotation 200
 events timing and style 201–205
 salt redistribution 200
 Volgian–Ryazanian megasequence
 192–200
 sequence J64 199
 sequence J66a 199
 sequence J66b 199
 sequence J71–J72 199
 sequence J73–J76 199
 sequence K10 199–200
 Humble Source Rock Analyzer 95
 Hungary
 geochemical log 1128
 oil window 1083
 Pannonian Basin 1062, 1126
 source rocks 1128
 Huntington discoveries 219
 Central North Sea exploration 213–223
 drilling results 221–223
 market perceptions 219–221
 pre-discovery exploration 213–214
 pre-drill predictions 219
 technical evaluation 214–219
 channel axis development 217
 comparison of results **223**
 reservoir potential 215
 stratigraphic framework 215
 Huntington Forties depth structure map 220
 Huntington Fulmar well location 219
 HVLC. *See* high-velocity lower-crust (HVLC)
 HWC. *See* hydrocarbon–water contract (HWC)
 hyaloclastites 1033–1039
 Hyblean platform
 Gela oil field 120
 geological sections 117
 hydrocarbon occurrences 117
 hydraulic fractures 321, 323, 330, 1062, 1131–1132
 48/14a-5 well 332
 48/14a-6 well 335
 Chiswick Field 322
 Ensign Field **331**
 Leman Sandstone interval 333
 pre-existing natural fracture diagram 1134
 well 48/14a-6 333
 48/14-2 well evaluation 330
 hydrocarbon(s) 2, 124, 591, 598
 Adriatic basin 117
 Angola 1046
 Apennines 117
 Apulian platform 117
 v. aquifer seal capacity 502
 Bakken 1073
 Balder 48
 Bighorn Basin 6
 Bream Field 987
 v. carbon dioxide 1183–1188
 Carboniferous petroleum system
 play types and traps 71–74
 search beneath Central North Sea 69–71
 Cenozoic plays 698–700
 exploration challenges 700
 stratigraphy 698–700
 Central North Sea 493
 Chalk 505
 Chalk Group 273
 charge and maturation 824–826
 major marine source rocks 824
 oceanic crust exploration 826
 deepwater equivalents 49
 East Greenland 999, 1001
 entrepreneurial exploration 113
 exploration 1, 51
 exploring older and deeper plays
 673–702
 Faroe–Shetland and Møre basins 1025
 geochemical characteristics 106
 Gulf of Suez 774
 Halten Terrace 419
 Hermod 48
 Hyblean platform 117
 Infracambrian age 674
 intervals and well completion 454
 inter-well volumes 455
 Istrian platform 117
 Italy 113–125, 114, 116
 Jameson Land Basin 997
 Judd Basin 247
 Lagoa Feia lacustrine facies 862
 Laptev Sea Province 606
 Lombard basin and ridges 117
 Lower Balmoral reservoir 439
 Mesozoic plays 697–698
 Middle East plays 674–676, 691–697
 migration 1186–1188
 modelling 825
 Neoproterozoic petroleum system
 677–681
 Neoproterozoic plays 676–682
 hydrocarbon plays 677–679
 stratigraphy and tectonic evolution
 676–677
 thermal evolution and hydrocarbon
 generation 679–681
 North Africa plays 688–691
 Cambro-Ordovician stratigraphy
 682–686
 Silurian and Devonian stratigraphy
 686–688
 thermal evolution 688–691
 North Atlantic passive margins 986
 Northern Ireland wells 1089
 Northern Judd Basin 251–253
 North Kara Sea 605
 Oman plays 674–676
 Palaeozoic plays 682–684, 697
 Pennine Basin 1093
 plays 673–702
 potential 4
 predictive capabilities 51
 RAS 603
 reservoir 27, 95
 Saudi Arabia plays 691–697
 exploration challenges 695–697
 stratigraphy and tectonic evolution
 692–695
 seismic reflection datasets 549
 Sicilian–Maghrebian chain 117
 SKB 604
 source rock 818
 Taoudenni Basin 678, 679–681
 3D seismic 51
 Triassic Skagerrak Formation 225
 untapped accumulations 455
 Val d'Agri giant oil field 120
 West African basins 7
 West Africa plays 676
 West Emila accretionary arc 117
 hydrocarbon–water contract (HWC) 230
 hydrogen index (HI) 1068
 Iapetus closure 265
 Iberia margin
 drilling results 867
 iceberg keel erosion 83
 IEA. *See* International Energy Agency (IEA)
 IGMAS. *See* Interactive Gravity and Magnetic Application System (IGMAS)
 Ile Formation 421, 424–425
 depositional synthesis 424–425
 description 424
 facies components 424
 modern analogues 424
 pressure profiles 422
 rapid pressure decline explanation 425
 Illizi Basin 712–716, 725, 1145. *See also*
 Ghadames–Illizi Basin
 burial and uplift models tested 752
 chronostratigraphic chart 720
 interpretation 713–716
 stratigraphic architecture 712–713,
 713, 715
 stratigraphic pinchout 716
 imaged sub-basalt strata
 NE Atlantic margin 1029
 Imperial
 Cold Lake development 1147
 inboard areas 825
 inclined stocks squeezing
 stages 901
 inclined strata (IS) 1145
 sand-prone 1145
 India. *See also* specific location
 gas hydrates occurrence 1153
 Indonesia. *See also* specific location
 Kalimantan 458, 459, 459
 industry
 challenges 1
 plate tectonic theory 2
 Industry Taskforce on Peak Oil and Energy
 Security (ITPOES)
 members 12
 report 12
 infill wells 349, 350, 355, 362
 drilling in mature fields offshore 349
 use of predictive models to plan
 349–350
 Infracambrian age 679
 black oil shales 676
 hydrocarbon plays 674
 Inge High 139
 injected carbon dioxide
 hydrocarbon migration 1183–1188
 flow characteristics 1184–1186
 implications 1186–1188
 Utsira Formation 1183–1184
 injected sands and field edge 340
 injection and production wells
 directional drilling 1157
 Inner Moray Firth 38

- In Salah Field
 carbon dioxide geological storage
 1168–1169
 satellite imagery 1169
 technologies 1168
- In Salah Krechba Field
 cross-section 1168
- in situ* coal gasifying 1156
- in situ* heavy oil production
 seismic monitoring 1147–1148
- integrated petroleum systems
 Ghadames–Illizi Basin, North Africa
 735–759
- integrated Seismic Imaging and Modelling of
 Margins (iSIMM) 831
 airgun source 832
 Faroe Islands 838
 profile 833, 838
- Interactive Gravity and Magnetic Application
 System (IGMAS) 888
- interbedded turbidites
 Andrew Formation 431
- Intergovernmental Panel on Climate Change
 (IPCC) 15, 1167
- International Energy Agency (IEA)
World Energy Outlook (2005) 11
- interpretation method 1035
- interpreted seismic reflectors
 3D visualization environment 1035
- interpreted unit boundaries
 two-dimensional perspective 1036
- Intra-B4 shale
 field-wide correlation and map 377
 holes 377
 recognition 376
- intra-Buzzard 373
- intra-chalk unit porosity variation 537–548
 basin development 540–541
 database 537–538
 geological setting 538–539
 inversion results along key profiles
 543–547
 key profile 1, 543–544
 key profile 2, 544–547
 key profile 3, 547
 key profile 4, 547
 seismic inversion 541
 2D seismic inversion work flow
 541–543
- intracontinental deformation 824
- intra-Pennsylvanian stratigraphic traps 266
- Intra-Pliocene Unconformity 642
- inverse genetic scheme 185
- Ionian Ocean formation 741–742
- IPCC. *See* Intergovernmental Panel on
 Climate Change (IPCC)
- iPhone 25
- Iraq. *See also* specific location
 Kurdistan region 801–809
 location map 801
 Taq Taq field 801–809
- Ireland. *See also* specific location
 Atlantic margin region 924
 basins offshore 939
 crystalline basement 948
 Dooish well 939
 hydrocarbon wells 1089
 lead space plots 948
 Mesozoic sandstones 951
 passive margins case histories 1005–1012
 Shannon Basin 23–24
- Iris-1 location
 gravity-flow sandstones 138
- irreversible compaction
 grain-to-grain bonds failing 534
- IS. *See* inclined strata (IS)
- iSIMM. *See* integrated Seismic Imaging and
 Modelling of Margins (iSIMM)
- ISIS software 541
 two dimensional inversion
 workflow 544
- isoprobe multicollector 6
- ISROCK
 acquisition plan 556
 seismic survey 554, 555, 556
 water layer reflectivity 551
 water layer structure 553
- Istrian platform
 geological sections 117
 hydrocarbon occurrences 117
 Porto Corsini East gas field 122
- Italy 116–123
 cumulative discovered reserves 125
 gas provinces and oil provinces 115
 geological framework and hydrocarbon
 occurrences 114
 hydrocarbon occurrences 116–123, 116
 Cretaceous petroleum system 119–120
 foredeep wedges biogenic gas 121–123
 foredeep wedges thermogenic gas 121
 geological framework 113
 historical perspective 113–116
 petroleum system 118–119
 thermogenic gas 116–120
 thrust-and-fold belt to foreland
 113–125
 petroleum
 acreage 114
 endowment 114
 permits 114
 systems 124
 seismic surveys and wells 115
 tectono-stratigraphic cycles 116
- ITPOES. *See* Industry Taskforce on Peak Oil
 and Energy Security (ITPOES)
- Jabal Hasawnah 710
- Jackson Field
 Australia 355
- Jacuípe Volcanic Complex 870
- Jade Field 225, 407, 412
 high production performance 405
 models 410
 predictive history-matched model 405
 reservoir depth 410
 well 30/02c-4 242
- Jaeren High
 remnant topography 196
 seismic profile 64
 sub-Zechstein seismic stratigraphy 62
- Jameson Land Basin
 deepwater reservoirs 49
 erratic variation of fission track age 996
 hydrocarbons generation 997
 time-equivalent strata 420
- Jan Mayen Fracture Zone (JMFZ) 579–580
- Jan Mayen microcontinent
 plate reconstruction 582
- Japan. *See also* specific location
 Nankai Trough 1153
- Jasmine discovery 225–242
 analogues 228
 appraisal drilling locations 233
 appraisal phase 230–234
 drilling results 231–234
 30/06-07, 234
 30/06-07 and -07Z 231–233
 30/06-07Y 234
 programme 230–231
 secondary reservoirs summary 234
 appraisal sealing conundrum 237
 exploration drilling phase summary 230
 exploration phase 227–230
 discovery well results 228–230
 pre-drill prospect evaluation 227–228
 licence and exploitation history 225–226
 location 226
 location and aims 225
 LWD 234
 pressure data 236
 reservoir characterization programme
 234–242
 compartmentalization 242
 depositional model 236–240
 drill stem tests 242
 intra-reservoir correlation 240
 reservoir quality 242
 reservoir zonation scheme 240–242
 Top Joanne 240–241
 Top Julius Mudstone 241–242
 Top Lower Joanne 241
 Top Middle Joanne 241
 seismic reprocessing 234–236
 structural model 236
 reservoir zonation 240
 sealing conundrum 232, 242
 seismic depth section wells 233
 stratigraphic and structural setting
 226–227
 wireline log data 30/06-6 231
- Jasmine Field 225
- Jasmine–Julia structural cross section 229
- Jasmine Northern Terrace area 227
- Jasmine West Limb 231
 faulted anticline 227
- Jaurf Formation
 Devonian age 692
- J Block 225
 Joanne Member 410
 seismic reprocessing strategy 238
 shoreface deposition 191
 survey acquisition area 238
- JCR. *See* Joint Chalk Research (JCR)
- Jenkins, David 15
 for motion peak oil no longer concern
 11–12
- JIP. *See* Joint Industry Project (JIP)
- JMFZ. *See* Jan Mayen Fracture Zone (JMFZ)
- Joanne Field 225, 234
- Joanne Formation
 porosity v. permeability plot 413
 Joanne Member 231, 405, 406, 408
 channel-dominated 416
 characteristic decline 407
 characteristic radial composite model 409
 conceptual stratigraphic architecture 409
 core differences 407

- dynamic modelling workflow *411*
 EUR resources *415*
 facies *407*
 gross porosity plotted with depth by facies *410*
 heterogeneous *417*
 J Block *410*
 linear flow behavior *409*
 porosity-depth trends *416*
 production *411*
 production performance *405, 407*
 production profile v. CGR *415*
 reservoir *226, 410*
 architecture *408*
 production performance *412*
 RF. v. CGR/GOR *415*
 shalier interval *240*
 SIS *410*
 static modelling workflow *411*
 vertical pressure barriers *407*
 well test *409*
- Joanne Sandstone Member *226, 240*
 depositional environment *406*
 erosion *241*
 rich gas condensate *228*
 sandstone *406*
- Joint Chalk Research (JCR) *473*
 Joint Industry Project (JIP) *1168*
 Gas Hydrate Gulf of Mexico *1151*
- Jonathan Mudstone *226, 241*
 climatic reinterpretation *236*
- Josephine Sandstone Member *240, 406*
- J Ridge area *39, 40, 180, 190, 200, 203, 225*
 structural evolution *226*
 Top Triassic Unconformity *227*
- Judd Basin
 basin inversion *249*
 hydrocarbon occurrences *247*
 oil-prone basin *252*
 seismic amplitude anomaly *249*
 stratigraphic column *247*
 T38 seismic anomaly *249*
- Judy Field *225, 407*
 description *406*
 EUR *412*
 gas production *408*
 high production performance *405*
 production profiles *412*
 reservoir properties with depth *414*
- Judy Formation
 reservoir architecture *409*
 vertical communication *409*
- Judy Member *406, 408*
 conceptual stratigraphic architecture *409*
 EUR resources *415*
 gas recovery factor *414*
 gross porosity plotted with depth by facies *410*
 heterogeneous *417*
 porosity-depth trends *416*
 production profile v. CGR *415*
 radial flow *409*
 reservoir architecture *408*
 reservoirs *405, 410*
 RF v. CGR/GOR *414*
 sandstones contrast *407*
 sheetflood-dominated *409, 416*
 Skagerrak Formation *410*
 static and dynamic modelling workflow *411*
 variogram-controlled SIS simulation *411*
 vertical pressure barriers *407*
 well *407, 410*
- Judy Sandstone Member *240*
 depositional environment *406*
- Julia well *228*
 boundary *232*
 pressure data *236*
 structural cross section *229*
- Julius Mudstone Member *226*
 climatic reinterpretation *236*
- Jurassic age. *See also* Late Jurassic age
 analytic signal shaded relief map *576*
 Arabian Plate *794–799*
 barrier island system *150*
 basins *216*
 black shales *1096–1097*
 Brent Delta systems *174*
 Buzzard Field reservoir *369–371*
 clastics *1118*
 conceptual play model *962*
- Early
 Netherlands petroleum exploration *268*
 petroleum system *118–119*
 Posidonia shale *263–264*
 source rock *271*
- faults *576*
 fields *178*
- Fisher Bank Basin *214*
- Fulmar Field *214*
 gas yield *665*
- Hanifa *793*
- Hugin Formation *157, 168*
- Jura *437, 438*
- lithostratigraphy *159*
- Middle
 conceptual play model *962*
 North Atlantic region *949*
 palaeogeography *420*
 pre-rift sandstone *962*
- Middle East exploration potential *794–799*
- Navajo Formation Sandstone *1193*
- North Sea rift complex *127*
 palaeogeography *420*
 palaeotopography *150*
- Pentland Formation reservoir *231*
 pre-rift sandstone *962*
 pre-rift succession *957*
 rift stage *960*
 sedimentation *216*
 stratigraphy *369–371*
- Tyumen Formation *666*
 wedge *1114–1115*
- West Siberia Basin depth map *660*
- Jutland *569*
 lithological and susceptibility log *579*
- juxtaposition difference *510*
- Jylland *149, 150*
- Kalak Nappe Complex *565*
- Kalimantan, Indonesia *458, 459, 459*
- Kara Massif (KM) *595. See also*
 Barents–Kara region
 tectonic basement *596*
- Kara Province *600*
- Kara Sea *591, 595, 598, 605, 661*
 fold-and-thrust belt *649*
 free-air gravity field *595*
- Kara Shelf
 fold-and-thrust belt *646*
- Kareem Formation *772, 773, 775*
 seismic character *776*
- Karoo Group
 South Africa *52*
- Kasimovian age
 palaeogeography maps *655*
- Kassanje Basin *1044, 1055*
- Kattegat Platform *891*
 individual contributions to basement depth map *891–892*
- KCF. *See* Kimmeridge Clay Formation (KCF)
- Keathley Canyon *1151*
- kerogen
 composition and source rock quality *96–100*
 DCG *96–100, 106*
 Farsund Formation *98, 102*
 NW Danish Central Graben source rock *101–103*
 oil-prone through Farsund Formation *96*
 photomicrographs and oil immersion *102*
 reactive wells *106*
 sapropelic *102*
 Stellar default kinetic parameters *663*
- Kettle Tuff *245, 246*
- Keyhole Markup Language (KML) *20*
- KG. *See* Krishna Godavari (K-G) Basin
- Khatanga Saddle *622, 624*
 assessment unit *624–627*
 densities and median sizes *625*
 distributions and AUs probabilities *629*
 field densities, field sizes, and exploration maturities *623–624*
 Monte Carlo simulation *624*
- Khaz Dumi
 major play systems *793*
- Khuff Formation
 Saudi Arabia *692*
- Kimmeridge Clay Formation (KCF) *51, 178, 186, 214, 495, 825*
 black shale *1095, 1096*
 sequence J64 *179, 181, 192–200*
 subcrop *207*
 well correlation *197*
 stratigraphic thicknesses control *504*
 subordinate turbidite *192*
 turbidite flows *369*
 turbidite sands pressures *503*
- Kimmeridge Fulmar sandstones
 distribution *205*
- Kimmeridge–Piper Transition unit (KPT) *390*
- Kimmeridgian age *264*
- Late
 DCG *134*
 sequence J63 *192*
 time stratigraphic scheme *152*
 well correlation *197*
 sequences J62a *192*
 sequences J62b *192*
- Kingston, Dave *2*
- Kintail fan *246*
- Kirchhoff time migration
 South Arne *526*

- kitchen maps 754
 Klett, Timothy 589
 Klinkenberg permeability
 Chalk empirical relation 469
 Klubben Formation 565
 KM. *See* Kara Massif (KM)
 KML. *See* Keyhole Markup Language (KML)
 Kollstraumen detachment 569, 571
 Kometan Formation 805
 description 803
 lithological model 807
 seismic analysis 807
 Kong Oscar Fjord 996
 Kongsberg-Bamble Complex 569
 Bouguer gravity profiles 574
 NRM 565
 Kootenay Group 1101
 Kotel'nyi Terrane 597
 KPT. *See* Kimmeridge–Piper Transition unit (KPT)
 Kraka Extension Survey 539
 location map 538
 Kraka Field 543
 Kraka structure 547
 Krechba
 Carboniferous storage reservoir 1168
 Krishna Godavari (K-G) Basin 825, 1052
 Kristiansand 569
 Kristin Field
 bioturbated shale-prone interval 425
 chemostratigraphy 423
 depletion from 12 wells 421
 footwall stratigraphy 428
 growth across faults 419
 HPHT sedimentology 419–428
 location map 420
 major fault overstep 428
 marine transgression 425
 permeability distribution 427
 quartz cement growth 422
 structural model 421
 unexpected pressure decline 419–428
 Kufra Basin 761–769, 761, 764
 burial history 691
 Cambro-Ordovician sandstone 767
 chemostratigraphy 763–766
 material and methods 765
 results 765–766
 study objective 765
 depth-to-basement map 762
 fluid inclusions 766–767, 767
 material and methods 767
 results 767
 study objective 766
 palynology 763
 material and methods 763
 results 763
 study objective 763
 petroleum source rock evaluation 767–768
 material and methods 768
 results 768
 study objective 767–768
 regional hydrocarbon prospectivity
 implications 768–769
 seismic section 681
 spore colouration 768
 material and methods 768
 results 768
 study objectivity 768
 static uncertainty 291
 stratigraphy 281
 structural map 283
 traps 279
 undeveloped discovery 282
 water saturation uncertainty 288
 Lagoa Feia Formation 856
 facies 862
 hydrocarbon source rock 862
 La Marcouline Formation 25
 Lamba Formation 245
 Lapland Granulite Belt 569
 Bouguer gravity profiles 574
 Laptev Rift System (LRS) 605
 structure 607
 Laptev Sea 591, 593, 597, 598, 611
 hydrocarbon 606
 RAS sedimentary basins 605–609,
 606–609
 Laptev Shelf
 oil generation 607
 lasers
 ablation system 6
 airborne scanner 20
 scanning technology 25
 Last Chance Sand 359
 Last Chance Shale 359, 359, 360
 shut-in flowmeter pass 358
 Late Callovian age
 sequence J46 186
 Late Campanian age
 Magne Formation biofacies map 483
 Late Carboniferous age
 Netherlands petroleum exploration 263
 palaeogeography maps 655
 Late Cenozoic age
 Viera Anticline 971
 Late Cimmerian age
 fault geometries 39
 North Sea hydrocarbon systems 39, 44–45
 rift architecture 44–45
 tectonics 39
 Late Cretaceous age 488, 1101
 Cardium Formation 1099
 Chalk 463, 464
 Central North Sea 493
 Inoceramid bivalves 480
 limestone porosity 465–466
 natural gamma ray log 465–466
 Netherlands petroleum exploration
 269–273
 pressures 494
 Danian Chalk Group deposition 538
 Euphrates Graben sedimentology 811–818
 Faroe–Shetland syn-rift play 958
 genetic basin analysis 5
 global genetic analysis 4
 Nubian sandstone 783
 Shiranish Formation sedimentology
 811–818
 Late Cryogenian age
 Dar Cheikh Group 677
 Late Danian age
 Middle Ekofisk Formation
 biofacies map 488
 Upper Ekofisk Formation
 biofacies map 488
 Late Devonian age 725–729, 745
 Antrim Shale 1083
 Spore Colour Index against depth 769
 tectonic events 691
 vitrinite reflectance 768, 768
 well A1-NC198 exploration 761–769
 wells locations 762
 Kupferschiefer
 Permian age 264
 Kurdistan region
 Taq Taq field 801–809
 Kwanza-Benguela Basin 1044
 schematic play cross-section 1048
 Kyle Group 57
 Kyle Limestone 59
 laboratory caprock core 1177
 Labrador Sea conjugate
 exhumed mantle 848
 Laggan Field
 appraisal wells 279
 AVO 283
 gas sand calculation 291
 gas sand thickness uncertainty 295
 net gas sand map 285
 seismofacies 289
 biostratigraphic zones 288
 cataclastic bands 293
 chlorite 279, 284, 289
 compartments and segments
 definition 293
 depositional model 286
 exploration wells 279
 fault juxtaposition analysis 293
 feeder system 282
 gas condensate discoveries 279
 leaking segments 294
 location map 280
 Low Reflectivity Package 279
 mature understanding of undeveloped
 discovery 279–297
 AVO analysis 289
 compartmentalization 289–292
 depositional model 279–282
 3D geological models 294–296
 net pay estimation 289
 petrographic overview 288
 petrophysical interpretation 288
 reservoir correlation 288
 seismic interpretation 288–289
 seismic inversion 289
 static uncertainty study 292–294
 Tormore 296
 net pay v. net gas sand map 296
 Paleocene gas condensate discoveries 279
 petrochemical analysis
 uncertainty 288
 Poisson ratio 289
 pressure data 289, 292
 pressure v. depth plot 292
 reservoir
 correlation 287
 depth structure map 282
 properties 284
 subdivision 282
 thickness 290
 sand isochore map 285
 sands sediment supply 282
 seismic impedance 282
 seismic interpretation 288
 seismic IP and well data 286

- GDE map 746
 incised valleys 712
 Late Jurassic age 795
 Arab play 795
 CRS map 799
 formation 799
 for oil 798, 799
 for oil charge 796
 play cartoon 798
 for reservoir 796
 for seal 797
 barrier island sandstones 145–154
 Freja discovery 148–153
 back-barrier sediments 149–150
 depositional environments 149–150
 shoreface sandstones 150
 stratigraphy 149
 thick stacked 150–153
 basin architecture 50
 Bazhenov Formation 666
 DCG 95–111, 127–142, 129–141
 deepwater depositional systems 46–48
 deposits 203
 extension multiple phases interplay 42
 Fulmar reservoir potential 215
 Fulmar Sandstone 215, 218
 global plate reconstruction 5
 isochore map 128
 isopach 218
 Kimmeridge Clay 215
 Lower Volgian gravity-flow sandstones 137–138
 depositional environment 137–138
 palaeogeography 138
 reservoir characteristics 138
 Lower Volgian shoreface sandstones 138–139
 depositional environment 139
 palaeogeography 139
 reservoir characteristics 139
 Netherlands petroleum exploration 268–269
 Nikanssin Formation 1101
 v. Palaeogene age deepwater reservoirs 50
 platform area 369
 play map 271
 reservoir architecture 145–154
 reservoir sandstones 129–141
 sandstone play area 95–111
 shale gas in Europe 1081
 shale gas in Vienna Basin 1081
 shallow marine sandstones 136–137
 depositional environment 136–137
 reservoir characteristics 137
 shoreface sandstones 129–136
 succession 128
 Upper Kimmeridgian paralic 129–138
 depositional environments 129–133
 palaeogeography 135–136
 reservoir characteristics 133–134
 Upper Middle Volgian 139–141
 depositional environment 139–141
 distribution and stratigraphy 139
 palaeogeography 141
 reservoir characteristics 141
 Late Kimmeridgian age
 DCG 134
 sequence J63 192, 197
 time stratigraphic scheme 152
 well correlation 197
 Late Maastrichtian age
 Tor Formation Subzone
 biofacies map 485, 486
 Late Miocene age
 Algyő Formation 1128
 brackish-water shale 1129
 North Sea Basin palaeogeography 985
 Pannonian Basin 1126, 1127–1128
 shales 1062
 Late Neogene age
 basin development
 implications 90–92
 depocentres 82, 89
 development contour currents 77–92
 exhumation 983–984
 Late Neoproterozoic age
 Peri-Gondwana Margin 675
 Late Ordovician age 686
 Lower Silurian shales 715
 Mamouniyat Formation 685
 Sarah Formation
 striated glacial surface 695
 Late Oxfordian age
 Callovian–Kimmeridgian megasequence (J44–J63) 190–192
 sequence J54a 187–190
 depositional environments 190
 regressive shoreface sandstones 187
 turbidite sandstones 188
 sequence J54b 190
 depositional environments 191
 well correlation 197
 Late Palaeozoic age
 genetic basin analysis 5
 Late Paleocene age 45
 Late Permian age
 North Atlantic region 949
 lateral horizon density variations 64
 Late Ryazanian age
 sequence K10 199–200
 Late Silurian age
 Caledonian unconformity 711
 closure 265
 late syn-rift 961
 Faroe–Shetland syn-rift play 958
 Late Tournaisian age 729
 regression 729
 Late Triassic age
 Dutch Central Graben 265
 Italy hydrocarbon occurrences 118–119
 Late Viséan age 729
 Late Volgian age 202
 layer density values input
 3D inversion model 66
 LCB. *See* lower crustal body (LCB)
 LCS. *See* Lower Captain Sand (LCS)
 lead
 basement source 938
 concentration **942–943**
 Dooish well **942–943**
 isotopic data 948
 North Atlantic region 938
 potassium feldspar
 European Margin 937
 isotopic composition 950
 palaeodrainage 938
 Porcupine Bank 940
 provenance technique 934
 Rockall Basin 938, 941
 provenance analysis 942–944
 source ranges 948
 space plots 930
 crystalline basement from onshore
 Ireland 948
 Dooish sandstones K-feldspar 947
 Lewisian Complex Rocks 948
 Nagssugtoqidian Mobile Belt 948
 offshore crystalline basement blocks
 from Atlantic 948
 Leadon Field
 FPSO 443
 Leggett, Jeremy 11, 15
 against motion peak oil no longer
 concern 12
Leiosphaerida morphology 98
 Leman Sandstone 325, 327
 correlation panel 329
 depth map 326
 Ensign Field 326, 327
 hydraulic fracture-stimulated
 intervals 333
 illite cementation 328
 reservoir 327
 Lena-Anabar Basin 624
 assessment units 627, 629
 densities and median sizes 625
 field densities, field sizes, and exploration
 maturities **623–624**
 Lena Delta
 crustal tectonic 594
 Leningradskoye field drainage area 664
 gas yield 663, 664, 665
 lessons learnt 347
 drilling pilot holes 347
 seismic 347
 Levantine Basin
 exploring older and deeper hydrocarbon
 plays 697–698
 Mesozoic 697–698
 Levorsen, A. I. 14
 Lewisian Complex Rocks
 lead space plots 948
 Lewis Shale
 Cretaceous age 1091
 Lias
 black shale **1095, 1096**
 Libya 729. *See also* specific location
 basins 730
 Gargaff Arch 710–712
 chronostratigraphic chart 720
 geological map 710
 Ghadames basin 710–712
 Illizi basin 715–716
 Kufra Basin 761–769
 Murzuq basin 710–712, 715–716
 outcrops 729
 platform 707–708
 reservoirs 753
 sub-basins and arches 707–708
 tectonic events 691
 Themboka High 715–716
 lidars 20, 23
 Ferron Sandstone 24
 Nukhul syncline dataset 22
 Panther Tongue sandstone 24
 scan data 24

- Life of Field Seismic system
4D data 312
Valhall 311
- Limestone
Devonian Kyle Limestone 59
Mendips 1092–1093
Top Palaeogene Chalk 465–466
Upper Cretaceous Chalk 465–466
- Limits to Growth* 15
- Ling Sandstone Member
Heather Formation 174
- liquefied natural gas (LNG) 1044
globalization 827
- lithofacies prediction
Taq Taq field 806
- Little, Alice 590
- LKO. *See* Lowest Known Oil (LKO)
- LNG. *See* liquefied natural gas (LNG)
- Lochkovian age
palaeogeography maps 655
- Lochranza Field 449
AVO and structure 449
- Lodgepole Formation 1066
- Lofoten–Vesterålen margin 847
geological and structural features 844
individual contributions to basement depth map 889–890
NRM 565
petroleum geoscientists virtual fieldtrips 24
- log facies map
Nelson Field 361
- logging while drilling (LWD) 306, 342
advances 446
geosteering 342, 347
Jasmine accumulation 234
well locations 347
- Lola Formation 130
shoreface sandstones 135
- Lombard Basin
geological sections 117
hydrocarbon occurrences 117
Settala gas field 123
Villafortuna–Trecate oil field 119
- Lomonosov Ridge 590
- Longa Basin 610
- Long Eaton Formation
black shale **1095**
shale 1093
- Lopra Formation 1038
- Louisiana
offshore 460, 461
water saturation data 457
- Lousy Bank Anticline 965–966
seismic profile 968
- Lower Balmoral
net pay thickness 434
overlying Lista roof shake 448
reservoir 439
sandstone 431, 437
biostratigraphic subdivision 440
vertical seismic profile 441
- Lower Bowland
black shale **1095**
- Lower Captain Sand (LCS) 343
- Lower Congo Basin 1044
3D seismic survey 1045
gas discoveries by play 1047
- Lower Cretaceous age. *See* Early Cretaceous age
- lower crustal body (LCB) 843
Edoras–Hatton margin 849
mid-Norwegian margin 843–853, 845, 852
3D models compilation 844
isostatic considerations 844–846
process orientated approach 846–847
regional considerations 847–850
Norwegian model Moho horizons 844
Vøring margin 847
- Lower Devonian age. *See* Early Devonian age
- Lower Ekofisk Field 475–476
porosity and bulk volume water 477
- Lower Ekofisk Formation 486–487
age 486
biofacies 486
biofacies map 487
lithology/petrophysics 486
tectonostratigraphy 486–487
- Lower Fernie Formation
interbedded sandstones 1116
- Lower Limestone Shale
Mendips 1092–1093
- Lower Magne Formation 482–483
age 482
biofacies 482
correlation 483
lithology/petrophysics 482
tectonostratigraphy 482–483
- Lower Miocene age. *See* Early Miocene age
- Lower Palaeozoic age. *See* Early Palaeozoic age
- Lower Piper sections 393
- Lower Rotliegend 59, 62
subcrop traps 74
units 61
- Lower Rudeis Formation 777
- Lower Scott Sands 393
J35 post-drill correlation 394
- Lower Silurian shales
Upper Ordovician surface 715
- Lower Tor Formation 484
age 484
biofacies 484
lithology/petrophysics 484
tectonostratigraphy 484
- Lower Volgian gravity-flow sandstones 137–138
- Lowest Known Oil (LKO)
Ross and minor Burns reservoir 345
- low velocity zone (LVZ)
sub-basalt 833
- LRS. *See* Laptev Rift System (LRS)
- Ludlov Recess 653
- Lutetian compressional event 975
- LVZ. *See* low velocity zone (LVZ)
- LWD. *See* logging while drilling (LWD)
- Maastrichtian age
Early 477, 484
Late 485, 486
Tor Formation 539, 541, 547
- Macaronichnus* 139
- Mackenzie River Delta 827, 1151
gas hydrates occurrence 1153
- Macuspana Basin 456, 458
- Mad Dog Field
pre-stack depth-migrated data 1015
subsalt 1015
WATS survey 1016
- Madison Formation 1065, 1066
- magmatic underplating 843
- Magne Field
porosity and bulk volume water 477
tectonic and eustatic events 489
- Magne Formation 473, 477, 478. *See also* Lower Magne Formation
- Late Campanian age 483
porosity v. permeability plots 479
sequences 481
- magnetic basement
Norwegian margin 888
- Magnus basin
location map 922
- Magnus Fields 43
bypassed oil 356
water overrun 356
- Maider Basin 731, 732
- major deltaic depocentres 823
- Makó Trough 1083
pre-Neogene rocks 1082
shale gas in Europe 1081–1083
- Malaysia 459, 460
- Mali
Neoproterozoic geology 677
- Mallik, Canada
gas hydrates occurrence 1153
- Mallik Gas Hydrate Production Research Well Program 1151, 1153
- Malta 741
- Mamouniyat Formation
Late Ordovician glaciogenic 685
- Marcellus Shale 1133
- Marco Polo minibasin
Green Canyon area 909
Gulf of Mexico 909
- margins. *See also* specific name
3D isostatic behaviour 824
evolution 2D 824
- Margins Programme 913
- Marinated fold belt 679
- marine shales
Tofte Formation 426
- Masjid-i-Sulaiman wells 791
- Massif Ancient
Pre-Cambrian rocks 925
- maturity 1079–1081, 1083, 1087–1091
- Mauritania
Neoproterozoic geology 677
Taoudenni Basin 676
- Maximum flooding surfaces (MFS) 180
J44 transgression 173–174
palaeogeographic reconstruction 173–174
T75 358
bridge plug 357
vertical flow barrier 359
transgression 173
- maximum regressive surfaces (MRS) 180
- McMurray Formation 1144
Lower Cretaceous age
Alberta 1062
- MDT. *See* modular dynamics tester (MDT)
data points
- measurement while drilling (MWD) sensors 446

- Median Volcanic Ridge
continental crust 848
- Mediterranean Basin
tectonic elements 698
- Mediterranean passive margin rifting
739–741
- Megion Formation 661
- Meharez High 733
- Mendips
Lower Limestone Shale 1092–1093
- mercury capillary pressure 464
- Merganser leakage zone
Central North Sea basin 88
- Meride Limestone 118
foreland 124
hydrocarbon occurrences 124
- Mesozoic age 119
Atlantic margin basins 938–940
basins regional 3D data 41
carbonate cores 121
depocentres Geoprobe image 742
evolving drainage patterns 937
exploring older and deeper hydrocarbon
plays 697–698
extension 118
Faroe–Shetland Basin 954
foreland 119
Greenland basins 980
hydrocarbon plays 697–698
intraplate inversional swells 602
Ireland sandstones 951
Levantine Basin 697–698
Møre basin magmatic underplating 853
petroleum systems 698
plays 697–698
rifting events 265
Rockall Basin palaeodrainage
938–940
Rockall Basin stratigraphy 938
Rockall Trough strata 1031
sediment dispersal into NE Atlantic margin
basins 938–940
Sirte Basin 697–698
structural elements 265
structural play 954
Val d'Agri oil field 121
Villafortuna–Trecate oil field 119
Vøring basin magmatic underplating 853
Western Desert 697–698
West Siberian basin
chronostratigraphy 662
- methane
Angola 1053
carbon and hydrogen isotope
ranges 1094
enhanced coal bed 1190
generation microbial ecosystem succession
1053
northern West Siberia 665
solubility 1054
- metric tons of carbon dioxide 1189
- MFS. *See* Maximum flooding surfaces (MFS)
- Michigan Basin 1083
- microscale sealed vessel (MSSV) pyrolysis
1067
Bakken Formation 1072
- Mid-Clysmic Unconformity 777
- Middle Akakus Shale
Silurian age GDE map 748
- Middle Cimmerian age
reservoir distribution controls 38–39
- Middle Cretaceous age
early syn-rift stage mature 962
Faroe–Shetland syn-rift play 957–958
relay ramps 962
stratigraphic interpretation 1121
- Middle East
case study of exploration potential
791–799
composite play fairway map 799
description 792
exploration potential 791–799
Arabian plate Jurassic 794–799
exploration process 794
future potential 799
history 791
plays 792–793
exploring hydrocarbon plays 691–697
challenges 695–697
stratigraphy 692–695
exploring older and deeper hydrocarbon
plays 674–676, 682–684, 697
hydrocarbons development 695
Khuff Formation 692
major play systems 793
Palaeozoic basins 674
Palaeozoic geology 694
regional geology 693
Silurian Tannezuft Formation 687
striated glacial surface 695
tectonostratigraphic chart 793
Unayzah complex 692
- Middle Ekofisk Formation 476, 487
age 487
biofacies 487
biostratigraphic data 476
Late Danian age
biofacies map 488
lithology/petrophysics 487
- Middle Eldfisk Field
porosity and bulk volume water 477
- Middle Joanne shalier interval 242
- Middle Jurassic age
conceptual play model 962
North Atlantic region 949
palaeogeography 420
pre-rift sandstone 962
Tyumen Formation 666
- Middle Miocene age
North Sea Basin palaeogeography 985
Pannonian Basin 1126, 1127–1128
Pannonian Basin tight gas plays
1128–1129
shales 1062
source rocks geochemical log 1128
- Middle Norwegian margin
LCB 843–853
3D models compilation 844
isostatic considerations 844–846
process orientated approach 846–847
regional considerations 847–850
- Middle Oxfordian age
sequence J52 186–187, 189
- Middle Tor Formation 484
- Middle Tournaisian age 729
- Middle Volgian age
sequence J66b 199
sequence J71–J72 199
- mid-early Danian age
Lower Ekofisk Formation biofacies
map 487
- Mid-Late Cretaceous age
Faroe–Shetland syn-rift play 958
- Mid Miocene Unconformity (MMU) 78
acoustic pull-ups 84
3D horizon maps 79
TWT structure map 79
- Mid North Sea High
structural and stratigraphic relationships 19
- mid-Norwegian body
formed 843
- mid-Norwegian margin
Caledonian basement 895
Early Cretaceous rifting 849
geological and structural features 844
individual contributions to basement depth
map 889–890
isostatic flexural base 845
isostatic flexural Moho 848
LCB 845
LCB properties 852
magmatic underplate 846
Moho configuration 849
profiles 851
Rockall Trough 849
- Mikulov Marls 1081, 1082
- Minas Basin 929
location 931
sedimentary logs through Triassic
succession 932
Triassic outcrops 931
- minibasins
formation 911
salt tectonics emerging concepts
905–909
Sigsbee Escarpment 908
triggers 905–909
- Minnes Group 1101
- Miocene age. *See also* Late Miocene age
Early 635
Pannonian Basin 1126
Middle
North Sea Basin palaeogeography 985
Pannonian Basin 1126, 1127–1128
Pannonian Basin tight gas plays
1128–1129
shales 1062
source rocks geochemical log 1128
North Sea Basin palaeogeography 985
palaeogeothermal gradients 640
Pannonian Basin 1127–1128
Pannonian Basin tight gas plays
1128–1129
shales 1062
source rocks geochemical log 1128
- Mirren salt dome
seismic cross-section of channel features 84
- Mississippian age
facies map 267
Netherlands petroleum exploration 266
reef leads 266
sedimentological model 266
shale 1090
UK 1090
- Mississippian Barnett Shale
Fort Worth Basin 1087
- Mjølnar Field 145

- MMU. *See* Mid Miocene Unconformity (MMU)
- Moab fault, Utah
petroleum geoscientists virtual fieldtrips 25
- modular dynamics tester (MDT) data points
Judy Sandstone 228
- Mohs ridges
spreading rates 579
- Moho boundary
Norwegian model 844
- Moho configuration
mid-Norwegian margin 849
- Moho difference
Vøring margin 850
- monitoring, verification and accounting (MVA) 1190
- monitoring wells 1161
- Monk's Park Shale 1090
- Moray Firth 43, 44, 48, 53
- Mordor Anticline 967
Cenozoic sediments 967
seismic profile 970, 971
- Møre Basin
continental crystalline crust 846
Cretaceous age 420
hydrocarbon provinces 1025
magmatic underplating 853
rifted basins 1029
seismic section 1029
sub-basalt hydrocarbon prospectivity 1025–1031
sub-basalt imaging 1025
- Møre coastal area 852
- Møre margin
basement thickness 892
geological and structural features 844
individual contributions to basement depth map 890–891
lateral volcanic distribution 846
Moho map 892
negative Moho difference 846
profile 846
satellite image 916
- Møre–Trøndelag Fault Zone 917
Palaeozoic-age 916
- Morgan Accommodation Zone 775
- Morocco 733. *See also* specific location
Atlas Basin 928
Central High Atlas Basin, Morocco 929
High Atlas 926
Maider Basin 731, 732
palaeogeographic map at Triassic time 927
Permo-Triassic outcrops 934
present-day structure summary map 927
rifting and continental breakup 921
structural style and evolution evidence from outcrop 925–927
Tafilalt Basin 731
tectonic and climactic influence on depositional architecture 934
- Morrissey Formation 1101
- mounted laser scanner system 21
- Mount Elbert Prospect 1151
Alaska 1151
gas hydrate stratigraphic test well 1152
- Mouthbar Facies Association 163, 164
cross-bedding 166
Hugin Formation sedimentology 166
- interpretation 166
sequence stratigraphy 166
wireline-log character 166
wireline-log cross-plot 165
- MRS. *See* maximum regressive surfaces (MRS)
- MSSV. *See* microscale sealed vessel (MSSV)
pyrolysis
- Muckle Basin
structural evolution and sediment dispersal 960
structural reconstruction 956
- mud and silt turbidites 282
- mudrock 1131–1136, 1139
Barnett Shale 1134, 1137
Cromer Knoll 505
- mudstones
Alportian–Pendleian 1091
bay-fill 161
climatic reinterpretation 236
Jonathan Mudstone Member 226, 241
Pokur Formation 663
- Muenster Arch 1088
- multiscale model context
petroleum geoscientists virtual fieldtrips 22–23
- Mungo Central North Sea
CDR frequency spectrum 519
seismic time difference volumes 518
- Mungo diapir
seismic time section 518
- Mungo four dimensional Noise Case Study 517
- Mungo monitor surveys 521
- Murzuq Basin 710–712, 715–716
burial history 691
interpretation 711–712, 715–716
Silurian hot shale source rock 689
stratigraphic architecture 710–711, 715
tectonic events 691
- Muskwa Shale 1079
- MVA. *See* monitoring, verification and accounting (MVA)
- MWD. *See* measurement while drilling (MWD) sensors
- Nafun Group 674
- Nagssugtoqidian Mobile Belt
lead space plots 948
- Namibe Basin 1044
- Namurian age
marine shales TOC 1091
onshore UK 69
vitrinite reflectance percentage values 1093
- Nana-1XP well 543, 544
quality-control plot 544
- Nankai Trough
BSR 1153
gas hydrates occurrence 1153
- Naokelekan Formation 802, 808
- narrow-azimuth towed steamer (NATS) 1014
acquisition configuration 1016
associated generic costs 1022
data 1018, 1020
data quality v. tile number 1022
earth model 1018
v. WATS tile number comparison 1021
- Narve Field
porosity and bulk volume water 477
tectonic and eustatic events 489
- Narve Formation 473, 478, 481
age 481
biofacies 481
lithology/petrophysics 481
regional correlation 481
tectonostratigraphy 481
- National Oil Companies petroleum industry future
GeoControversies debates 12–14
- National Science Foundation (NSF)
source-to-sink studies 913
- NATS. *See* narrow-azimuth towed steamer (NATS)
- natural fractures 1062
effect on hydraulic fracture treatment efficiency 1138–1139
gas shales 1131–1139
open 1138
open microfractures 1139
origins 1132–1133
reactivation 1134, 1138–1139
relevance 1131–1132
size distributions 1138
subcritical crack growth 1135–1138
types 1133–1137
bedding-parallel fractures 1134
deformed fractures 1133–1134
sub-vertical sealed planar fractures 1133–1134
US shales 1131–1139
- natural gas. *See also* gas hydrates
liquefied 1044
globalization 827
production and shale gas reservoirs 1079
- natural remanent magnetization (NRM)
Norway 565
- Navajo Formation Sandstone
Jurassic age 1193
- Nelson Field 53
bypassed oil configuration 365
bypassed oil volumes 361
drainage cells 361
hydraulic units 359
lateral compartmentalization 357
locating remaining oil in 349–367
analogue information 351–352
channelized turbidite reservoirs production patterns 351–352
channel margins bypassed oil 351–352
mud drapes 351
sand complexes amalgamation 351
shale blankets 351
background information 350–351
central channel complex 351
eastern channel complex 351
western channel complex 351
data integration 352–358, 354
data integration vertical flow 354–358
oil–water contact movement 354–355
post-production formation tester logs 355
shut-in crossflow 355
water geochemistry 357–358
water shutoff performance 355

- flow detection controls methods
 - 359–361
 - areal flow barriers and baffles 361
 - 4D seismic data 360–361
 - water and oil geochemistry 360
 - water cut maps used in conjunction with log facies maps 359–360
- locating remaining oil workflow 350
- predictive models to plan infill wells 349–350
- screening tools 361–362
- target oil volumes 364–366
 - oil bypassed in channel margins 365–366
 - significant attic oil volumes 364–365
- slow oil 365
- uneconomic oil volumes 362–364
 - channel margin architecture 364
 - heterogeneous reservoir intervals 363
 - local sand pinchouts 364
 - minor attic oil volumes 363
 - thin beds 362–363
 - thin beds partially disconnected by faulting 363–364
 - vertical flow barriers 359
- location 350
- log facies map 361
- open hole gamma-ray logs 357
- principal reservoir intervals 353
- resistivity logs 357
- top structure map 352
- turbidite reservoirs 356
- well 22/11-7 351
- Neocomian–Barremian Bucomazi Formation 1046
- Neogene age. *See also* Late Neogene age basin 77, 78
 - unconformity 91
- depositional units 92
- Early
 - exhumation 983–984
- exhumation 983–984
- hydrocarbon system events chart 1127
- Makó Trough rocks 1082
- Norwegian wells **989**
- petroleum system 1126–1128
- Scandinavia uplift 1000
- shale gas in Europe 1081–1083
- succession seismic-stratigraphy 78–83
- Neoproterozoic petroleum system 679, 682
 - Algeria 677
 - conceptual 1056
 - exploring older and deeper hydrocarbon plays 676–681
 - Mali 677
 - Mauritania 677
 - Taoudenni Basin 676–681, 677, 679
 - hydrocarbon plays 677–679
 - stratigraphy and tectonic evolution 676–677
 - thermal evolution and hydrocarbon generation 679–681
- Neoproterozoic plays 673–702
 - basin remnant 681
 - cross-section schematic 1057
 - exploring older and deeper hydrocarbon plays 681–682
 - Middle East hydrocarbon plays 674
 - North Africa 681–682, 682
 - depositional model 1102–1103
 - rock properties 1103–1104
 - cross-section 1106
 - data cross-plots 1108
 - interbedded sandstones 1116
 - Lower Cretaceous age 1099
 - outcrop photograph 1103
 - shales 1110
- Nile Delta
 - burial history 701
 - Cenozoic plays
 - deep Oligocene play 698–700
 - depositional system 701
 - geological section 699
 - lithology 699
 - Oligocene sequence 700
 - petroleum systems 699
 - sedimentary characteristics 700
 - sedimentary stacking patterns 699
 - stratigraphy 700
 - tectonic events 699, 701
- Niobrara Formation
 - fracture porosity 1139
- non-bioturbated claystones
 - Farsund Formation 139
- non-reservoir chalk facies
 - coccolith fragments 495
- Nordfjord
 - satellite image 916
- Nordfjord–Sogn detachment 569–571
- Nordkapp Basin Aeromagnetic Survey 564
- Nordland
 - petrophysical samples locations 568
 - susceptibility log 577
- normalized root mean square (NRMS) 517, 525
- North Africa
 - Cambrian succession 684
 - Cambro-Ordovician stratigraphy 682–686, 684
 - Carboniferous outcrop sections 726, 727
 - Carboniferous plays 731
 - Carboniferous stratigraphic traps 725–733
 - Cenozoic volcanic centres 673
 - Devonian stratigraphy 686–688
 - Early Carboniferous cycle 730
 - exploring older and deeper hydrocarbon plays 676, 682–691
 - gas occurrences 762
 - Ghadames–Illizi Basin, North Africa
 - integrated petroleum systems 735–759
 - and global transgressive–regressive cycles 730–731
 - Hercynian unconformity 683
 - hydrocarbon generation 688–691
 - hydrocarbon prospectivity 682–688
 - Late Ordovician glaciogenic 685
 - Neoproterozoic and Neoproterozoic–Early Cambrian plays 682
 - oil occurrences 762
 - palaeohigh influence on plays 707–723
 - Palaeozoic basins 674, 688, 722
 - Palaeozoic hydrocarbon source rocks 691
 - Palaeozoic platform geological setting 707–708
 - Palaeozoic times 719
- stromatolitic carbonate reservoir 679
- succession 679
- timescale 675
- West Africa 681–682
- Neotethys 742–743
- Nesna detachment 569
- Nesna Shear Zone 893
- Netherlands 261–274
 - exploration drilling 261
 - index map 262
 - petroleum exploration with stratigraphic plays 261–274
 - based on basin evolution and depositional model 265–266
 - basin evolution structural framework 264–265
 - biogenic gas 264
 - Cenozoic 273
 - Devonian and Mississippian 266
 - Early Jurassic 268
 - Early Jurassic Posidonia shale 263–264
 - Geverik shale 264
 - Late Carboniferous gas 263
 - Late Cretaceous Chalk 269–273
 - Late Jurassic and Early Cretaceous 268–269
 - Pennsylvanian 266
 - plays 263–264
 - biogenic gas 264
 - Early Jurassic Posidonia shale 263–264
 - Geverik shale 264
 - Late Carboniferous gas 263
 - Rotliegend 266–267
 - structural v. stratigraphic traps 261–262
 - Triassic 267–268
 - Zechstein 267
- stratigraphical log 262
- stratigraphic traps 266, 273, 274
- unconformities 262
- net to gross (NTG) character
 - Skagerrak Formation 410
 - well production performance 410
- New Albany Shale 1134
 - calcite-sealed fractures 1138
 - cores and outcrops 1135
 - tall calcite-sealed fractures 1133
- Newark East shale gas field 1087
- Newfoundland margin
 - drilling results 867
- New Mexico
 - ECBM sequestration test 1191–1192
- New Siberian Islands
 - crustal tectonic 594
- New Siberian–Wrangel Foreland Basin 609–610, 612
- New York
 - Catskill Mountains 505
- Nezzazat Group 773, 774
- NGHP Expedition 01, India 1153
- NGU. *See* Geological Survey of Norway (NGU)
- Niendorf II
 - diapiric salt 903
 - diapirs 902
- Nikanassin Formation 1099–1100, 1102–1105, 1112–1113, 1122
 - ambient porosity v. permeability 1108
 - basin-centred gas 1101–1104

- North Africa (*Continued*)
- plays
 - Palaeohigh influence 721–722
 - structural style Pan-African heritage 718
 - uplifts timing 718–721
 - Precambrian and Palaeozoic plays 692
 - Silurian stratigraphy 686–688
 - Silurian Tannezuft Formation 687
 - stratigraphic architecture 718
 - stratigraphic trapping types 731
 - tectonic evolution 682–688
 - thermal evolution 688–691
 - uprising palaeohigh 719
- North Africa Carboniferous sequence
- framework 728
 - stratigraphic traps North Africa 725–731
 - Early to Middle Tournaisian transgression 729
 - global transgressive–regressive cycles 730–731
 - Late Devonian (Strunian) regression 725–729
 - Latest Viséan to Serpukhovian transgression 729
 - Late Tournaisian regression 729
 - Late Tournaisian to earliest Viséan transgression 729
 - Strunian regression 725–729
 - Viséan transgressive–regressive cycles 729
- North America 1065. *See also* specific areas
- shale gas 1062
 - shales and tight reservoirs 1061
- North Atlantic 550
- AFTA and VR data 641
 - areas displaying Cenozoic exhumation 642
 - conceptual breakup models 863
 - continental breakup 831, 986
 - Faroe Islands 1033
 - flood basalt province 838
 - gravity compilations 578–580
 - hot mantle 839
 - Late Permian–Early Triassic and Middle Jurassic 949
 - lead basement source 938
 - Norway aeromagnetic compilations 578–580
 - oceanic spreading 578–580
 - palaeogeographic reconstructions 949
 - Paleocene–Eocene transition 986
 - pre-Quaternary geology 980
 - rifted continental margins 832
 - schematic Triassic palaeogeographic reconstruction 929
 - seafloor spreading 834
 - seismic profile 832
- North Atlantic margins
- basalt flows 833
 - P-wave velocities 839
 - seismic profile 832
 - vertical seismic profiles 832
- North Atlantic passive margins
- erosion surfaces 981
 - geological map 886
 - hydrocarbons preservation 986
 - Permo-Triassic 921–934
 - post-rift uplift 979
 - rifting 893
 - seismic sections 983
 - uplift and erosion 981
 - uplift and exhumation 979–1001
- North Chukchi Basin 613
- internal structure 613
- Northeast Atlantic
- base basalts 1028
 - basins 1028
 - bathymetry and topography map 561
 - Bouguer gravity 566
 - CHAMP satellite magnetic anomaly 564
 - gravity surveys compilation 566
 - magnetic compilation 564
 - magnetic surveys compilation 563
 - pre-drift reconstruction 1031
 - seismic section 1028
 - sub-basalt hydrocarbon prospectivity 1025–1031
 - Faroe–Shetland and Møre basins 1025–1028
 - Rockall 1028–1029
 - seismic data acquisition and processing 1025
- Northeast Atlantic Margin
- basin inversion 971
 - bathymetric map 964
 - Cenozoic unconformities 974
 - geological and structural features 844
 - imaged sub-basalt strata 1029
- Northeast England
- Carboniferous TOC 1092
 - case study 1162
 - underground coal gasification with CCS 1162
- Northeast North Sea
- individual contributions to basement depth map 891–892
- Northern Judd Basin
- CSEM survey 258
 - depositional concept 251
 - model far-stack 256
 - OMV05-2 255
 - OMV05-2 far-stack 256
 - optimized thickness model 257
 - rock physics 253
 - rock physics evaluation 258
 - seismic amplitude anomaly 251, 253
 - T38 sequence prospectivity 245–258
 - CSEM survey 254–258
 - hydrocarbon sourcing 251–253
 - within Lamba formation 249–258
 - CSEM survey 254–258
 - hydrocarbon sourcing 251–253
 - reservoir 249–251
 - rock physics analysis 253–254
 - seal 253
 - trap 251
 - main prospectivity 247–249
 - stratigraphy 245–246
 - structure 246–247
- northern Norway
- Precambrian units 889
- Northern Panel 369
- Northern Priverkhoyansk Foredeep
- assessment unit 624, 627–629
 - densities and median sizes 625
 - distributions and assessment unit probabilities 629
 - field densities, field sizes, and exploration maturities 623–624
- Northern Terrace 231
- seismic reprocessing results 239
- Northern Yamal Peninsula 661
- North German Basin 1080
- North Ireland
- hydrocarbon wells 1089
- North Kara Province
- petroleum geology 605
 - RAS sedimentary basins 605
 - shelves 593
- North Kara Sea
- HC systems 605
- North Red Sea 786
- basin hydrocarbon prospectivity
 - Egypt 783–788
- North Rockall Trough 973
- north Russia
- topography 646
- North Sea 11, 16, 27, 28, 135, 138, 148, 150, 463, 1183. *See also* Central North Sea (CNS)
- adjacent petroliferous basins 32
 - CDR frequency spectrum 519
 - Chalk 538
 - debate 16
 - deepwater reservoirs 50
 - erosion removal 988
 - exploration 14, 17, 31, 37
 - four dimensional acquisition and processing case study 517–522
 - Gannet Area
 - Eocene Tay formation fan system 46
 - GeoControversies debates 14–15
 - geological evolution and exploration history 37
 - individual contributions to basement depth map 891–892
 - Jurassic rift complex 127
 - largest fields 32
 - location map 538
 - Mungo 518, 519
 - oil field 443
 - polyphase rifting 43
 - porosity–permeability relationship 141
 - pressure distribution 52
 - rift basin architecture 37–38
 - Scott Field 387
 - seismic technique datasets 33
 - seismic time difference volumes 518
 - sub-Zechstein seismo-stratigraphic relationship 61
 - tectonic model evolution 40
 - 3D seismic mapping 52
 - time isochore map 539
 - 2D seismic mapping 52
 - UK seismic and drilling technology 337–347
 - unconformities 185
 - Utsira Formation 1184
 - Volgian sandstone intervals 139
 - well data 41
- North Sea Basin
- case A tectonic control
 - Cenozoic stratigraphy and palaeogeography 982–986
 - Early and Late Neogene exhumation 983–984
 - episodic uplift and exhumation 982–986

- Southern Scandinavia post-breakup
uplift phases 986
- Chalk deposition 479
- Late Miocene palaeogeography 985
- maximum burial 982
- Middle Miocene palaeogeography 985
- mid-Oligocene palaeogeography 984
- palaeogeography 984
- Pliocene palaeogeography 985
- Scandinavia 1001
- North Sea Central Graben 463
- wells location 494
- North Sea Dome
- North Sea hydrocarbon systems
37–4537–38
- North Sea Eldfisk Field
- holostratigraphic approach to Chalk
473–491
- biofacies methodology 479–481
- Ekofisk Formation 478
- geophysical data 477–481, 479–481
- Magne Formation 478
- methodology and integration of results
474–478
- results 481–488
- stratigraphic background 473
- study objectives 474
- Lower Ekofisk Formation 475–476,
486–487
- age 486
- biofacies 486
- lithology/petrophysics 486
- tectonostratigraphy 486–487
- Lower Magne Formation 482–483
- age 482
- biofacies 482
- correlation 483
- lithology/petrophysics 482
- tectonostratigraphy 482–483
- Lower Tor Formation 484
- age 484
- biofacies 484
- lithology/petrophysics 484
- tectonostratigraphy 484
- Magne Formation 477
- Middle Ekofisk Formation 476, 487
- age 487
- biofacies 487
- lithology/petrophysics 487
- Middle Tor Formation
- age 484
- biofacies 484
- lithology/petrophysics 484
- tectonostratigraphy 484
- Narve Formation 478, 481
- age 481
- biofacies 481
- lithology/petrophysics 481
- regional correlation 481
- tectonostratigraphy 481
- Thud Formation 478, 481–482
- age 481
- biofacies 482
- correlation 482
- lithology/petrophysics 481–482
- tectonostratigraphy 482
- Tor Formation 476–477, 478
- Upper Ekofisk Formation 475, 487–488
- age 487
- biofacies 488
- lithology/petrophysics 487
- Upper Magne Formation 483–484
- age 483
- biofacies 483
- correlation 483
- formation 483
- lithology/petrophysics 483
- tectonostratigraphy 483
- Upper Tor Formation 484–486
- age 484
- biofacies 484–485
- lithology/petrophysics 484
- tectonostratigraphy 486
- North Sea Exploration Manager of Amerada
Hess 14
- North Sea Group 273
- North Sea High
- structural and stratigraphic relationships 70
- North Sea hydrocarbon systems 37–53
- deepwater reservoirs Palaeogene v. Late
Jurassic 45–50
- basin architecture 50
- basin setting/sea-level response 49–50
- Cenozoic examples 45–46
- Central Trough Upper Jurassic
comparison 49
- play considerations 45–46
- provenance/hinterland 49
- reservoir fairway development
48–49
- salt withdrawal role 50
- sandstone injectites 46
- sandstone provenance 48–49
- Upper Jurassic deepwater depositional
systems 46–48
- historical milestones 37–45
- petroleum geology retrospective view
51–53
- regional setting 37
- tectonics 37–45
- basin forming mechanisms 39–41
- Cimmerian events 37–38
- crustal scale deformation 39–41
- fault geometries 39
- Late Cimmerian 39
- Late Cimmerian rift architecture 44–45
- Mid Cimmerian reservoir distribution
controls 38–39
- North Sea Dome 37–38
- polyphase rifting 41–43
- shear 39–41
- stratal geometries fundamental change
44–45
- structural processes 41
- trap scale salt-related geometries 43–44
- Triassic reservoir distribution controls
38–39
- North Sea Rift
- 3D seismic data blanket 39
- generalized stratigraphy 39
- structural elements 38
- Triassic stratigraphy 40
- North Siberian Arch
- crustal tectonic 594
- North Slope of Alaska
- location map 637
- wells 640
- Northumberland Trough 59
- Northwest Danish Central Graben
95–111
- Northwest European Atlantic margin
structural and terrane map 923
- North West Europe and Global Perspectives*
31
- Northwest Siberia 667
- basin sensitivity parameters 661 **664**
- isotopic composition of methane 665
- North Ymir Ridge Anticline
- bathymetric gorge 973
- seismic profile 971
- Norway 559–583, 563. *See also*
mid-Norwegian margin
- aeromagnetic compilations 559–583
- analytic signal shaded relief map 576
- bathymetry and topography map 561
- body formed 843
- case B early Neogene exhumation 987–990
- episodic uplift and exhumation 987–990
- basic concepts 987
- burial anomalies 987
- timing and magnitude 987–988
- continental shelf sedimentary rocks **572**
- Danish Basin potential field anomalies 891
- Eldfisk Field holostratigraphic approach to
Chalk 479–488
- Hugin Formation 157–175
- maximum burial 982
- middle margin 843–853
- North Atlantic passive margin
rifting 893
- North Sea 479–488, 1183
- NRM 565
- onlapping marine shales 419
- petroleum geoscientists virtual fieldtrips 24
- petrophysical data 581
- petrophysical samples locations 568
- Precambrian units 889
- pre-glacial terrain 918
- profile data 560–561
- regional structures 573
- reservoired hydrocarbons 989
- rifting commenced 925
- uplifting and erosion 998
- Norwegian Barents Shelf 599
- Norwegian Central Graben Chalk fields 481
- Norwegian continental margin
geological features 917
- onshore geomorphology 916
- pre-glacial terrain 918
- Norwegian Continental Shelf 885–895
- basement thickness 885–895
- basement thickness maps 892–893
- Bouguer anomaly 887
- database presentation 887–888
- gravity anomaly map 888
- magnetic anomaly map 887–888
- regional seismic data 888
- data integration 888
- geological setting 885–887
- individual contributions to basement depth
map 889–892
- Barents Sea 889
- Kattegat 891–892
- Lofoten margin 889–890
- Mid-Norwegian margin 889–891
- Møre margin 890–891
- Northeastern North Sea 891–892

- Norwegian Continental Shelf (*Continued*)
- Norwegian–Danish Basin 891–892
 - Skagerrak 891–892
 - Viking Graben 891
 - Vøring margin 890
 - Moho depth 892–893
 - new compilation 885–895
 - passive margin system 885–895
 - petroleum industry 885
 - potential field data 888
 - segmentation of passive margin system 885–895
 - seismic profiles 887
 - top basement 885–895
 - compilation* **890**
 - map* 889
 - total magnetic field anomaly 887
- Norwegian–Danish Basin 569, 576
- individual contributions to basement depth
 - map* 891–892
 - potential field 892
 - Precambrian basement 895
- Norwegian–Greenland Sea
- aeromagnetic surveys 579
 - embayment 654
- Norwegian Margin 847
- basin inversion 971
 - Caledonian basement 895
 - distribution of lower crustal bodies 843–853
 - flexural isostasy 843
 - formation 887
 - individual contributions to basement depth
 - map* 889–890
 - magmatic underplating 852
 - magnetic basement 888
 - physiographically 887
 - plate reconstruction 582
 - properties of lower crustal bodies 843–853
- Norwegian model
- LCB and Moho horizons 844
 - Moho boundary 844
 - potential field models 844
 - volcanic distribution 844
- Norwegian Sea Overflow
- compression 973
- Norwegian shelf
- HP/HT field 420
- Norwegian wells
- AFTA and FR data 989
 - burial anomaly **989**
 - Neogene phase **989**
 - palaeogeothermal gradient values 990
 - sonic logs 988
 - thermochronological constraints 989
 - 3/7-6 well 138
 - 2/12-1 well 130
- Not formation 423–424
- Notikewin Member
- basin-centred gas in Western Canada 1108
- Noto Formation 118
- foreland 124
 - hydrocarbon occurrences 124
- Nova Scotia, Canada
- Fundy Basin 928, 929–931
 - Minas Basin 929, 931
 - Permo-Triassic 934
 - Permo-Triassic outcrops 934
- Novaya Zemlya 660
- archipelago 649
 - archipelago dimensions 650
 - arcuate fold-and-thrust belts 648
 - Axial Structural Domain 651
 - Central Structural Domain 651
 - classification schemes 647–649
 - curvature 647–649
 - Eastern Structural Domain 651
 - fold-and-thrust belt 645–656, 653
 - foreland deformation 603
 - offset 645–656
 - palaeogeography maps 655
 - Precambrian–Cambrian
 - exposures 652
 - structural trend lines 652
 - structure 652, 653
 - curvature 654–656
 - curvature cause 651–654
 - domain 651
 - interpretation 651–654
 - offset cause 654
 - patterns 649–651, 649
 - trend lines 649, 650
 - thrust-sheet transport 654
 - topography 646, 652
 - Western Structural Domain 651
- Novaya Zemlya Fold Belt (NZFB) 594, 598, 603
- NRM. *See* natural remanent magnetization (NRM)
- NRMS. *See* normalized root mean square (NRMS)
- NSF. *See* National Science Foundation (NSF)
- NTG. *See* net to gross (NTG) character
- Nubia Sandstone 773, 774, 786
- structural traps 788
- Nukhul Formation 772
- basal conglomerates 772
 - lidar-derived DEM 22
 - location map 22
 - marine to brackish depositional conditions 777
 - petroleum geoscientists virtual fieldtrips 24
 - Quickbird Satellite image 22
 - syncline dataset 22, 24
 - syn-rift sedimentation 772
 - syn-rift stratigraphy 777
 - VRGS software 22
- Nuussuaq Basin
- Gro-3 well 640
- NZFB. *See* Novaya Zemlya Fold Belt (NZFB)
- OBC. *See* Ocean Bottom Cable (OBC)
- oblique progradational facies 1035
- OBM. *See* oil-based mud (OBM)
- O'Brien, Mike 14
- OBS. *See* ocean bottom seismometers (OBS)
- Ocean Bottom Cable (OBC)
- acquisition programme 477
 - data 390
 - survey 337
- ocean bottom seismometers (OBS)
- 831, 833
 - Atlantis Field 1016
 - component 834
 - nodes 1016
- oceanic deepwater basins
- free-air gravity field 595
- oceanic sound speed variations 549
- October Concession Rudeis Formation 778
- October Revolution Island 594, 596
- offshore aeromagnetic surveys **562**
- offshore crystalline basement blocks from Atlantic
- lead space plots 948
- offshore deposition
- indicator and predictor 919
- Offshore Equatorial Guinea 827
- offshore open-marine facies association
- Hugin Formation sedimentology 167–168
 - description 167
 - interpretation 167
 - sequence stratigraphy 167
 - wireline-log character 168
- offshore three dimensional seismic data
- interpretation 1033–1040
- analogues 1038–1039
- base volcanic effect and subvolcanic unit 1038
- data and methods 1034–1035
- facies units description 1035–1038
- facies unit 1 1037
 - facies unit 2 1037
 - facies unit 3 1037
 - facies unit 4 1037
 - facies unit 5 1037
 - facies unit 6 1037–1038
- geological development 1039–1040
- geological model 1039
- intrusions 1038
- study background 1034
- offshore West Greenland
- seismic profile 996
- oil
- Angola exploration 1043
 - Angola production 1043
 - Bakken Formation 1067, 1073, 1074
 - composition 95
 - Cretaceous age 808
 - Danish Central Graben 95–111
 - density 1072–1073
 - East Barents region 603
 - enhanced recovery 1158, 1165–1166, 1190
 - Farsund Formation 96, 105
 - generation potential 105, 607
 - geochemistry 360
 - geology-led approach 366
 - gravity data 1067, 1074
 - heavy 1141, 1142, 1145, 1147–1148
 - hydrocarbon pools 1073
 - Italy provinces 115
 - kerogens 96, 100, 103, 104, 110
 - Laptev Shelf 607
 - locating methods 366
 - mature fields 366
 - migration model 253
 - North Africa occurrences 762
 - permeabilities **1159**
 - predicting production behaviour 405–417
 - price trends chart 437
 - recovery 412
 - reservoir 299–313
 - shales 103
 - source rock 98

- T38 anomaly 253
 Westray Fault system 253
 window 96, 105, 110
- oil-based mud (OBM) 95
- oil–water contact (OWC) 337, 351, 355
 Donan Field 444
 4D seismic and reservoir model calibration 342
 injection strategy 391
 Scott Field 389
 Tyra Field 465, 471
- Okavango Basin 1044, 1055
 thickness 1055
- Old Red Sandstone 299
- Oligocene age 113, 689
 depositional features 701
 Nile Delta sequence 700
 succession 701
 West Greenland hiatus offshore 993
 West Greenland unconformity 994
- Oman
 exploring hydrocarbon plays 674–676
- Onika Anticline 970
 seismic profile 972
- onlapping marine shales 419
- onshore United Kingdom 69
- open fractures
 geomechanical modelling 3D output 1119
- Open Geospatial Consortium 25
- Ophelia-1 well 136
 sedimentological core logs 137
- Ophiomorpha* 133, 166
 burrows 130
- O.P.V. Seillean* 432
- Orca Basin 1151
- Orcadian Basin 1090, 1090
- Ordovician age
 Hamra Quartzites 685
 Late 685, 686, 695
 North Africa stratigraphy 682–686, 684
 Sarah Formation 695, 697
 shale 1091
 shallow water clastic sediments 596
 Unayzah formation 697
- organic carbon 813, 814, 818
- organic facies
 Shiranish Formation 815–816
- Origin of Sediment-Related AeroMagnetics (OSRAM) Project 565
- Ormen Lange system
 fluvial erosion 918
 Maastrichtian–Paleocene age 917
 segment-style analysis 920
- Oslo Rift 569
- OSRAM. *See* Origin of Sediment-Related AeroMagnetics (OSRAM) Project
- Ouachita Thrust Front 1088
- Ouan Kasa Formation 686
- Oued Mya Basin
 thermal maturity of Early Silurian Tannezuft hot shale 690
- Ougarta Arch 725
- Oukaimeden Sandstone Formation 932
 distribution of facies associations 933
- Oukaimeden Valley 925, 927
 alluvial fan breccias 928
 sedimentation 928
 stereonet plot 928
 structural cross-section across 928
- Ouled Cheb formation 688
- Ourika Valley 925, 927
- outboard areas 825
- outcrops
 analogue studies 23
 fracture types 1132
 West Greenland 1034
- Outer Moray Firth 387
- Outer Rough Basin 97
 VR gradients 96
 wells VR trends 100
- Outer Rough Sand 138, 139
 facies core photos 135
 porosity–permeability relationship 141
 sedimentological core log 140
- Owambo Basin 1044, 1055
 thickness 1055
- OWC. *See* oil–water contact (OWC)
- Oxford Clay
 black shale 1095, 1096
- Oxfordian age
 Early
 sequence J46 186
 fairways 49
 Kimmeridgian basin fabric 201
 Kimmeridgian turbidite sandstone reservoirs 205
 Late 190–192
 sequence J54a 187–190
 depositional environments 190
 regressive shoreface sandstones 187
 turbidite sandstones 188
 Middle
 sequence J52 186–187, 189
- Pabdeh in Cenozoic
 major play systems 793
- Pai Khoi region
 major strike-slip fault systems 654
- Pakistan
 Sindh and Punjab regions 676
- palaeoburial
 data 980
 landscape 982
- Palaeogene age 463
 basalts 1025
 v. Late Jurassic age deepwater reservoirs 50
 volcanic distribution 1026
- palaeogeographic reconstruction 4
- palaeogeothermal gradients
 derived from AFTA and VR data 636, 640
- palaeohigh 722
 influence on North African plays 707–723
 Ahara High, Illizi, and Berkine basins, Algeria 712–714
 Cambrian to Devonian succession 707–710
 Djebel Tamamat in Bled el Mass area 716–718
 Gargaff Arch, Ghadames and Murzuq basins, Libya 710–712
 geological setting 707–710
 Palaeozoic platform 707–710
 Palaeozoic succession around syn-tectonic highs 710–718
 petroleum system implications 722
 implications on reservoir quality 722
 potential tectonostratigraphic traps 722
- pre-Hercynian migration process 722
 source rock deposition 722
 stratigraphic architecture 722
 stratigraphic architecture 707–718, 721–722
 structural style Pan-African heritage 718
 sub-basins and arches 707–708
 synthesis tectonostratigraphic evolution 718–722
 Tihemboka High, Illizi and Murzuq basins 715–716
 uplifts timing 718–721
 Palaeozoic petroleum systems 707–723
 Pan-African heritage 718
- Palaeotethys Ocean Drift 738
- palaeothermal 980
- Palaeozoic age
 Ahnet Basin 686, 738
 Ajjer Tassil outcrops 709
 Berkine Basin 709
 depocentres Geoprobe image 742
 Early 5, 718, 1091
 exploring older and deeper hydrocarbon plays 682–684, 697
 Faroe–Shetland Basin structural play 954
 Hercynian unconformity 694
 hydrocarbon plays 682
 integrated petroleum systems 735–759
 Late 5
 Middle East 694
 basins 674
 plays 697
 Møre–Trøndelag Fault Zone 916
 North Africa 707–723, 719
 basins 674, 688, 761
 location 735
 plays 692
 tectonic elements 736
 petroleum system 688, 691, 697, 707–723
 Reggane Basin 686, 738
 Rub Al Khali Basin 695
 sedimentation 708
 structural elements 264
 succession 710–718
 stratigraphic column 709
 Taoudenni Basin 738
 Tindouf Basin 738
- Paleocene age
 Andrew sands 225
 Barents Sea cooling 637
 Faroe–Shetland Basin 281
 gas condensate discoveries 279
 Laggan 279
 Late 45
 Lower Balmoral sandstones 437
 Ormen Lange system 916–919
 palaeogeothermal gradients 636, 640
 Pladda prospects 437, 438
 reservoir 431, 432
 sandstones 214
 shelfal Hermod sequences 45
 Top Lower Balmoral Structure 438
 Tormore 279
 transition to North Atlantic breakup 986
 Vøring Basin strata 1031
- Paleocene Forties Sandstone Member 214, 215
 exploration 213

- Paleocene Forties Sandstone Member
(*Continued*)
isopach map 217
reservoir interval 351
reservoir potential 215
- Pannonian Basin 1082, 1082
Central Europe 1126, 1126
dynamic hydrocarbon system 1127
Hungary 1062, 1126
lithostratigraphic units and pressure regimes 1127
Lower Miocene 1126
Middle Miocene 1126–1129
Neogene hydrocarbon system events chart 1127
Neogene petroleum system 1126–1128
maturity 1127
reservoirs and seals 1127–1128
source rocks 1126–1127
timing 1128
overpressured basal shales 1128
overpressured Upper Miocene brackish-water shale 1129
- Pliocene 1126
present-day heat flow 1126
Sarmatian sedimentary rocks 1126
shale gas in Europe 1081–1083
structural and sedimentary evolution 1125–1126
palaeogeographic evolution 1125
sedimentary environment 1125
stratigraphy of basin fill 1125–1126
structural evolution 1125
tight gas exploration 1125–1129
tight gas plays 1128–1129
TOC 1126
unconventional hydrocarbon 1128
Upper Miocene 1126, 1127–1128
- Panther Tongue sandstone 24
lidar studies 24
- paper theme 372
- Paradox Basin sequestration test 1190
- parallel bedded platform facies 1035
- Paratethys 1126
- Parshall Field 1065
- Passage Beds 1101
- passive margins 823–828
evolution 1005–1012
exploration models 828
exploration technology 828
frontiers 828
arctic 828
palaeo-passive margins 828
hydrocarbon charge and maturation 824–826
heat flow models 825–826
hydrates and biogenic gas 825
local source rocks 824–825
marine source rocks 824
oceanic anoxic events 824
oceanic crust exploration 826
hydrocarbon prospectivity 825
late structural evolution 827
magmatic addition 824
megasequence 738
new development concepts 827–828
Norwegian continental shelf 885–895
passive margin evolution 823–824
reservoirs 826–827
- large drainage basin systems 826
remaining deepwater plays 827
reservoirs and basement in multiphase rifts 826
reservoirs and outer margins 826
shelf edge deltas and plays 826–827
retention 827
series of case histories from Ireland 1005–1012
subtle migration paths 827
- PCG7 audience 12
- peak oil no longer concern
GeoControversies debates 11–12
- Pechora Sea 598
- PEE. *See* petroleum expulsion efficiency (PEE)
- Pelagian Basin 741
- Pelion Formation
transgressive sandstones 422
- Pennine Basin 1092
coal and hydrocarbon exploration 1093
Craven Group 1092–1093
- Pennsylvanian
Netherlands petroleum exploration with stratigraphic plays 266
play map 268
- Pentland basin
marine environments 191
- Pentland Formation 185
reservoir 231
tectono-stratigraphic model 234
- Pentland Hills Inlier 67
- Pentland succession
biostratigraphic data 193
- Peri-Gondwana Margin palaeogeography 675
- Periscope 15
planned v. actual geosteered wellpath 446
- permeability preservation 288
- Permian age
architecture 65–67
Argana Basin 930
basins 325, 456
location map 922
morphology 57
preparing for carbon constrained world 1190–1191
Central High Atlas Basin 930
Early 57, 739
Fundy Basin 930
hopanes and steranes in oil sample 107
Kupferschiefer 264
lithostratigraphy 58
plate-tectonic setting and depositional environments 603
red beds 926
Rotliegend Groningen gas field 261
Scandinavia 572
seismic data for wells 57
shallow marine 596
traps 262
Upper Rotliegendes Group 262, 269
volcanic rocks magnetic properties 572
- Permian White Rim Sandstone 1193
- Permo-Carboniferous
Unayzah formations 697
- Permo-Triassic Basin 921–934, 923
Central High Atlas and Argana basins 925
evolution and fill 921–934
- implications for future exploration 921–934
Morocco and Nova Scotia 934
North Atlantic passive margins 921–934
outcrops 934
- PESGB. *See* Petroleum Exploration Society of Great Britain (PESGB)
- petroleum
acreage in Italy 114
Bakken Formation 1066
endowment in Italy 114
migration 1066
permits in Italy 114
play fairway analysis 735–759
plays in continental margins 975
Shiranish Formation 818
- Petroleum Exploration Society of Great Britain (PESGB) 27
- petroleum expulsion efficiency (PEE) 1068
Bakken Formation 1070, 1073
- petroleum generation 96, 98
Bakken Formation 1072
potential 101
threshold 1072
- petroleum generation index (PGI) 1068
Bakken Formation 1070, 1073
- petroleum geology
North Sea hydrocarbon systems 51–53
and reservoir production of South Arne 523–524
- Petroleum Geology Conference
history from 1974 to date from NW Europe to international 31
- petroleum geoscientists virtual fieldtrips 19–25
applications 20–23
DVD examples 23–25
Arkitisa fault, Greece 24–25
carbonates, Alpine foreland 25
deltaic reservoir analogues from central Utah 24
Grès d'Annot Formation, SE France 24
Lofoten, Norway 24
Moab fault, Utah 25
Nukul syncline, Gulf of Suez 24
Shannon Basin, West of Ireland 23–24
future trends 25
virtual fieldtrips creation 19–20
- petroleum industry
Norwegian continental shelf 885
- petroleum geoscientists virtual fieldtrips 20–23
additional field time 20–22
discontinuity dimensions 23
geometry constraints 23
multiscale model context 22–23
traditional fieldtrip training tool 20
- petroleum resources
Siberian Craton 621–631
- Petroleum Sharing Contracts (PSC) 1044
- petroleum systems 675, 676, 688, 700, 824, 826, 827
advances 2
analysis 2
Arabian Palaeozoic 692
Bush Formation 674
characterized 673
Cretaceous age 119–120

- Devonian–Mississippian Bakken Formation 1061–1062
distribution and nature 6
Early Jurassic age 118–119
Early Silurian Tanzuft 743–745
gas-prone 1045
Ghadames–Illizi Basin 735
Gulf of Suez 788
hydrocarbon distribution 752–754
implications on reservoir quality 722
integrated 735–759
Italy 118–119, 124
Late Devonian Frasnian 745
Late Triassic age 118–119
megasequence framework 735–743
 Foreland Basin 1 megasequence 738
 Foreland Basin 2 megasequence 743
 passive margin 1 megasequence 738
 passive margin 2 megasequence 738
 post-rift 2 megasequence 741
 post-rift 3 megasequence 742–743
 syn-rift 1 megasequence 738
 syn-rift 2 megasequence 739–742
Mesozoic 698
migration modelling 754–755
missing section map and erosion maps 745–752
model 791
Nile Delta, Egypt 699
North African Palaeozoic basins 722
palaeohigh influence on North African plays 722
petroleum source rocks 743–745
phases 674
play fairway analysis 735–759
post-salt thermogenic 1051
potential tectonostratigraphic traps 722
pre-Hercynian migration process 722
reservoir-seal combinations 745
Rub Al Khali Basin, Saudi Arabia 696
source access 754
source rock deposition 722
source rock pressure 754
South Atlantic Ocean breakup 862–865
stratigraphic architecture 722
between Timor and Australia 828
viability 4
petrophysical data
 compilation 581
 NGU 559
 Norwegian mainland 581
 rock bodies 578
PGI. *See* petroleum generation index (PGI)
PGS Central North Sea MegaSurvey 78
PGS North Sea Digital Atlas time horizons 64
phase kinetics 1065
photomosaic and lidar data
 stratigraphy 24
pick-and-mix forward models 826
Piedmont glacier 648
Piggvar Terrace
 wells VR trends 100
Pila Spi Formation 801
pilot holes 342, 343
 Captain Field 344–345, 346
 drilling 347
 horizontal 342
 well locations 347
Piper Field 391
 sandstones 389, 398, 437
 Upper and Lower 393
Pladda prospects
 Paleocene 437, 438
planktonic foraminifera
 biofacies groups 480
 Eldfisk Bravo 486
 Eldfisk Field 480
plate reconstruction 2
 constrain 4
 detrital zircons 6
 Greenland 582
 Norwegian margin 582
plate tectonics 51
play fairway
 analysis 791, 794
 assessment 1065
 CRS description 794
 distribution 4
 frontier basin distribution 2
 locate new oil and gas resources 791
 lowest risk segments 794
 quality 6
 risk mapping techniques 791–799
play systems 793. *See also* specific location
 syn-rift models 962
Pleistocene age
 Corsica 382
 dip map 904
 Early 83
 glaciations 918
 Golo turbidite system 382
Pliocene age
 Apennines 113
 North Sea Basin palaeogeography 985
 Pannonian Basin 1126
Plio-Pleistocene
 foredeep wedges biogenic gas 121–123
 Italy hydrocarbon occurrences 121–123
 Porto Corsini East gas field 122
 Settala gas field 123
 terrigenous units 122, 123
PMR. *See* Porcupine Median Ridge (PMR)
POC. *See* proto-oceanic crust (POC)
pod/interpod terminology 44
Poker Formation 659, 662, 664, 667
 Cenomanian deltaic coals and mudstones 663
 Cenomanian fluvial-deltaic deposits 662
 Cenomanian gas play 659
 gas yield 663, 664
 temperature map 666
 thermal yields 663
Poland. *See also* specific location
 black shales 1080
polyphase faulting 824
polyphase rifting
 European basin architectures 42
 hydrocarbon systems 41–43
 North Sea 41–43
ponded turbidites 282, 288
Ponta Grossa dyke 861
Po Plain 113, 123
 foreland 119
 Villafortuna–Trecate oil field 119
Porcupine Bank 972
 lead data from detrital K-feldspar grains 940
 seabed slope 552
Porcupine Basin 44, 848, 940, 949, 1005–1009
 database 1005–1007
 Dooish K-feldspars 950
 interpretation grid basemap 1006
 location map 1006
 seismic interpretation 1005–1009
Porcupine Median Ridge (PMR) 1008
 original and reprocessed section 1007
porosity
 and permeability preservation 288
 uncertainty 294
Porto Corsini East Field 122–123, 122
Posidonia shale
 Early Jurassic age 263–264
Post-Aptian salt plays 1049–1052
post-basalt heating
 East Greenland 1000
post-rift
 early 961
post-rift uplift
 along passive margins 1000
 megasequence 741, 742–743
 North Atlantic passive margins 979
post-salt gas plays 1050
post-salt thermogenic petroleum systems 1051
potassium feldspars
 detrital 940, 950
 Dooish 947, 950
 lead 934, 938
 lead isotopic composition 950
 Rockall Basin 951
potential field modelling
 Caledonoid granite core 61
 Carboniferous petroleum system 65–67
potential stratigraphic trapping types
 Carboniferous stratigraphic traps North Africa 731–733
Powder River Basin in Wyoming 1156
Pre-Aptian salt plays 1045–1049
Precambrian age
 basement 888, 890, 891, 893–894
 gneisses 889
 Massif Ancient rocks 925
 North Africa plays 692
 northern Norway 889
 Norwegian–Danish Basin 895
 Novaya Zemlya 652
 Taoudenni Basin stratigraphy 678
predicting production behaviour
 from deep HPHT Triassic reservoirs 405–417
 Deep Joanne model results 412–414
 Deep Judy model results 412
 field production and well test behaviour 407
 methods 410
 modelling parameters 410–412
 results 412–414
 sedimentological interpretation 408–409
 Skagerrak diagenesis 409–410
 Skagerrak Formation geology 405–407
 sedimentary architecture impact on recovery 405–417

- pressure distribution
North Sea 52
- pressure-temperature (PT) conditions 1071
- pre-stack depth migration (PSDM)
processing 236, 390
reprocessed 1011
Top Zeit rugosity 787
velocity models 787
- pre-stack time migration (PSTM)
data 236, 437
three dimensional AVO products 216, 217
- production behaviour
predicting 405–417
- Project Ramsay 1162
- prospect evaluation 261
- proto-oceanic crust (POC)
West Africa and Brazilian margins 874
- Provenance analysis 934
categories 937
deepwater reservoirs Palaeogene *v.* Late Jurassic 49
Rockall Basin palaeodrainage 942–944, 948–950
- PSC. *See* Petroleum Sharing Contracts (PSC)
- PSDM. *See* pre-stack depth migration (PSDM)
- PSTM. *See* pre-stack time migration (PSTM)
- PT. *See* pressure–temperature (PT) conditions
- Puffin horst area
fault trends 43
- Puffin Terrace 191, 200
turbidite deposition 195
well correlations 193
- Punjab region
Pakistan 676
- Purple Pick 373
- Pyrenean compression 975
- pyrolysis gas chromatography
Bakken petroleum system 1068–1069
chain length distribution 1071
- Qamchuqa Formation 807
description 804
lithological model 807
porosity 806
- Qamchuqa matrix 809
- Qara Chauq 804
- Qasaiba in Silurian
major play systems 793
- Q-Marine survey 343
- quartz cement growth
Kristin Field 422
- Quaternary sand channels
analytical signal 578
- Quickbird Satellite image
Nukhul syncline dataset 22
- Qulleq-1 well
unconformity below Neogene succession 994
VR data *v.* depth 994
- radon demultiple 1009
- Rajasthan, India
Baghewala Oil Field 676
- Ramsay, William 1155–1156
- RAS. *See* Russian Arctic shelves (RAS) geology
- Ras Abu Darag well
Nebwi 81-1 779
seismic amplitude anomalies 780
- Rås Basin 420
- Ras Hamia formation 688
- Ratray Volcanics 397
- Rauwerd
Lower Cretaceous age 272
- Rauwerd-1-Sneek-1
cross-section 272
- Ravn Member 136
sedimentological core logs 137
- RCSP. *See* Regional Carbon Sequestration Partnerships (RCSP)
- reactivation 1131–1133
natural fractures 1134, 1138–1139
- reactive kerogen wells 106
- recovery factor (RF)
v. CGR/GOR 415
Deep Judy model results 412
- red bed deposits 928
- Red Sand Formation 90
- Red Sea
location map 784
North 783–788
prospects and leads 787
source rock biomarker and isotope analysis 786
stratigraphy and tectonic framework 785
tectonic setting 785
- Red Sea basin
aeromagnetic data 788
3D SRME processing 786
gravity data 788
onshore field mapping 784
pre- and syn-rift sequences 786–787
PSDM, foldout
PSTM, foldout
salt flood velocity model, foldout
seismic data coverage 784
subsalt events 787
subsalt illumination 786
- Red Sea Rift 771
- Reggane Basin 686, 729, 733, 738
- Regional Carbon Sequestration Partnerships (RCSP) 1189
- regressive shelf sandstones
sequence J54a 187
- regressive–transgressive scheme 185
- relay ramps
fault zones 958, 961
Mid-Cretaceous early syn-rift stage mature 962
rift oblique lineaments 961
rift topography 959
West Shetland Platform 957
- reservoirs
Algeria 753
architecture
Joanne Member 408
Judy Formation 409
Athabasca Oil Sands 1141–1150
behaviour implications for sedimentological interpretation 408–409
Buzzard Field 369–384, 381
Captain Field 344
Carboniferous 317–319, 1168
Cenomanian 664
- Cenozoic Asmari carbonate 791
- central Utah deltaic analogues 24
- Chalk facies
coccolith fragments 495
dissolution seams 495
localized stylolites 495
- characterization programme 234–242
- compaction
observed and predicted 533
South Arne 524, 526
- Cretaceous 803, 805, 958–959, 958–962
- deep Joanne model 412
- deep Judy model 412
- deep Triassic 410
- deepwater 45–50, 49, 50
- depletion fault control 532
- depth 410, 412, 414
- depth structure map 282
- desiccated 1112
- Donan 443
- Egyptian North Red Sea basin 786
- Ekofisk 525
- exploring subtle exploration plays in Gulf of Suez 773–774
post-rift reservoirs 774
pre-rift reservoirs 773
syn-rift reservoirs 773–774
- flow simulation 1171
- fractures 23
- Fulmar Field 495, 498
- geomechanical model 524, 533
- hydrocarbon(s) 95, 786
- Jade Field 410
- Jasmine discovery 234–242
depositional model 236–240
intra-reservoir correlation 240
seismic reprocessing 234–236
structural model 236
zonation scheme 240–242
Top Joanne 240–241
Top Julius Mudstone 241–242
Top Lower Joanne 241
Top Middle Joanne 241
- Joanne Member 226, 410
- Judy Field 414
- Judy Member 405, 410
- Laggan Field 282, 284, 287, 288, 290
- Late Jurassic age 127–142
- Leman Sandstone 327
- Libya 753
- Lower Balmoral 439, 440
- Norway hydrocarbons 989
- oil 299–313
- passive margins 826–827
large drainage basin systems 826
remaining deepwater plays 827
reservoirs and basement in multiphase rifts 826
reservoirs and outer margins 826
- predicting production behaviour 408–409
- Ross and minor Burns 345
- sandstones
characteristics 134
defined 138
Forties Field 221
Lower Balmoral 440

- Scott Field 387
shale gas 1131
 annual natural gas production 1079
 map 1132
Shiranish Formation 802
Skagerrak Formation 226
stratigraphy 372–373
Taq Taq field development 802
tight in North America 1061
Triassic age 410
Upper Leman interval **334**
 well 48/14-2 **334**
 well 48/14a-5 **334**
 well 48/14a-6 **334**
reservoir sedimentology
 Garn formation 422–423
 depositional synthesis 423
 description 422–423
 rapid pressure decline explanation 423
 HP/HT Kristin Field 422–425
 Ile formation 424–425
 depositional synthesis 424–425
 description 424
 rapid pressure decline explanation 425
 Not formation 423–424
 Tofte Formation 425–426
 depositional synthesis 425
 description 425
 rapid pressure decline
 explanation 426
 Upper Ror Formation 425
RF. *See* recovery factor (RF)
Rheic Ocean Drift 738
Rheic Ocean rifting 738
Rhuddanian Sandstones 692
Ribble Turbidites
 erosions 208
ridge-trough sedimentary structures 78
 rifting 827, 999–1000
 basin architecture 37–38
 climax 961
 and continental breakup 921
 events 265, 824
 heat flow anomaly 663
 hot/wet spot 824
 initiation 962
 Jurassic age 960
 Late Triassic age 265
 Norwegian North Atlantic passive
 margin 893
 Norwegian region 925
 phase 825
 Rheic Ocean 738
 Rockall Trough 1029
 shear 824
 Solán Bank High 923
 topography relay ramps 959
 Yell Basin margin 960
Rijswijk oil province 269
Rio Grande Rise
 location 868
Rio Muni transform
 gravity modelling 875
Rita-1 well 130, 136
 sedimentological core logs 137
RMS. *See* root mean square (RMS)
robust depositional model development 387
Rockall Basin 930
 B sandstones 946
 Cretaceous sandstones 1031
 C sandstones 946
 Dooish gas condensate discovery 938,
 940–942
 Dooish K-feldspars 950
 geoseismic profile and seismic profile 925
 geoseismic section 940
 Hatton–Rockall Basin 965
 K-feldspars bulk 951
 lead-in-potassium-feldspar provenance
 tool 938
 location map 922, 1026
 margin
 sandstones 937–951
 sedimentology 937–951
 Mesozoic sediment dispersal 938–940
 Mesozoic stratigraphy 938
 methodology 942–944
 core logging and sampling 942
 imaging and EMPA analysis 942
 lead analysis 942–944
 provenance analysis 942–944
 NE Atlantic sub-basalt hydrocarbon
 prospectivity 1028–1029
 palaeodrainage 937–952
 results 944–948
 analytical results 947–948
 B sandstones 944–946, 947
 core description 944
 C sandstones 946, 947
 depositional environments 944–946
 sandstone petrography 946–947
 A sandstones 944, 946, 946, 950
 well stratigraphy 944
 rotated faults 1030
 sedimentological logs of cores 945
 strike line 1030
 variation of lead K-feldspar populations
 941
 wireline profiles 941
 provenance interpretation 948–950
 regional sand-sourcing implications 950
 sub-basalt hydrocarbon prospectivity
 1025–1031
Rockall–Faroe area
 age and characteristics **965**
 Atlantic Margin timing, controls and
 consequences 963–975
 basalt escarpments 969, 970
 bottom-water currents 973
 Cenozoic compressional structures 963
 Cenozoic unconformities 974
 compression 963–975
 basin control on orientation 971–972
 bottom-water current activity 972–973
 Norwegian Sea Overflow 973
 subsidence 972–973
 driving mechanisms 973–975
 prospectivity implications 975
 structures 964–971, 968
 Alpin Anticline 967
 Auðhumla Basin Syncline 969
 Bill Bailey's Bank 966–967
 Bridge Anticline 969–970
 Dawn Anticline 967–968
 Faroe Bank Anticlines 967
 Faroe Bank Channel Syncline 967
 Hatton Bank Anticline 964–965
 location 966
 Lousy Bank 965–966
 Mordor Anticline 967
 Onika Anticline 970
 Viera Anticline 971
 West Lewis Ridge reverse faults
 970–971
 Wyville–Thomson Ridge Anticline
 968–969
 Ymir Ridge Complex 968
 unconformities 963–964
 top-basalt isochron map 966
 well/borehole data location 964
 Ypresian isochore 970
Rockall–Faroe continental margin
 volcanism constraints 831–841
Rockall–Faroe continental margins
 magmatism 831–841
 compressional structures 837
 crustal structure 837
 crustal velocity models 835–837
 geological interpretation 837–839
 igneous intrusion 838
 igneous intrusion and extrusion 837
 lithological constraints from P- and S-wave
 velocities 839–849
 source and receiver design 832–833
 wide-angle seismic data 833–835
Rockall Trough
 acquisition plan 556
 age of rifting 1029
 bottom-water currents 973
 CTD probe 550
 location 550
 Mesozoic strata 1031
 mid-Norwegian margin 849
 oceanic mixing 549, 557
 reflection strength 555
 seismic reflectivity 555
 sound speed
 CTD probe casts 554
 profiles 555
 water layer
 reflectivity 551
 sound sections 552
 stratigraphy 554
 structure 553
Rock-Eval pyrolysis
 Bakken Formation 1067, 1069
rock physics
 amplitude anomaly 258
 inversion 532
 model 527, 534
Rocky Mountain foreland fold-and-thrust
 belt 1141
Rodinia Supercontinent 677
Rolf Field 537
Romagna accretionary arc
 Porto Corsini East gas field 122
Rømø barrier island. *See also*
 Holocene–Recent Rømø barrier island
 system
 GPR profile 150, 151, 152
 modern analogue 152
 palaeogeographic reconstruction 148
 reservoir analogue 146
 tidal inlet sands 152
 vertical section trough 147–148
 wells position 150
 west–east cross-sections 150

- Rona Fault 960
 Rona Ridge 245
 roof disruption
 Gulf of Mexico 908
 roof-edge thrust
 Alaminos Canyon area 904
 root mean square (RMS) 517
 amplitude extraction 1015, 1019
 Ross Formation 23
 Ross reservoir
 LKO 345
 rotary steerable systems (RSS) 340
 rotated faults
 Rockall Basin 1030
 Rotliegend Group 61, 66, 328
 Chiswick Field 319
 desert sandstones 73
 Lower 59, 74
 Lower Permian age 325
 Netherlands petroleum exploration
 266–267
 reservoir 319
 sequence 329
 strata 62, 67, 69
 thickness 69
 two-way time and depth maps 320
 Upper and Lower 61
 Rotliegend Slochteren sand 266
 Rover Boys 2
 RSS. *See* rotary steerable systems (RSS)
 Rub Al Khali Basin 695
 burial history 696
 Palaeozoic petroleum system 695
 petroleum system 695
 petroleum systems 696
 structural elements 693
 tectonic elements 693
 tectonic events 696
 Rudeis Formation 772, 774
 exploring subtle exploration plays
 777–778
 Lower 777
 South October Concession 778
 syn-rift 775, 777
 Rush, Julian 16
 GeoControversies debates summary
 15–17
 Russia. *See also* specific location
 CSP 611–614
 FSU and Circum-Arctic final frontier
 589–590
 topography 646
 Russian Arctic shelves (RAS) geology
 591–615
 consolidated basement main characteristics
 593–598
 eastern sector 596–598
 western sector 593–596
 crustal tectonic 594
 free-air gravity field 595
 HC resources 603
 heterogeneous folded tectonic
 basement 598
 sedimentary basins 598–614
 CSP Russian sector 611–614
 east Barents Province 598–603
 ESSP 609–611
 Laptev Sea Province 605–609
 North Kara Province 605
 petroleum geology 604–609,
 611, 614
 South Kara Province 603–605
 sparsely explored 614
 surveys and offshore wells location 592
 tectonic history and petroleum geology
 591–615
 tectonic setting 593
 Ryazanian gravity-flow sandstones
 Upper Jurassic reservoir sandstones
 139–141
 Sabden Shales
 black shale **1095**
 SACROC EOR
 history-match analysis 1191
 sequestration test 1190–1191
 Texas 1190
 SAGD. *See* steam-assisted gravity drainage
 (SAGD)
 Saharn Platform
 highs 708
 saline aquifer 1191, 1195
 salt
 basin architecture 180
 Block 31, offshore Angola 1014
 canopies 904, 911
 advancing 903
 Gulf of Mexico 900, 910
 deepwater reservoirs 50
 diapiric 902, 903, 911
 gas plays 1046
 Gulf of Mexico 907, 908
 plays 1045–1049
 sheets 903
 withdrawal minibasins 24
 withdrawal role 50
 salt diapirs 78, 83, 86, 87, 92
 chimneys 82
 fluid leakage 90
 leakage zones 85–86
 structure 79
 Saltire Formation 394
 Saltire Shale 397
 salt plumes
 intrusive 899–904
 salt tectonics 899
 emerging concepts 899–911, 900
 Allochthonous fragments 909–911
 canopy-margin thrust systems
 904–905
 intrusive salt plumes 899–904
 minibasin triggers 905–909
 state of knowledge 911
 Gulf of Mexico 902
 Salvador–N'Komi transfer zones 877
 sand fluidization
 laboratory experiment demonstrating
 implications 1186
 SandGEM 6–7
 sandstones 240, 778, 778
 aeolian 826
 Albo-Aptian Kopervik 53
 Balmoral 441
 barrier island 146
 basin-centred, distal lowstand 732
 Bossier 1112
 Buzzard Sandstone Member 370
 Carboniferous 641, 996
 v. conglomerate 1111
 Corrib gas field 949
 Cretaceous 1031
 cross-bedded 423
 C sandstones 946
 deepwater reservoirs 46, 48–49
 deposition tectonic reconfiguration 206
 deposits sequences J52–J54b 193
 Devonian sandstones 569
 Dooish 947, 948
 Early Jurassic age 419
 Early Volgian age 138–139
 Farsund Formation 141
 Fell Sandstone Group 59
 fluvial 717
 Fulmar Field 178, 207
 aggradational packages 186
 BVRU 205
 deposited in narrow palaeovalleys 206
 Humber Group thickness 207
 initial distribution 180
 J52 and J54 sequences 186
 shallow-marine 177
 subdivided 182
 well 22/30b-11 189
 gravity-flow 138
 Gulf of Suez 779
 Heno Formation 127
 Ireland Mesozoic 951
 isopach 218
 Joanne Sandstone Member 226, 406
 erosion 241
 rich gas condensate 228
 Judy Member 407
 Judy Sandstone Member 240
 depositional environment 406
 Kimmeridge Fulmar 205
 Kimmeridge Fulmar sandstones 205
 Late Jurassic age 127–142
 Leman Sandstone 325, 327
 correlation panel 329
 depth map 326
 hydraulic fracture-stimulated
 intervals 333
 illite cementation 328
 reservoir 327
 Lower Balmoral 431
 Lower Cretaceous age 958
 Navajo Formation Sandstone 1193
 reservoir 440
 reservoir prediction 221
 Rockall Basin 946
 margin 937–951
 palaeodrainage 944–946
 Sgiath Sandstone 369
 Sherwood Sandstone 938, 1090
 shoreface 174
 Lola Formation 135
 porosity–permeability relationship
 141
 Upper Jurassic barrier island system of
 Freja discovery 150
 Skagerrak Formation 39, 406, 409
 Strunian–Tournaisian 731
 turbidites 196
 Upper Jurassic
 barrier island 145–154
 reservoir 127–142
 Upper Rudeis 777

- San Juan Basin (SJB) 1191–1192
- San Paulo Plateau (SPP) 855
 bedded evaporite deposition age 857
 drilling 856
 subsidence analysis 860
 Tupi oil discovery 859
- San Rafael Swell 24
- Santerno Formation 123
- Santonian Thud Formation
 sediments 482
- Santos Basin 824, 826
 air gravity data 856
 bathymetry 856
 beta factor maps 860
 Bouguer gravity anomaly map 856
 conceptual breakup models 863
 continental lithosphere thinning and crustal thickness 859
 crustal cross-section 862
 crustal thickness map 861
 gravity inversion 859, 860, 862
 incipient breakup 861
 margin breakup 857
 rifted margin 861
 rifting 855
 seismic cross-sections 858
 South Atlantic Ocean breakup 855–865
 regional geology 855–857
 regional structure 858–859
 stratigraphy 857
 subsidence analysis 859
 subsidence association 865
 subsidence modelling 860
- Sao Francisco craton 870, 876
- Sao Paulo Plateau 824
 beta factor maps 860
 breakup of South Atlantic Ocean 855–859
 conceptual breakup models 863
 continental lithosphere thinning 859
 crustal cross-section 862
 crustal thickness 859
 gravity inversion 859, 860, 862
 rifting 855
 seismic cross-sections 858
 South Atlantic Ocean breakup 859–860, 860–862
 subsidence analysis from 2D backstripping 859
- Sao Paulo Ridge
 location 868
- sapropelic kerogen
 Farsund Formation 102
- Sarah Formation
 Late Ordovician age 695
 Ordovician 695, 697
- Sarawak
 offshore 459, 459, 460
- Sargelu Formation 802
- Sarmatian sedimentary rocks
 Pannonian Basin 1126
- Sartirana Formation
 Settala gas field 123
- Saudi Arabia. *See also* specific location
 exploring hydrocarbon plays 691–697
 challenges 695–697
 stratigraphy 692–695
 hydrocarbons development 695
- Khuff Formation 692
- Rub Al Khali Basin 693–696
 striated glacial surface 695
 Unayzah complex 692
- Saxo-1 well
 sedimentological core log 140
 Volgian sandstone intervals 139
- Scandes
 Cenozoic uplift 916
- Scandinavia 986
 basement area
 palaeogeography 984
 Cenozoic development 982
 eastern North Sea Basin 1001
 erosion basement 986
 gravity surveys compilation 566
 hemipelagic, deep-marine deposits of Eocene age 984
 landscape 981
 Neogene uplift 1000
 onshore–offshore geological map 886
 Permian volcanic rocks magnetic properties 572
 post-breakup uplift phases 986
 regional exhumation 1000
 tectonic pulses 982
 uplift phase
 progradation 984, 985
 volcanic rocks magnetic properties 572
- Scandinavian Alum Shale 1080
- scanning electron microscope (SEM) analysis 330
- Schiehallion Field 248
 amplitude shutoff 250
- Schlumberger Full-bore Micro-Imager log
 data (FMI)
 Ensign Field 332
- Sciacca Formation
 porosity origin 118
- Scoresby Sund area 998
 erosional unloading 999
- Scotland 387
 biogenic gas 1080
 Orcadian Basin 1090
- Scott, Robert 589, 590
- Scott Field
 asset 403
 asset matures 387
 continuous drilling programme 391
 depositional perspective 393
 drilled infill wells 403
 drilling campaign 391, 402, 402
 dynamic modelling 393
 infill drilling targets 387
 initial development drilling 390
 injection strategy 391
 integrated analysis 402
 interpreted open hole results 395, 396
 J32Z 398
 J33 396
 J35 395
- IW, SW–NE cross section 399
 location map 388
 mature field revitalization 387–403
 bypassed sweep targets 393–400
 downdip injector 402
 drilling campaign impact on field production 402–403
 geological description 387–390
 infill campaign (2005–2007) 391–402
 production overview 391
 seismic database 390
 seismic interpretation 390–391
 updip attic targets 391–393
- MDT logs 393
- North Sea 387
- OBC data with 1999 PSDM data 390
- PBU derivative J16 400
- Piper depletion J16 400
- post-drill correlation J32 401
- production 402
- production history 403
- recent drilling 387
- reservoirs 387
- sands 398
- simulation modelling 402
- Skene 391
- structuration 389
- structure map 388
- target
 J31 399
 J32Z 397
 J35 392, 393
- tectonostratigraphic development 390
- wells
 J4 393
 J30Z 402
 J32Z 396
 J34 396
 zonation 389
- Scott Formation 397
- Scott Sands
 Lower 393, 394
- Scott–Telford field complex 32
- Scremerston Coal Group 59, 69
- sealed wells 1162
- sea water injection 351
- sedimentology 27, 827
 architecture 406
 production behaviour with depth 416
 production performance 405
 basins 591, 1079–1080
 Angola 1044, 1044
 fill patterns 2
 Gulf of Mexico 907
 Rockall Basin margin 937–951
 Shiranish Formation 811–818
- segment-style analysis
 Ormen Lange system 920
- seismic data
 acquisition
 XCTD probe 557
 XSP 557
 acquisition parameters **519**
 CDR 4D surveys 521
 Cimmerian rifting 44
 cold-water statics 557
 crossline profile orientated
 NW–SE 1036
 cross-section of channel features 84
 database 1005–1007
 exhumation estimates 1010–1012
 facies analysis 805–806
 facies types 1035
 imaging of variable layer sound speed 549–557

- seismic data (*Continued*)
 interpretation 1009
 Carboniferous petroleum system 59–63
 sub-Zechstein seismo-stratigraphic relationships
 Auk–Argyll–Flora area 60–61
 Jaeren High area 62
 Mid North Sea High area 61
 West Central Shelf 62–63
 new methods of improving 1005–1012
 inversion 538
 monitoring 1171
 new methods for improving 1005–1012
 Norwegian Continental Shelf basement map 888
 passive margin evolution case histories from Ireland 1005–1012
 profile
 Auk–Flora Ridge 61, 62, 63
 Central Graben 80, 81
 Jaeren High 64
 Norwegian continental shelf 887
 West Central Shelf 65, 66
 project-specific four dimensional 1141
 project-specific three dimensional 1141
 reflection imaging
 hydrocarbon exploration 549
 oceanic variability 550–557
 longer term 557
 short-term 555–556
 spatial variation 553–555
 temporal variation 555–557
 oceanography implications 557
 sound speed variation 549
 surveying implications 557
 water layer variability 549–557
 regional two dimensional 1141, 1147
 repeat four dimensional 1168
 repeat three dimensional 1168
 reprocessing 1007–1009
 sequence stratigraphy 52
 stratigraphy 39, 51
 survey **519**, 557
 type outcrop exposures 1145
 velocity data 1010–1012
 well log expressions 47
 seismic fault distortion zone (SFDZ) 509
 expressions 512
 fault network 510
 geobody 511
 juxtaposition across damage zones 510
 juxtaposition analysis 513
 juxtaposition-based sealing 515
 juxtaposition difference 511, 514
 mapped 512
 reflectivity volumetric fault attributes 512
 skin geometries 511
 thickness 510
 volume render of single fault 514
 seismic technology 337–340
 Selandian Våle Formation 487
 Sele formation 518
 Sele/Hermod shelf
 seismic expressions 47
 Selkirk Field
 discovery 49
 turbidites 202
 SEM. *See* scanning electron microscope (SEM) analysis
- Semberah Field 458, 459
 geological model 458, 459
 Senja
 NRM 565
Sentusidinium 149
 sequence
 J44
 Callovian age 186–192
 J46
 depositional environments 187
 Early Oxfordian age 186
 Late Callovian age 186
 well correlation 188
 J52 203
 Fulmar Sandstone deposits 193
 Middle Oxfordian age 186–187, 189
 J54 194
 depositional environments 191
 Fulmar Sandstone deposits 193
 Late Oxfordian age 187–190, 190
 depositional environments 190
 regressive shoreface sandstones 187
 turbidite sandstones 188
 well correlation 188, 197
 J56 194, 203
 depositional environments 191
 turbidite deposition 191
 well correlations 193
 J62
 depositional environments 195
 Kimmeridgian 192
 well correlation 197, 198
 J63
 late Kimmeridgian age 192
 well correlation 197
 J64
 Early Volgian age 199
 shoreface 196
 turbidite sandstones 196
 J66
 Early Volgian age 195, 199
 Middle Volgian age 199
 turbidite sandstones 196
 J71
 Middle Volgian age 199
 J72
 Middle Volgian age 199
 J73 199
 J76 199
 K10
 Late Ryazanian age 199–200
 stratigraphy 51
 application 45
 correlation of wells 183, 184
 framework 168
 model 47, 182–185
 schemes 179
 studies 180–182
 sequential Gaussian simulation (SGS) 296
 sequential indicator simulation (SIS)
 Joanne model 410
 sequestration 1165
 Serpukhovian–Bashkirian incised valleys 733
 Settala gas field 122, 123, 123
 SFDZ. *See* seismic fault distortion zone (SFDZ)
 Sgiath Sandstone 369
- SGS. *See* sequential Gaussian simulation (SGS)
 Shaftsbury Formation 1115
 shale 377
 Arnsbergian Sabden Shale 1088–1089
 Austria 1081
 Avon 206
 Bakken 1066
 Besano Shales 118, 124
 Big Sandy shale gas field 1087
 bioturbated shale-prone interval 425
 black 676, 762, 1081, 1091, **1095**, 1096–1097
 Chimney Rock Shale 1190
 Clare Shale 23
 Craven Group 1093
 Cretaceous Lewis Shale 1091
 Czech Republic 1081
 DDB 1081
 deepwater marine shales 1126
 Devonian ‘hot’ shale 756
 Ekofisk Formation 465
 El Gassi Shale 684
 Emgyet Shale 686
 Europe 1083
 Farsund Formation 98
 Frasnian ‘hot’ shale 754
 gas 1080–1083
 gas-bearing chalk 465
 GDE map 748
 geometry 722
 Gething Formation 264
 Ghadames-Illizi Basin 756
 Gothic Shale 1190
 Holywell Shale **1095**
 Intra-B4 shale 376, 377
 Lewis Shale 1091
 Lias **1095**, 1096
 Long Eaton Formation 1093
 Lower Bowland **1095**
 Lower Limestone Shale 1092–1093
 Middle Miocene 1062
 Miocene 1062
 Mississippian 1090
 New Albany Shale 1133, 1135, 1134, 1138
 Nikanssin Formation 1110
 North America 1061
 Ordovician 1091
 Poland 1080
 Posidonia shale 263–264
 Scandinavian Alum Shale 1080
 Silurian age 715, 1091
 Slovak Republic 1081
 stratigraphic groups 1089–1090, 1090
 thickness 1087
 Tofte Formation 426
 Ukraine 1081
 Widmerpool Formation 1093
 Worston Shale Group 1093
 shale gas 1062
 case studies 1080–1083
 Cambro-Ordovician black shales 1080
 Carboniferous black shales 1080–1081, 1081
 Lower Jurassic black shales 1081
 Neogene shale (basin centred) gas 1081–1083
 Silurian black shales 1080
 Upper Jurassic shale gas 1081

- Europe 1079–1083
 biogenic methane 1083
 current research activities 1079–1083
 outlook 1083
 research activities 1083
- Newark East 1087
- North America 1062
- play 1133
- reservoirs 1131
 annual natural gas production 1079
 map 1132
- UK 1062, 1087
- United States 1079–1180
- Western Canada Basin 1079
- Western Europe 1079, 1083
- shale oil
 play 1065
 unconventional oil and gas resources 1061–1062
- shallow marine
 exhibit 157
 Fangst Group 419
 Fulmar Sandstone 177
 Fulmar sandstone or turbidite sandstones 178
 Hugin deposition 168
 Sigrun–Gudrun area 173
- Shannon Basin
 Carboniferous age 23
 petroleum geoscientists virtual fieldtrips 23–24
- shear rifting 824
- Shearwater area
 shoreface environments 191
- shelf margin wedge 45
- Sherwood Sandstone 938, 1090
- Shetland. *See* Clair field
- Shetland area 1031
 structural elements 246
- Shetland Basin
 location map 922
- Shetland Isles 245, 953
- Shiranish Formation 802
 activation energy 817
 description 803
- Euphrates Graben 811–818
 bulk petroleum generation kinetics 817–818
 hydrocarbon source rock potential 813–815
 mineralogy 816–817
 organic facies 815–816
 regional geology 811–813
 results 813
 samples 813
 trace element palaeoredox proxies 817
- fault movement 805
- high clay mineral content 816
- kaolinite 816
- lithology 814
- mineralogical composition 817
- open pyrolysis gas chromatograms 815
- organic geochemical characterization 814
- petroleum formation 818
- petroleum geology 811
- sedimentology 811–818
- seismic analysis 807
- tectonic map 812
- TOC 816
- total nitrogen content 816
- vitrinite reflectance 817
- Shiranish model
 fault displacement 806
- shoreface 164
 deposits 166
 facies association B 162–166
 Hugin Formation sedimentology 162–166
 description 162–164
 interpretation 164–166
 sequence stratigraphy 166
 wireline-log character 166
- sandstones 174
 Freja discovery 150
 Lola Formation 135
 porosity–permeability relationship 141
- sequences J64 196
- wireline-log cross-plot 165
- Shoreface Facies Association 163
- Shuttle Radar Topography Mission (SRTM) 20
- Siberian Arch
 crustal tectonic 594
- Siberian Arctic Shelf
 petroleum play elements chart 608
 sedimentary basin 606
 tectonostratigraphy 608
- Siberian Basin 667
 basin sensitivity parameters 661, 664
 charging gas fields 659–667
 analyses 662–663
 geology 660–662
 results 663–667
 stratigraphy 661–662
 structure 660–661
 isotopic composition of methane 665
- Siberian–Chukchi Fold Belt 597
- Siberian Craton 604
 consists 621
 field densities 623–624
 geological provinces 622
 geological provinces assessment results 630
 location 621
 north of Arctic Circle 621–631
 petroleum resources 621–631, 624
 assessment results 631
 assessment units 622
 geological analogues for assessment 622–631
 Khatanga Saddle assessment unit 624–627
 Lena-Anabar Basin assessment unit 627
 Northern Priverkhoyansk Foredeep assessment unit 627–629
 Yenisey–Khatanga Basin assessment unit 629–631
 geological provinces 621
 petroleum occurrence geological models 621–622
 resource quantities 622
- Siberian Sea 591, 598
 free-air gravity field 595
- Siberian Sea Basin 609, 611
- Siberian Sea Province 609–611
- Siberian Sea Shelf 610
- Siberian shelves 596
- Sicilian-Maghrebian chain
 Gela oil field 120
 geological sections 117
 hydrocarbon occurrences 117
- Sicily 741
- sigmoid aggradational facies 1035
- sigmoidal clinoform package 83
- Sigrun-Gudrun area
 axis-perpendicular sub-regional correlation 168–173
 flooding 173
 shallow-marine sedimentation 173
 well-log correlation panel 170
- Sigsbee Escarpment 904
- minibasins 908
 thrusting 905
- siliciclastic rocks
 depth v. average density 906
- siltstones
 Farsund Formation 141
- Silurian age 711
 agrillaceous depth velocity plots 751
 Ahara uplift 713
 basal 712
 Berkine Basin 714
 black shales 762, 1080
 chronostratigraphic diagram 747
 dark-grey agrillaceous complex 1080
 Early 690, 743–745, 744
 flooding 712, 716
 Ghadames Basin 711
 hot shale Ghadames–Illizi Basin 756
 hydrocarbon prospectivity 686–688
 Late 265
 Middle Akakus Shale 748
 Middle East 687
 North Africa 686–688, 687
 sediments Azzel Matti Ridge 717
 shale 715, 1091
 succession 686
 Tanezzuft Formation 765
 Tanezzuft Formation 687
 Tihemboka 715
 well A1-NC198 767
- Sindh region
 Pakistan 676
- Single Well Oil Production System (SWOPS) 432
- Sirte Basin
 exploring hydrocarbon plays 697–698
- SIS. *See* sequential indicator simulation (SIS)
- six-tile WATS 1021
- SJB. *See* San Juan Basin (SJB)
- SJU600 SB
 tectonic reconfiguration event 196
- Skagerrak Field
 exploration 216
- Skagerrak Formation 214, 226, 234, 236, 240, 405
 basement depth map 891–892
 channel and overbank processes 408
 degrade with depth 405
 depositional facies 409
 gas condensate 228
 geology 405–407
 HPHT 405
 hydrocarbon fields 225
 Judy Member well 410
 locations producing 406

- Skagerrak Formation (*Continued*)
 NTG 410
 pods as basin infilled 406
 porosity with depth 409–410
 predicting production behaviour 409–410
 production performance 407, 416
 proximal to distal trends 408
 quad 30 area 406
 reservoirs 226, 407
 Heron cluster 242
 sandstones 39, 409
 sequences 406
 sedimentation 240
 stratigraphic column 407
 stratigraphy changes 416
 structural tilt 416
 succession 226
 VClay log 411
- Skagerrak Platform 891
- Skallingen peninsula
 washover fan 151
- SKB. *See* South Kara Basin (SKB)
- Skjold Flank-1 well 547
- Skolithos* ichnofacies 139, 164
- Skrubbe Fault 487
- Skua Field
 high production performance 405
- Sleipner carbon dioxide plume 1171–1182
 cumulative total reflection
 strength 1184
 feeder chimney 1179
 flow simulation of synthetic surface 1180
 flow simulations 1181
 schematic cross-section 1175
 seismic images 1172
 seismic line through 1179
 time-lapse monitoring 1173
 time-lapse seismic data 1171–1182
 topmost carbon dioxide layer
 analysis 1173–1175, 1178
 buoyancy effects 1178–1179
 growth 1177
 observed volume **1176**
 permeability effects 1177–1178
 properties 1175
 spreading 3D flow simulation 1177–1181
 thickness derived from structural analysis 1176
 thicknesses from seismic amplitudes 1173–1174
 thicknesses from structural analysis 1174–1175
 topographic effects 1179–1181
 topseal properties 1181
 TOUGH2 axisymmetrical flow model 1176
 whole plume flux 2D flow simulation 1175–1177
- Sleipner Delta
 shallow-marine 174
- Sleipner Field
 carbon dioxide injection 1063
 injection operation 1172
- Sleipner Formation 168
- Sleipner West Field 158, 1183
- slope by-pass systems 823
- Slovak Republic
 shale 1081
- Slyne Basin 938, 1009–1010
 Cenozoic exhumation history 1005
 Dooish K-feldspars 950
 exhumation 1009, 1010
 exhumation estimates from seismic velocities 1011
 exhumation values 1012
 location map 922, 1006
 seismic data 1005
- smart mobile devices 25
- Smith, John 31
- Smith Bank Formation 38
- Smith Bank Shale 39
- Smithwick Formation
 tall calcite-sealed fractures 1133
- Society of Petroleum Engineers (SPE) 13
- Søgne Basin 138
- Sognefjord
 satellite image 916
- Solan Bank High
 classical rifting 923
 geoseismic profile 924
 location map 922
- Solarcentury 11
- Sole Pit area
 map showing location 326
- Sole Pit Basin 325
- source-to-sink systems
 drainage basin–shelf–slope basin floor profile 914
 elements 914
 exploration value 919
 Gulf of Mexico 914
 Norwegian continental shelf 916–919
 NSF 913
 passive margins 913–914, 913–920
 ancient systems analysis 915
 linked segment-style approach 915–916
 methods 914–916
 modelling 915
 Norwegian continental margin 913–920
 Norwegian continental shelf 916–919
 drainage system characteristics 919
 fan volume v. onshore source area size 916
 significance 913–914
 uncertainties 919
 segments 915
- South Africa
 Karoo Group 52
- South Anyui
 ophiolitic suture 597
 suture 607
- South Arne Field 487
 acoustic impedances 526, 527, 527
 base survey 526
 changes in water saturation 531
 compaction 523
 depositional environment 527
 fluid flow 534
 Kirchhoff time migration 526
 monitor survey 526
 petroleum geology
 applied time-lapse seismic methods 523–524
 Poisson's ratio 527, 528
 reservoir compaction 524, 526
 reservoir geomechanical model 524
 rock physics model 527
 change in gas saturation 528
 change in porosity 528
 change in water saturation 528
 surveys 526
 three-dimensional view 525, 530
 time-lapse AVO inversion 527
 time-lapse rock physics inversion 529
 time-lapse shift 526
 top-reservoir structure 524
- South Atlantic Ocean
 bathymetry contours 868
 breakup 855–865
 continental lithosphere thinning 859–860
 crustal thickness determination 859–860
 failed breakup model 860
 history 855, 860–862
 petroleum systems 862–865
 rifted margin formation 865
 subsidence analysis 859
 thinned continental crust i 855–865
 conceptual breakup models 863
 Santos Basin 855–859
 regional geology 855–857
 regional structure 858–859
 Sao Paulo Plateau 855–859
 sedimentary basins evolution 878
- South Bróna Basin
 geoseismic profile 925
- South Chukchi Basin 613
 HC play elements 614
 internal structure 613
- Southern North Sea
 Chiswick Field 315–323
- Southern Panels 369
 Buzzard Field 384
 high-density turbidites 372
 Lower B4 unit 380
- Southern Permian Basin 325
- Southern Scandinavia post-breakup uplift
 phases 986
- South Kara Basin (SKB) 604, 646, 654
 HC systems 604
 MCS data 604
 petroleum potential 604
 plate-tectonic setting and depositional environments 603
 structural mechanisms proposed 604
- South Kara Province
 petroleum geology 604
 RAS sedimentary basins 603–605
- South Kara Sea 660
- South Korea
 Drilling Expedition UBGH1, 1154
- South October Concession
 exploring subtle exploration plays in Gulf of Suez 777–778
 Rudeis Formation 778
- South Taimyr Fold Belt
 crustal tectonic 594
- South Viking Graben
 Hugin Formation 157–175
 sedimentology and sequence stratigraphy 173
 well-log correlation panel 169

- Southwest Carbon Partnership (SWP) 1189
carbon dioxide sequestration capacities 1194
terrestrial Riparian Restoration Project 1192–1193
- South Ymir Ridge Anticline 970
seismic profile 970
- Soviet Union
Former 13
- SPE. *See* Society of Petroleum Engineers (SPE)
- Spirit River Formation
basin-centred gas in Western Canada 1106–1110
Cadotte Member 1108–1110
Falher Member 1106–1108
Notikewin Member 1108
Lower Cretaceous age 1101
- SPP. *See* San Paulo Plateau (SPP)
- SRME. *See* surface related multiple elimination (SRME)
- SROCK 557
- SRTM. *See* Shuttle Radar Topography Mission (SRTM)
- STAR
application 517, 519
methodology 520
- steam-assisted gravity drainage (SAGD) 1141, 1143, 1145, 1147
steam chambers 1148
- steam chambers 1147
logging data 1148
SAGD 1148
- Stellar
default kinetic parameters
kerogen transformation 663
three dimensional basin modelling software 662, 667
three dimensional basin models 663
- stem flooding
four dimensional monitoring 1145
- Stendal, Henrik 590
- sterane maturity parameters 103
- Storelv formation 565
- STRATAFORM project 914
- stratigraphic architecture
Ahara High 712–713, 713
Berkine Basin 713
Djebel Tamamat 716–717
Gargaff Arch 710–711
Illizi Basin 712–713
Jasmine discovery 226–227
North Africa 718
North African plays 710–718
Algeria 712–716
Bled el Mass area 716–718
Libya 710–712
North Sea Eldfisk Field, Norway 473
Palaeozoic succession 718
Taq Taq field 805
Tihemboka High 715
- stratigraphic column 263
Chiswick Field 318
CNS Triassic 407
Gulf of Suez 773
Judd Basin 247
Skagerrak Formation 407
- stratigraphic framework
Ghadames–Illizi Basin 737
Huntington discoveries 215
- stratigraphic pinchout
Emsian flooding surface 716
Illizi Basin 716
Silurian flooding 716
- stratigraphic trap 262
clastic basin fill 269
defined 261
Grouw 272
Lower Cretaceous Rauwerd 272
Netherlands 266, 273
North Africa 725–733
types 731–733, 733
Carbonate buildups (Waulsortian reefs) 733
depositional pinchout 731–733
incised valley-fills 732
North Africa 731
Serpukhovian–Bashkirian incised valleys 733
Strunian to Tournaisian incised valleys 733
Viséan incised valleys 733
- stratigraphy
Buzzard Field 372
charging gas fields 661–662
Chiswick Field 316–317
Chukchi basins 613
Egyptian North Red Sea basin 783
Euphrates Graben 813
Faroe–Shetland Paleocene 281
gas-prone petroleum systems 1045
Laggan sands 281
Netherlands 262
Nile Delta 700
play 698–700
Northern Judd Basin 245–246
North Sea Rift 39
photomosaic data 24
Red Sea 785
Santos Basin 857
Saudi Arabia 692–695
Skagerrak Formation 416
Taoudenni Basin 676–677
Taq Taq 802
thickness control 504
Vaila Formation 281
West of Shetlands Area 281
- Streppenosa Formation 118
foreland 124
hydrocarbon occurrences 124
- stress-fields
tectonic 90
- strike-slip faulting 41
- stromatolitic carbonates
Abolag-1, 680
Taoudenni Basin 680
- structural architecture
Almada Basin 867–880
Camamu Basin 867–880
North Sea hydrocarbon systems 41
- structural diagenesis 1133
- Strunian Sands 738
- Strunian–Tournaisian
incised valleys 733
sandstones 731
- sub-basalt imaging
Faroe–Shetland Channel 1034
Møre Basin 1025
- subsalt
Block 31, 1015
imaging challenges 1013–1015
Mad Dog Field 1015
- subsidence
calculating 831
modelling programmes 839
- sub-Zechstein
composite layer 72
seismo-stratigraphic relationship 60–61
well sections 57–59
- Suez Rift 771
- Suilven
CSEM 257
gas discovery 252
oil discovery 252
- Sukkertoppen Iskappe 981
idealized profile 993
landscape development 992, 993
uplift history 995
- Suprasalt Miocene strata
Green Canyon area 909
- surface related multiple elimination (SRME) 236, 1007
three dimensional Red Sea basin 786
visualization quality control 1007
- suspension-transport by contour currents 90
- Svalbard
AFTA data 640
- Svane-1 well 138
formation pressures 136
gravity-flow sandstones 138
HTHP environment 138
- Svecokarelian greenstone belts 569
- Sverdrup Basin 643
- Swab–Tanf Formation 813
- Sweden 563
exhumation 983
- SWOPS. *See* Single Well Oil Production System (SWOPS)
- SWP. *See* Southwest Carbon Partnership (SWP)
- synchronous exhumation 633–643
Alaska North Slope 633–643
Barents Sea 633–643
exhumation histories from North Slope Alaska 637–640
exhumation histories in Barents Sea 634–637
implications for hydrocarbon prospectivity 643
regional extent 643
regional synchronicity 642–643
thermal history reconstruction 634
- syn-rift 823. *See also* Faroe–Shetland Basin, syn-rift play
Angola 1046
early 961
late 958, 961
Lower Cretaceous age 962
plays 961–962
poorly dated 824
Rudeis 775
sedimentary fill 96
stratigraphy 777

- syn-rift 1 megasequence 738
 syn-rift 2 megasequence 739–742
 Syria. *See also* specific location
 Euphrates Graben 811–818
 tectonic map 812
 Szolnok Formation 1126, 1128
- Tabe Formation
 generalized present day level of maturity 1049
- Tadart fields 754
 Tadart Formation
 Lower Devonian age
 GDE map 748
 MPath modelling 758
 outcrop photo 711
- Tafilalt Basin 731, 732
 Tail End Graben 129
 gravity-flow sandstones 138
- Taimyr Fold Belt
 crustal tectonic 594
- Tannezuft Formation
 Silurian age 765
 Middle East 687
 North Africa 687
- Tanopcha Formation 659, 662, 667
 coal-bearing muddy sediments 598
 gas yield 663, 664, 665
 temperature map 666
 thermal yields 663
- Tanzuft 'hot' shale 754
- Tanzuft source rocks
 kitchen maps 757
- Taoudenni Basin 676, 681, 682, 688
 Abolag-1 well 679
 burial histories 680
 depositional model for stromatolitic carbonates 680
 exploring older and deeper hydrocarbon plays 676–681
 geological cross-section 678
 Neoproterozoic geology 677
 Neoproterozoic petroleum system 676–681
 Neoproterozoic succession 679
 petroleum system 679
 Precambrian stratigraphy 678
 regional tectonic events 680
 tectonic events and hydrocarbon play 678
- Taq Taq field 801–809
 appraisal and development 801–809
 current plans 809
 fluids 808–809
 pore system 806–807
 reservoirs 802
 seismic facies analysis 805–806
 Shiranish Formation 802
 structure 802–805
 appraisal and development of 801–809
 lithofacies prediction 806
 location map 801
 log, core, mud gas and image interpretation 808
 matrix-fracture interaction under water 807
 seismic dip line 805
 stratigraphy 802, 805
 structural interpretation 805
- target oil volumes
 locating remaining oil in Nelson Field 365–366
 slow oil 365
- Target Remaining Oil 350
- Tasmanites* morphology 98
- Tassili N'Agar outcrops
 Palaeocurrents 745
- Tayarat Limestone 813
- Tay formation fan system
 Eocene age 46
- TD. *See* total depth (TD)
- TDS. *See* total dissolved solids (TDS)
- Teal embayment 191
- Telford fields 387
- Temis three dimensional model 754
 Caledonian erosion 757
- Tempa Rossa oil fields
 Val d'Agri oil field 121
- temperature logs 1147
- Tern horst 44
 evolution 43
 Late Jurassic extension multiple phases interplay 42
- terrestrial laser scanning 25
 workflow 24
- Terroir, Didier 589
- Tertzakian, Peter 14
- Tethyan rim of Arabia 828
- Tethys Ocean 420, 1126
- Texas
 Bossier sandstones 1112
 cores and outcrops 1135
 Fort Worth Basin 1087, 1088, 1131
 SACROC EOR Field, Texas 1190
 history-match analysis 1191
 regional location map 1191
 sequestration test 1190–1191
- Thebes Formation 773
- thermal history algorithms 826
- thermal mining *in situ*
 techniques 1141
- thermogenic gas shales
 microfractures 1133
- thermogenic petroleum systems
 Angola future gas exploration 1045–1052
 Post-Aptian salt plays 1049–1052
 Pre-Aptian salt plays 1045–1049
- Thousand Barrels a Second* (Tertzakian) 14
- three channel pathways
 Central North Sea basin 88
- three-component geophones
 S-waves 833
- three dimensional horizon maps
 MMU 79
- three dimensional maps
 West Greenland 991
- three dimensional modelling
 basin project 660
 compilation 844
 crystalline basement surface 70
- finite-difference
 area 1019
 generation 1019
 NATS v. WATS 1020
 WATS oil field subsalt offshore Angola image 1016–1017
- forward and inverse 63–64
- geological 294–296
- geological software 1149
- inversion
 free air gravity computation 65
 layer density values input 66
 stages 63
- isostatic behaviour 824
- petroleum systems 686, 689
 showing granite morphologies 68
 visualization environment 1035
- three dimensional seismic data
 Captain Field 343
 Clair field 303
 hydrocarbon systems 51
 and sequence stratigraphy of North Sea 53
- three dimensional seismic mapping
 North Sea 52
 and porosity variation of intra-chalk units 537–548
- Three Forks Formation 1066
- thrust-and-fold belts
 Cenozoic 113
 Italy hydrocarbon occurrences 113–125
- thrust faults offset
 Walker Ridge area 907
- thrusting 904
 Gulf of Mexico 904
 propagation folds 122
 Sigsbee Escarpment 905
 types 903
- Thud Field
 tectonic and eustatic events 489
- Thud Formation 473, 478, 481–482
 age 481
 biofacies 482
 correlation 482
 lithology/petrophysics 481–482
 tectonostratigraphy 482
- TIB. *See* Transscandinavian Igneous Belt (TIB)
- tidal inlet sands
 Rømø barrier island 152
- tight gas sandstones 1099, 1120
- tight oil
 unconventional oil and gas resources 1061–1062
- tight reservoirs
 North America 1061
- Tihemboka area
 chronostratigraphic chart 720
 geological map 715
 Siluro-Devonian stratigraphic architecture 715
- Tihemboka High 715–716
 interpretation 715–716
 stratigraphic architecture 715
- Tilje Formation 425
- Timan–Pechora Basin
 Palaeozoic oil-prone source rocks 602
- time-lapse seismic data 532
 acquisition, processing and inversion 525
 AVO inversions 526–527
 South Arne 527
 volumetric strain 533
- time-lapse time shift
 Ekofisk 532
 South Arne 526
 Valhall 532

- time-lapse time shift observations
 - applied time-lapse seismic methods 528–533
- Timor
 - petroleum systems 828
- Tindouf Basin 738
- TOC. *See* total organic carbon (TOC)
- Tofte Formation 421, 425–426
 - depositional synthesis 425
 - description 425
 - facies elements 426
 - marine shales 426
 - pressure profiles 422
 - rapid pressure decline explanation 426
- tomographic inversions
 - wide-angle arrival times **835**
- Top Buzzard 373
- Top Chalk Group
 - time-structure map 538
- Top Chalk horizon
 - depth maps 1009
- top crystalline basement depths
 - 3D inversion of free air gravity computation 65
- Top Eocene
 - depth maps 1009
- Top Hermod surface 48
- Top Joanne
 - reservoir zonation scheme 240–241
- Top Julius Mudstone
 - reservoir zonation scheme 241–242
- Top Jurassic depth map
 - West Siberia Basin 660
- Top Lower Joanne
 - reservoir zonation scheme 241
- Top Middle Joanne
 - reservoir zonation scheme 241
- Top Palaeogene Chalk
 - limestone porosity 465–466
 - natural gamma ray log 465–466
- Top Reservoir
 - Base Cretaceous and Base Chalk horizon **499–501**
 - dry holes and discoveries analysis 503
 - hydrocarbon discoveries *v.* aquifer seal capacity histogram 502
 - South Arne structure 524
- top seal 1183–1184, 1187
 - seismic signatures 1187
 - trapping below 1187
- Top Shiranish
 - depth map 804
- Top Triassic Unconformity 227
- Top Zeit rugosity
 - PSDM velocity models 787
- Tor Field
 - hydrodynamic sorting pattern 479
 - porosity and bulk volume water 477
 - tectonic and eustatic events 489
- Tor Formation 473, 476–477, 478, 481, 523, 539. *See also* Lower Tor Formation
 - age 484
 - air–mercury capillary pressure 469
 - biofacies 484
 - Chalk 464
 - Chalk well micrographs 467
 - core data 468
 - Cretaceous age 225
 - depth trends 468
 - effective stress 532
 - lithology/petrophysics 484
 - mercury capillary pressure 467
 - pencontemporaneous allochthonous sediments 476
 - porosity, water saturation and PWFT 469
 - reservoir 525
 - tectonostratigraphy 484
- Tormore
 - AVO 283, 296
 - chlorite 296
 - gas condensate discoveries 279
 - Laggan mature understanding 296
 - location map 280
 - Paleocene gas condensate discoveries 279
 - structural map 283, 296
- Tornquist Fan
 - Bouguer gravity profiles 574
- total depth (TD)
 - Faroe Islands 1033
- total dissolved solids (TDS) 1190
- total magnetic field anomaly
 - Norwegian continental shelf 887
- total organic carbon (TOC) 811
 - Bakken Formation 1073
 - Bakken member 1070
 - Bakken shales 1066
 - Carboniferous 1092
 - England 1092
 - Namurian 1091
 - Northeast England 1092
 - Pannonian Basin 1126
 - upper Bakken member 1070
- TOUGH2 model 1178
 - flow simulation 1177
 - intra-reservoir mudstones **1177**
- Tournaisian age
 - Early 729
 - Late 729
 - Middle 729
- Tournaisian Alum Shale 1080
- T38 prospectivity
 - Lamba formation 249–258
 - Northern Judd Basin sequence 249–259
 - CSEM survey 254–258
 - hydrocarbon sourcing 251–253
 - reservoir 249–251
 - rock physics analysis 253–254
 - seal 253
 - seismic anomaly 252
 - seismic model 254
 - trap 251
 - reducing uncertainty level 249–258
- traditional fieldtrip training tool
 - petroleum geoscientists virtual fieldtrips 20
- Traill Island
 - AFTA data 641
- Traill–Vøring igneous complex 580–581
- Trans-Saharan Seaway 742–743
- Transscandinavian Igneous Belt (TIB) 569
- traps
 - scale salt-related geometries implications 43–44
 - stratigraphy role 262
 - style 350
- Treacate oil field 119
- Triassic age 663
 - Argana Basin 930
 - basins location map 922
 - basins of Morocco 928
 - Berkin Basin 689
 - Bunter fields 262, 270
 - Bunter Shale 38
 - Central High Atlas Basin 930
 - CNS 407
 - Early 949
 - Fundy Basin 930
 - Late 118–119, 265
 - Main Buntsandstein Formation 267
 - Morocco palaeogeographic map 927
 - Netherlands petroleum exploration with stratigraphic plays 267–268
 - outcrops 931
 - palaeogeographic reconstruction 929
 - plate-tectonic setting and depositional environments 603
 - pods 201, 410
 - pre-rift succession 957
 - red beds 926
 - reservoirs 38–39, 405–417
 - salt ridges 78
 - sand dispersal on NW European margin 927–928
 - sedimentary architecture 405–417
 - Skagerrak Formation 214, 214, 405
 - strata 41, 191
 - stratigraphy 40, 228
 - succession 118, 932
 - traps 262
- Trinity three dimensional basin
 - model 754
- Troll delta 45
- Trøndelag Platform 890, 925
 - amplitude magnetic anomalies 574
 - offshore top basement map 894
 - onshore tectonostratigraphic map 894
- true vertical depth subsea (TVDSS) 355
- Tunguska Basin 621
- Tunisia reservoirs 753
- Tupi oil discovery
 - SPP 859
- turbidites 282
 - amalgamated 279
 - Andrew Formation 431
 - biostratigraphy 381
 - channel complexes 351
 - chemostratigraphy integration 381
 - deposition
 - Puffin Terrace 195
 - Puffin Terrace and Fulmar–Clyde Terrace 195
 - sequence J56 191
 - high-density 372
 - Humber Group 189
 - KCF 192, 369
 - mud and silt 282
 - ponded 282, 288
 - reservoirs 356
 - sand deposition phases 369
 - sands pressures 503
 - sandstones sequences J64 196
 - Selkirk 202
 - slope 826
- TVDSS. *See* true vertical depth subsea (TVDSS)

- two dimensional modelling
 gravity 868, 870
 margin evolution 824
 perspective 1036
 seismic data 57
- two dimensional seismic inversion
 intra-chalk unit porosity variation 541–543
 well log correlation 537
- two dimensional seismic mapping
 North Sea 52
- two way travel time (TWT) structure
 Horizon 4, 86
 Horizon 6, 87
 MMU 79
- TWT. *See* two way travel time (TWT) structure
- Tyra Field 463–464, 465–466
 bulk density and water saturation 466
 calculated water saturation 465
 capillary pressure 471
 capillary pressure curve 469
 Chalk oil–water contact tiling 463–471
 log- and core data analysis 464–471
 results 471
 conceptual cross section 463
 conceptual water saturation 464
 depth structure map 464
 GOC 464
 hydrodynamic action 471
 lithostratigraphic and fluid contacts in wells 468
 OWC 465, 471
 porosity, water saturation and PWFT 470
 water saturation calculation 471
 water-saturation-depth curve 469
 well logs analysis 468
- Tyumen Formation
 Jurassic age 666
 source rocks 661
- UBGH1. *See* Ulleung Basin Gas Hydrate Expedition 1 (UBGH1)
- UCG. *See* underground coal gasification (UCG)
- UCGP. *See* Underground Coal Gasification Partnership (UCGP)
- UKCS. *See* United Kingdom Continental Shelf (UKCS)
- Ukraine
 shale 1081
- Ulleung Basin Gas Hydrate Expedition 1 (UBGH1) 1154
- ultra-heavy oil
 biodegradation 1062
 Canada 1062
 unconventional oil and gas resources 1062
- Unayzah complex
 Saudi Arabia 692
- Unayzah formations
 Ordovician 697
- unconformities
 nature and significance 824
 Neogene basin 91
 traps 262
- unconventional oil and gas resources
 1061–1063, 1065
 basin-centred and tight gas 1062
 carbon dioxide geological storage 1063
- coal gasification 1063
 gas hydrates 1062–1063
 geological storage of carbon dioxide 1061–1063
 shale gas 1062
 shale oil 1061–1062
 tight oil 1061–1062
 ultra-heavy oil 1062
- underground coal gasification (UCG)
 1063, 1155
 CCS 1155–1163
 economic case 1160
 ERA 1160–1162
 history 1155–1156
 implementation technical challenges 1160
 Northeast England case study 1162
 process 1156–1157
 prospects for carbon dioxide storage 1158–1159
 stages 1157
 UK feasibility 1156
- Underground Coal Gasification Partnership (UCGP) 1156
- uneconomic oil volumes
 locating remaining oil in Nelson Field 362–364
 heterogeneous reservoir intervals 363
 minor attic oil volumes 363
 thin beds 362–363
- United Kingdom 47, 1155–1156, 1159–1160, 1162. *See also* specific location
 Central Graben sequence stratigraphy reappraisal 177–210
 Central North Sea 213–223, 219
 data and analysis for shale gas prospectivity 1087–1097
 hydrocarbon self-sufficiency 31
 Lower Palaeozoic black shales 1091
 Mississippian shale 1090
 North Sea 337–347
 Norway Quad 26 area 47
 onshore 69
 Sele/Hermod shelf 47
 sequence stratigraphic models 47
 shale gas 1062, 1087–1097
 Barnett Shale 1087
 Carboniferous black shales 1091–1096
 gas content and kerogen type 1091
 gas fields and discoveries 1092
 Jurassic black shales 1096–1097
 mineralogy 1092
 porosity, permeability and fracture porosity 1091–1092
 potential source rocks general characteristics 1088–1090
 pre-Carboniferous black shales 1090–1091
 principal source rocks 1092–1096
 thermal maturity 1091
 TOC 1091
 UK's closest tectonic analogue 1087–1088
- shale gas exploration 1087
- shales stratigraphic groups
 1089–1090, 1090
- Southern North Sea 315–323
- UCG feasibility 1156
- wells 505
 direct pressures in Chalk 498
 fluid pressures 497
 pressure-depth plot 496
- United Kingdom Continental Shelf (UKCS)
 15, 225–242
 exploration 213
 Faroe–Shetland Basin location map 280
- United States. *See also* specific location
 NSF source-to-sink studies 913
 regional carbon sequestration partnerships programme 1189–1195
 shale gas 1079–1180
 Williston Basin 1066
- untapped hydrocarbon accumulations 455
- updip water 1099–1100, 1109–1110, 1122
- uplift and erosion
 North Atlantic passive margins 981
 shelves of Greenland 1000
 subsidence 982
 tectonic 92
- uplift and exhumation 979–1001
 case A tectonic control 982–986
 case B early Neogene exhumation 987–990
 case C West Greenland 990–992
 case D Oligocene hiatus 992–994
 case E Ordovician source rocks 994–995
 case F post-rift burial 995–999
 elevated rift margins 999–1000
 estimating timing and magnitude 981–982
 North Atlantic passive margins 979–1001
 origin of post-rift uplift along passive margins 1000
- upper Bakken member
 maturity 1070
 pseudo van Krevelen diagram 1070
 TOC 1070
- Upper Bowland Shale
 black shale 1095
 mudstones thickness 1096
 thickness 1095
- Upper Captain Sand (USC) 343
- Upper Cretaceous age. *See* Late Cretaceous age
- Upper Devonian age. *See* Late Devonian age
- Upper Ekofisk 475, 487–488
 age 487
 biofacies 488
 biostratigraphy 475
 lithology/petrophysics 487
- Upper Ekofisk Formation 488
- Upper Fars Formation 804
- Upper Jurassic age. *See* Late Jurassic age
- Upper Kimmeridgian 137–138
 depositional environment 137–138
 palaeogeography 138
 paralic and shoreface sandstones 129–136
 depositional environments 129–133
 palaeogeography 135–136
 reservoir characteristics 133–134
 reservoir characteristics 138
 shallow marine sandstones 136–137
 depositional environment 136–137
 reservoir characteristics 137
- Upper Lemna interval
 reservoir properties 334
- Upper Magne Formation 483–484
 age 483
 biofacies 483

- correlation 483
- formation 483
- lithology/petrophysics 483
- tectonostratigraphy 483
- Upper Middle Volgian 139–141
 - depositional environment 139–141
 - distribution and stratigraphy 139
 - palaeogeography 141
 - reservoir characteristics 141
- Upper Miocene age. *See* Late Miocene age
- Upper Nikanssin age
 - acoustic properties 1119
 - secondary porosity 1107
 - sections 1107
- Upper Ordovician age
 - Lower Silurian shales 715
- Upper Piper sections 393
- Upper Ror Formation 425
- Upper Rotliegendes Group
 - Permian 262
 - play map 269
 - strata 62
 - units 61
- Upper Rudeis Formation
 - characterization 777
 - sandstone distribution 777, 779
- Upper Rudeis prospectivity
 - exploring plays in Gulf of Suez 777
- Upper Silurian age
 - Caledonian unconformity 711
- Upper Tor Formation 484–486
 - age 484
 - biofacies 484–485
 - lithology/petrophysics 484
 - tectonostratigraphy 486
- Uralian deformation 646
- Uralian Ocean 656
- Uralian Orogeny 645, 654
- Ural mountains 660
- Urengoy field 664, 664
 - gas charge 667
 - gas yield 665
- USC. *See* Upper Captain Sand (USC)
- U-shaped minibasin
 - Walker Ridge area 905
- Ust' Lena Rift 605
- Utah
 - Book Cliffs of Utah 24, 52
 - deltaic reservoir analogues 24
 - EOR-sequestration test 1190
 - Gordon Creek Field 1193–1195
 - commercial-scale injection test 1193–1195
 - site location/surface geology map 1192
 - stratigraphy 1193
- Utsira Formation
 - carbon dioxide
 - flow model 1185
 - flow v. hydrocarbon migration 1183
 - injection 1183–1184
 - migration 1187
 - plume seismic signatures 1185
 - location and extent 1184
 - modelled 3D carbon dioxide
 - distribution 1186
 - North Sea 1184
- Utsira Sand 1171
 - amplitude changes 1173
 - amplitude–thickness
 - relationship 1174
 - average velocities variation to top
 - 1179, 1179
 - carbon dioxide saturations 1173
 - Cenozoic saline aquifer 1063
 - core material centrifuge experiments 1173
 - CWC 1173
 - distribution and thickness 1172
 - faults 1176
 - geophysical logs 1172
 - layer thickness-saturation
 - function 1174
 - north-trending depositional geometry 1178
 - permeability values 1177
 - reflection amplitude changes 1173
 - seismic velocity 1174
 - water production 1179
- Vaila Formation 245
 - stratigraphy 281
- Val d'Agri oil field 121
 - discovery 119
 - hydrocarbons 120
 - Italy hydrocarbon occurrences 119–120
 - petrophysical characteristics 120
- Våle Formation 487, 488
- Valhall
 - LoFS system 311
 - time-lapse time shift 532
- valid exploration targets
 - Carboniferous petroleum system 74
- Variscan basement 924
- Variscan Foreland Basin 1080–1081
- Vasyugan Formation 661
- Venture appraisal well 332
- Venture-operated Chiswick Field 332
- Verkhoyansk Fold Belt 596
- Vernet Field 458
- vertical seismic profiling (VSP) 234
- Verzhbitsky, Vladimir 589
- Vienna Basin
 - geological cross-section 1082
- Viera Anticline 971
 - Late Cenozoic compression 971
- Viking Graben 38, 43, 48, 50, 893
 - individual contributions to basement depth
 - map 891
 - sedimentology and sequence stratigraphy
 - 173–174
 - well-log correlation panel 169
- Vil'kitski Rift Basin 610, 611
- Villafortuna Field 119
 - discovered 118
- virtual fieldtrips
 - creation 19–20
 - petroleum geoscientists 19–25
 - workflow 20
- virtual fieldwork
 - basis 20
 - workflow 21
- virtual outcrop (VO) 19, 20
- Virtual Reality Geological Studio (VRG)
 - lidar scan data 24
- Viséan age
 - Late 729
- Viséan incised valleys 733
- Viséan transgressive–regressive cycles 729
- vitrinite reflectance (VR) 633, 980
 - data v. depth 994
 - gradients 96
 - measurements 95
 - percentage values 1093
 - software 22
- Vlieland section
 - cross section 272
- VO. *See* virtual outcrop (VO)
- volcanic rocks magnetic properties 572
- volcanism onset 1026
- Volgian age 204. *See also* Early Volgian age
 - depocentre
 - development 201
 - downdip 203
 - Late 202
 - sandstone intervals of North Sea 139
 - sequence J64 199
 - sequence J66a 195, 199
 - turbidites 206
 - sediment sources 207
 - well correlation 202
- Volgian–Ryazanian
 - broad log character motifs 199
 - environments 196
 - formation process 200
 - Humber Group sequence stratigraphy
 - reappraisal 199
 - log profiles 209
 - megasequence 199
 - sequence J64 199
 - sequence J66a 199
 - sequence J66b 199
 - sequence J71–J72 199
 - sequence K10 199–200
 - sequences J73–J76 199
 - succession 184, 199
 - sequence age 203
 - tectonic reconfiguration 199, 209
- Volve Field 1179
- Vøring Basin 847
 - Cretaceous strata 1031
 - Eocene volcanic rocks 568
 - magmatic underplating 853
 - modelled strains 583
 - Paleocene strata 1031
- Vøring margin
 - basement thickness 892
 - Caledonian basement 890
 - crustal thickness 847
 - geological and structural features 844
 - individual contributions to basement depth
 - map 890
 - lateral volcanic distribution 846
 - LCB distribution 847
 - magmatic rocks 847
 - Moho difference 850
 - Moho map 892
 - negative Moho difference 846
- VR. *See* vitrinite reflectance (VR)
- VRG. *See* Virtual Reality Geological Studio (VRG)
- VSP. *See* vertical seismic profiling (VSP)
- Wabiskaw Formation 1144
- Wadden Sea 145–154, 148, 149, 151
- Wadi Shati
 - incised valleys 712
- Wales
 - biogenic and thermogenic shale gas 1080

- Walker Ridge area
 thrust faults offset 907
 U-shaped minibasin 905
- Walvis Ridge
 location 868
- water
 distribution to gas production across basin 1114
 layer stratigraphy Rockall Trough 554
 saturation capillary pressure 1114
- water cones 341
- WATS. *See* wide-azimuth towed streamer (WATS)
- Waulsortian reef 733
- WCG. *See* West Central Graben (WCG)
- Welbeck Colliery
 gas wetness ratio 1094
- wells 1155–1156. *See also* Infill wells;
 specific name
 20/06-2, 371
 20/06-2(a-B1A)
 geochemical profiles and binary diagrams 383
 20/06-5 372
 20/60(a-B)-8 380
 20/60(a-B1A,-B5,-B6) 379
 20/60(a-B14Z)
 pressure depletion 378
 updip production 378
 22/11 360
 30/6-07 234
 30/06-6 228, 230
 30/06-7
 migrated VSP image 235
 48/14-2
 discovery well 332
 evaluation 329–330
 fracture stimulation 332
 fracture stimulation process 336
 future orientation 335
 hydraulic fracture stimulation parameters 330
 reservoir properties **334**
 scanning electron photomicrograph of fibrous illite 331
 48/14-5
 rose diagram showing strike orientation 333
 48/14(a)-5 330–332, 332
 reservoir properties **334**
 scanning electron photomicrograph of fibrous illite 331
 48/14(a)-6 332–335
 FMI log 334
 horizontal well 335
 hydraulic fracture-stimulated intervals 333
 reservoir properties **334**
 204/18-1 251
 reservoir analogue 250
 A3
 pressure-tester formation 358
 Amalie-1 wells 138
 Amethyst State-1 well, Alaska 637
 AFTA and VR data 638, 639, 640
 palaeotemperatures 639
 A1-NC43 764
 A1-NC198 761–769
 buried hill structure 763
 chemostratigraphy 767
 Kufra Basin 761–769
 lithology and GR characteristics 765
 palynomorphs 767
 Silurian to Carboniferous stratigraphy 767
 Spore Colour Index against depth 769
 well log 766
 business justification of targeting blind test 1022
 Captain Field, Well A3 346
 Central North Sea 58
 Central Panel injection well 382
 Central Trough 51
 Cleo-1 wells 138
 correlation panel 241
 Dooish well 939, **942–943**
 England 1089
 Felicia-1 and Hans-1 wells, Offshore Denmark 642
 Gert-1 well 130, 134, 145
 back barrier sediments 148
 interpreted washover fans photographs 153
 porosity-permeability plot 148
 sedimentological core log 147
 Gro-3 well 640
 Hejre-1 134
 HH84-1, GG85-1, GS216-1 778
 Huntington Fulmar well location 219
 hydrocarbon(s) 1089
 injection and production 1157
 J4 393
 J30 393
 J30(Z) 402
 J32(Z) 396, 397, 398
 J34 393, 396, 402
 J66(a SB) 198
 Jade Field 242
 JAPEx/JNOC/GSC Mallik 2L-38 gas hydrate research well 1153
 Judy Member 410
 Julia horst well 228, 232
 Julia well 236
 kerogen **106**
 leaking 1162
 log correlation 2D seismic inversion 537
 monitoring 1161
 N15
 shale baffle 355
 N20(Z) 357
 N27 364
 North Sea data 41
 North Slope of Alaska 640
 pressure and logs 1162
 Qara Chauq 804
 Rockall Basin palaeodrainage stratigraphy 944
 Saxo-1 139
 Scott zonation 389
 sealed 1162
 seismic to synthetic tie 1120
 Svane-1 138
 formation pressures **136**
 T35 246
 T36 246
 T38
 prospectivity 249–258
 T70
 bypassed oil 366
 bypassed oil volumes 366
 4D seismic response 362
 macroforms and drainage cells 354
 T75
 fill and spill geometry 355
 fuel tank display 363
 macroforms and drainage cells 353
 western channel baffles 359
 Wessel-1 139
 Western Canadian Foreland Basin density 1101
 Wernigerode Phase tectonics 482
 Peine Phase tectonics 482
 Wessel-1 well
 Volgian sandstone intervals 139
 West Africa
 exploring older and deeper hydrocarbon plays 676–681
 hydrocarbons 7
 POC 874
 Taoudenni Basin 676–681
 West Canada
 BCG basin model 1110–1111
 Nikanassin Formation 1101–1104
 West Canada Basin
 centred gas system 1062, 1099–1122
 Devonian Exshaw 1075
 shale gas 1079
 West Canada Sedimentary Basin
 regional cross-section 1145
 regional setting 1141–1144
 stratigraphic column 1142
 tectonic setting from Late Jurassic to Early Eocene 1144
 West Canadian Foreland Basin
 schematic regional tectonic map 1100
 well density 1101
 West Central Graben (WCG) 180
 high-amplitude reflector 185
 marine conditions 187
 seismic line 200, 201, 203
 shoreface deposition 190
 well correlation 188, 194, 197
 West Central Shelf 69
 seismic profile 65, 66
 seismo-stratigraphic relationships 62–63
 West Emila accretionary arc
 geological sections 117
 hydrocarbon occurrences 117
 Settala gas field 123
 Villafortuna-Trecate oil field 119
 Western Channel wells
 22/11-N24 and 22/11-N28Z 357
 N15 bridge plug 358
 Western Desert
 burial history 697
 exploring older and deeper hydrocarbon plays 697–698
 tectonic events 697
 Western Platform 191
 Western Structural Domain
 Novaya Zemlya 651
 West Europe
 shale gas 1079, 1083
 West Forties basin
 tectonic reconfiguration 201

- West Gondwana
reconstructions 876
- West Greenland 981
burial and uplift history 995
3D maps 991
erosional unconformity 1001
evaluating palaeotemperature profiles 982
events chronology 992
geomorphological and geological
observations 990
landscape 1001
landscape and detailed
thermochronological dataset 999
Oligocene hiatus offshore 993
Oligocene unconformity 994
outcrops 1034
seismic profile 994, 996
unconformity below Neogene
succession 994
uplift and erosion of offshore
shelves 1000
- West Lewis Basin
seismic profile 972
- West Lewis Ridge
reverse faults 970–971
inversion 970
seismic profile 973
- West Limb
Boundary Fault 232
core area gas condensate 233
exploration drilling phase summary 230
seismic reprocessing results 239
- West Lutong Field 459
by-passed hydrocarbons identification 460
geological models 459
- West Orkney Basin
classical rifting 923
- Westphalian
black shale 1080
Chiswick Field 319
gas development 319
- Westray Fault 245, 252
oil 253
oil migration model 253
- West Shetland Area
aeromagnetic map 248
stratigraphy 281
- West Shetland Platform
breached relay ramps 957
conceptual model for structural
evolution 959
conceptual play model 961
Early Cretaceous 956
seismic acquisitions/processing 955
- West Siberia 667
Cenomanian gas fields 667
Cenomanian reservoirs 667
isotopic composition of methane 665
- West Siberia Basin 660, 661, 662
cross-section of petroleum systems 661
3D basin modelling project 660
Mesozoic chronostratigraphy 662
northern and central 661, 662
source rocks 659
Top Jurassic depth map 660
- White Zone 249
- wide-azimuth towed streamer (WATS)
acquisition configuration 1016
acquisition details 1017
acquisition parameters 1017
data 1020
five-tile 1021
four-tile 1021
Gulf of Mexico 1023
oil field subsalt offshore Angola image
1013–1024
business case support 1023
3D finite-difference modelling
1016–1017
model evaluation 1018–1022
recommended WATS survey 1023
subsalt imaging challenges 1013–1015
wide-azimuth solution 1015–1016
six-tile 1021
survey
Block 31 acquisition area 1023
Mad Dog Field 1016
subsalt offshore Angola image 1023
three-tile 1021
tile number comparison
v. NATS 1021
tiles 1019
- wide sag-type basins 824
- Widmerpool Formation
shale 1093
- Widmerpool Gulf 1095
- Williston Basin 1066
Bakken Formation 1065–1076
Devonian age 1061–1062, 1065
GOR 1072, 1073
lithostatic and hydrostatic pressure
gradients 1072
location 1066
Mississippian Bakken Formation 1065
petroleum system 1061–1062
- Witch's Hat segment
Clair field 309, 310
- Withycombe Farm borehole 1091
- Wolfville fluvial succession 931
- Wolfville Formation 929, 931, 932
summary correlation 933
- Woodford Formation
folded calcite-sealed fracture 1136
folded dolomite veins 1136
- Woodford Shale
tall calcite-sealed fractures 1133
- Worcester Graben satellite basins 1087–2088
- World Energy Outlook* (2005)
International Energy Agency (IEA) 11
- Worston Shale Group
black shale **1095**
shale 1093
- Wrangel Foreland Basin 609–610, 612
- Wrangel-Herald Arch 612, 613
- Wrangel Island 597
crustal tectonic 594
- Wyoming 5, 6
- Wyoming Craton 5
- Wyville–Thomson Ridge Anticline
968–969
bottom-water current activity 969
seismic profile 971
- XCTD. *See* expendable
conductivity-temperature-depth
(XCTD) probe
- XSP. *See* expendable sound speed
probe (XSP)
- Yamal Peninsula 661
- Yell Basin
Clair play 960
rifted margin 960
seismic acquisitions/processing 955
structural evolution and sediment
dispersal 960
structural reconstruction 956
- Yenisei-Khatanga Basin
Assessment Unit
densities and median sizes 628
distributions and assessment unit
probabilities 629
- Yenisei-Khatanga region 593
- Yenisey-Khatanga Basin 622
assessment unit 629–631
exploration maturities **626–627**
field densities and sizes **626–627**
- Ylvingen Fault 571
- Ymir Ridge Anticline 970
North 973
seismic profile 971
- Ymir Ridge Complex 968
- Yowlumne Field 352
- Ypresian isochore
Rockall–Faroe area 970
- Zagros mountain-building
folding and faulting 803
- Zechstein Group 59, 66
composite layer
crystalline basement surface 72
gas chimneys 72
isopach map 72
isopachs 69
evaporite seal 71
faults 891
isochore two-way time and depth
maps 320
isopachs 65
Netherlands petroleum exploration
267
play map 270
salts 320
BCU depth structure map 219
halokinetic activity 269
underpinning 44
seismo-stratigraphic relationship
Auk–Argyll–Flora area 60–61
Jaeren high area 62
Mid North Sea High area 61
West Central Shelf 62–63
topsoil 73
Upper Palaeozoic 59
well sections 57–59
- Ziegler, Peter 38, 39, 51
- zircon
age spectra 6
detrital 6
geochronology 6